



Зип Ощепит

vsezip.ru

Spare Parts for

Ovens & Combi Ovens



Spare parts suitable for

**FOINOX**


2018

Find the complete and up-to-date range of products in our GEV Webshop



# heating elements

## heating elements for ovens



<b>GEV No.</b>	418759	<b>Ref. No.</b>	10645
<b>description</b>	heating element 1800W 230V heating circuits 1 L 360mm W 390mm L1 95mm L2 265mm W1 165mm W2 60mm flange length 100mm flange width 23mm hole distance 86mm bridge length 485mm hole ø 3.3mm tube ø 6.3mm connection male faston 6.3mm connection length 10mm windings 4 rectangular flange dry heating element mounting thread M4		

## immersion heating elements

### 3 hole flange ø47.5mm



<b>GEV No.</b>	418136	<b>Ref. No.</b>	3434
<b>description</b>	heating element 4360W 240V mounting ø 47.5mm heating circuits 3 L 310mm W 31mm H 35mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 200mm thermostat sleeve clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater		
<b>For models:</b>	FM06EB, FM06EDG, FM10EB, FM10EDG, FM20EB, FM20EDG		

<b>spare parts for</b>	418136		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

<b>accessories for</b>	418136		
	<b>GEV No.</b>	<b>Ref. No.</b>	—
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

	<b>GEV No.</b>	<b>Ref. No.</b>	—
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		

### with expansion flange 70 x 18mm



<b>GEV No.</b>	417781	<b>Ref. No.</b>	10621
<b>description</b>	heating element 2000W 230V heating circuits 1 flange 70x18mm L 210mm W 60mm connection male faston 6.3mm tube ø 8.2mm immersion heater expansion flange connection length 34mm		

Зип Общепит

vsezip.ru

+7(812)9877000



<b>GEV No.</b>	418137	<b>Ref. No.</b>	10622
<b>description</b>	heating element 3000W 230V heating circuits 1 flange 70x18mm L 220mm W 65mm Hmm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 34mm		
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM201EA, FM201EAP, FM201EB		



<b>GEV No.</b>	418138	<b>Ref. No.</b>	10620
<b>description</b>	heating element 6000W 230V heating circuits 1 flange 70x18mm L 445mm W 68mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 34mm		
<b>For models:</b>	FM401EA, FM401EAP, FM401EB		

## heating elements for convection



<b>GEV No.</b>	418129	<b>Ref. No.</b>	10638 40400038
<b>description</b>	heating element 16000W 230V heating circuits 3 ID ø 337mm ED ø 358mm L 450mm H 100mm L1 84mm W1 108mm H1 15mm H2 85mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
<b>For models:</b>	FC201EA, FC201EAP, FC201EB, FM201EA, FM201EAP, FM201EB, MM201EA, MM201EAP, MM201EB		




<b>GEV No.</b>	418133	<b>Ref. No.</b>	0022
<b>description</b>	heating element 2000W 220V heating circuits 1 ID ø 187mm ED ø 200mm L 215mm H 25mm L1 15mm W1 60mm H1 5mm H2 20mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 37mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
<b>For models:</b>	FE1-2, FE2-3		



Зип Общепит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	416412	<b>Ref. No.</b>	0159
<b>description</b>	heating element 2500W 230V heating circuits 1 ID ø 188mm ED ø 200mm L 215mm H 30mm W1 3mm W1 53mm H1 5mm H2 25mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm		




1

<b>GEV No.</b>	418134	<b>Ref. No.</b>	0508
<b>description</b>	heating element 3300W 240V heating circuits 1 ID ø 185mm ED ø 200mm L 215mm H 30mm W1 60mm H1 5mm H2 25mm flange length 100mm flange width 22mm hole distance 85mm connection male faston 6.3mm connection length 22mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC12E, FC12EA, FC12EDG		



1

<b>GEV No.</b>	415855	<b>Ref. No.</b>	10601
<b>description</b>	heating element 3900W 230V heating circuits 3 ID ø 176mm ED ø 244mm L 282mm H 43mm W1 38mm W1 61mm H1 13mm H2 30mm flange length 92mm flange width 22mm hole distance 78mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 6.3mm rectangular flange		




1

<b>GEV No.</b>	418131	<b>Ref. No.</b>	1023
<b>description</b>	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 231mm L 271mm H 90mm W1 41mm W1 103mm H1 24mm H2 66mm flange length 140mm flange width 22mm hole distance 63mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		



1

<b>GEV No.</b>	418132	<b>Ref. No.</b>	3016 3016A
<b>description</b>	heating element 7350W 230V heating circuits 3 ID ø 250mm ED ø 265mm L 277mm H 75mm W1 17mm W1 102mm H1 12mm H2 67mm flange length 143mm flange width 25mm hole distance 7mm connection M4 tube ø 6.5mm convection heating element hole ø 63mm rectangular flange		
<b>For models:</b>	FC06SE, FC06SEA, FC06SEGD, FM06EB, FM06EDG, FP05E, FP05EDG, MM06EA, MM06EAP, MM06EB		



1





<b>GEV No.</b>	418753	<b>Ref. No.</b>	10628
<b>description</b>	heating element 8000W 230V heating circuits 3 ID ø 287mm ED ø 300mm L 345mm H 90mm W1 39mm H1 20mm H2 67mm flange length 142mm flange width 25mm hole distance 12.7mm connection M4 connection length 67mm tube ø 6.5mm convection heating element hole ø 7mm rectangular flange		



1

<b>GEV No.</b>	418135	<b>Ref. No.</b>	1126
<b>description</b>	heating element 920W 230V heating circuits 1 ID ø 200mm ED ø 215mm L 255mm H 40mm thread 1/4" connection male faston 6.3mm 2 hole fixing mounting distance 24mm tube ø 8.5mm convection heating element		

<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC12E, FC12EA, FC12EDG		
<b>accessories for</b>	418135		

	<b>GEV No.</b>	361182	<b>Ref. No.</b>	—
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	<b>GEV No.</b>	510417	<b>Ref. No.</b>	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	<b>GEV No.</b>	520228	<b>Ref. No.</b>	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	<b>GEV No.</b>	550262	<b>Ref. No.</b>	—
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			



Зип Общепит

vsezip.ru

812)987-08-81



<b>GEV No.</b>	390068	<b>Ref. No.</b>	0283 0596 3529
<b>description</b>	thermostat t.max. 269°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FDE10, FDE15, FDE55, FDG10, FDG15, FDG55, FM200EB, FM200GB, FM201EB, FM201GB, FM401EB, FM401GB, FP05E, FP05EDG, FP05G, FP05GDG... (Other models you can see in the webshop)		



<b>GEV No.</b>	375002	<b>Ref. No.</b>	0026
<b>description</b>	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	FE1-2, FE2-3		



<b>GEV No.</b>	418139	<b>Ref. No.</b>	1466
<b>description</b>	heating element 3500W 240V heating circuits 1 L 620mm W 120mm L1 33mm L2 587mm W2 90mm flange length 70mm flange width 22mm hole distance 56mm connection length 100mm connection M4 tube ø 8.5mm hole ø 6mm W1 30mm rectangular flange convection heating element windings 2		
<b>For models:</b>	FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FM10EB, FM10EDG, FM20EB, FM20EDG, FP10E, FP10EDG, MM10EA, MM10EAP, MM10EB, MM20EA, MM20EAP, MM20EB		

## energy regulators

EGO

1-circuit



<b>GEV No.</b>	380015	<b>Ref. No.</b>	0280
<b>description</b>	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FDE10, FDE15, FDE55, FDG10, FDG15, FDG55, FM06EB, FM06GB, FM10EB, FM10GB, FM20EB, FM20GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG... (Other models you can see in the webshop)		

## thermostats

control and safety thermostats

EGO

control thermostats

55.10/19\_series



<b>GEV No.</b>	375647	<b>Ref. No.</b>	10005
<b>description</b>	thermostat t.max. 110°C temperature range 31-110°C 1-pole 1NO 16A probe ø 6mm probe L 133mm capillary pipe 870mm capillary pipe isolated gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
<b>For models:</b>	MM2/3EB		



Зип Общепит

vsezip.ru

+7(812)987-08-81

electric components

safety thermostats



55.10/19\_ series




1



<b>GEV No.</b>	375250	<b>Ref. No.</b>	0599 3528
<b>description</b>	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
<b>For models:</b>	FM06EDG, FM06GB, FM10EDG, FM10GB, FM201EA, FM201EAP, FM201EB, FM201GB, FM20EDG, FM20GB, FM401EB, FM401GB		
<b>spare parts for</b>	375250		
	<b>GEV No.</b>	551083	<b>Ref. No.</b> —
	cap for safety thermostat thread M8x1		

55.32\_ series

1


<b>GEV No.</b>	375649	<b>Ref. No.</b>	3019 3023
<b>description</b>	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 890mm capillary pipe isolated 880mm gland nut probe SS		
<b>For models:</b>	FM06EB, FM06GDG, FM10EB, FM10GDG, FM20EB, FM20GDG		

1

<b>GEV No.</b>	375380	<b>Ref. No.</b>	3023+0830
<b>description</b>	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

control thermostats




1

<b>GEV No.</b>	375645	<b>Ref. No.</b>	10008
<b>description</b>	thermostat t.max. 120°C temperature range 30-120°C 1-pole 1CO 16A probe ø 6mm probe L 110mm capillary pipe 1600mm capillary pipe isolated 1550mm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position upper rotation 270° probe material copper 250V		

switches and momentary switches


push/momentary push switches

28.5x77.5mm



1

<b>GEV No.</b>	346365	<b>Ref. No.</b>	10044
<b>description</b>	switch combination momentary/latching mounting measurements 28.5x77.5mm black 2CO/2CO 250V 16A with indicator connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	MM06EB, MM06GB, MM10EB, MM10GB, MM20EB, MM20GB		




1

<b>GEV No.</b>	346363	<b>Ref. No.</b>	10043
<b>description</b>	switch combination with indicator mounting measurements 28.5x77.5mm black 2CO/2CO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	FM06EB, FM06GB, FM10EB, FM10GB, FM20EB, FM20GB		

microswitches

pin-plunger actuated

M10



1

<b>GEV No.</b>	345032	<b>Ref. No.</b>	1519
<b>description</b>	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		



## system switches (ROLD)

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	345721	<b>Ref. No.</b>	3471
<b>description</b>	blank cap holder		



1

<b>GEV No.</b>	345537	<b>Ref. No.</b>	10313
<b>description</b>	element holder mounting measurements 20.6x16.4mm light grey arched for push buttons 13x17mm		
<b>For models:</b>	FC05G, FC05GU, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	345131	<b>Ref. No.</b>	3475
<b>description</b>	element holder mounting measurements 28.5x28.5mm grey single element holder		



1

<b>GEV No.</b>	346201	<b>Ref. No.</b>	3468
<b>description</b>	element holder mounting measurements 28.5x77.5mm grey three-fold element holder		



1

<b>GEV No.</b>	345606	<b>Ref. No.</b>	3474
<b>description</b>	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	FC05G, FC05GU, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EB, FC401GA, FC401GAP, FC401GB, FDG10, FDG155, FDG55, FM10GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM06GB, MM10GB, MM2/3EB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB, MM201EA, MM201EAP, MM201EB...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	345538	<b>Ref. No.</b>	3480
<b>description</b>	push button ø 11.9mm black		



1

<b>GEV No.</b>	345133	<b>Ref. No.</b>	3470
<b>description</b>	push button ø 23mm grey		
<b>For models:</b>	MM2/3EB		



1

<b>GEV No.</b>	346211	<b>Ref. No.</b>	3469
<b>description</b>	push button ø 23mm grey with lens		



1

<b>GEV No.</b>	345539	<b>Ref. No.</b>	10312
<b>description</b>	push button size 17x13mm grey		
<b>For models:</b>	FC05G, FC05GU, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	346364	<b>Ref. No.</b>	3472
<b>description</b>	rotary disc red/white disc ø 20.6mm		




Зип Общепит

10 operating positions

vsezip.ru


17(812)987-08-81

			
1			
<b>GEV No.</b>	345605	<b>Ref. No.</b>	3473
<b>description</b>	switch 2CO 250V 16A connection male faston 6.3mm		
<b>For models:</b>	FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM06EB, FM06GB, FM10EB, FM10GB, FM200EA, FM200EAP, FM200EB...(Other models you can see in the webshop)		


			
1			
<b>GEV No.</b>	301205	<b>Ref. No.</b>	10027
<b>description</b>	cam switch 10 operating positions 5NO/1CO sequence 0-1-2-3-4-5-6-7-8-9 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

cam switches

4 operating positions



			
1			
<b>GEV No.</b>	300010	<b>Ref. No.</b>	0281
<b>description</b>	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FDE10, FDE155, FDE55, FDG10, FDG155, FDG55, FM200GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		

operation switches

			
1			
<b>GEV No.</b>	300153	<b>Ref. No.</b>	0038
<b>description</b>	cam switch 3 operating positions operation switch 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic ambient temperature max. 240°C		
<b>For models:</b>	FE1-2, FE2-3		

magnetic switches


37x16mm

			
1			
<b>GEV No.</b>	345600	<b>Ref. No.</b>	70201
<b>description</b>	magnetic switch L 37mm W 16mm 1NO 250V 0.2A P max. 50W connection cable length 960mm		
<b>accessories for</b>	345600		
		<b>GEV No.</b>	519049
		<b>Ref. No.</b>	—
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

5 operating positions

			
1			
<b>GEV No.</b>	347652	<b>Ref. No.</b>	3018
<b>description</b>	cam switch 5 operating positions 5NO/2CO sequence 0-1-2-3-4 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
<b>For models:</b>	FM06EB, FM06GB, FM10EB, FM10GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM20EB, FM20GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM06EB, MM06GB, MM10EB, MM10GB, MM2/3EB, MM200EB, MM200GB, MM201EB, MM201GB, MM20EB, MM20GB, MM401GB		

M10x0.75

			
1			
<b>GEV No.</b>	348024	<b>Ref. No.</b>	10419
<b>description</b>	magnetic switch 1NO 250V 1A P max. 10W connection Faston 6.3mm cable length 2000mm		



Зип Общепит

screw on / push on fit

light bulbs  
for ovens

vsezip.ru

+7(812)987-08-81

## accessories

## magnets



1

<b>GEV No.</b>	348007	<b>Ref. No.</b>	10420
<b>description</b>	magnet ø 23mm Lmm H 10mm Wmm ID ø 4.5mm ED ø 23mm M3 hole ø 4.5mm		

## lamps

## indicator lights

## indicator lights (complete)

ø10mm

with plug-in socket



1

<b>GEV No.</b>	359139	<b>Ref. No.</b>	0631
<b>description</b>	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
<b>For models:</b>	FC200EB, FC200GB, FC201EB, FC201GB, FC401EB, FC401GB, FDE10, FDE155, FDE55, FDG10, FDG155, FDG55, FM06EB, FM06GB, FM10EB, FM10GB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, MM200EB, MM200GB, MM201EB, MM201GB, MM401GB		



1

<b>GEV No.</b>	359138	<b>Ref. No.</b>	0591
<b>description</b>	indicator light ø 10mm red 230V connection male faston 6.3mm Qty 1 pcs		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FE1-2, FE2-3, FM06EB, FM06GB, FM10EB, FM10GB, FM200EB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		



1

<b>GEV No.</b>	359140	<b>Ref. No.</b>	0592
<b>description</b>	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FE1-2, FE2-3, FM06EB, FM06GB, FM10EB, FM10GB...(Other models you can see in the webshop)		

## light bulbs

for ovens

PHILIPS

1

<b>GEV No.</b>	359610	<b>Ref. No.</b>	35.0003.01
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FE1-2, FE2-3, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		



1

<b>GEV No.</b>	359740	<b>Ref. No.</b>	10341
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70 1000		

PHILIPS

1

<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546
<b>description</b>	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
<b>For models:</b>	FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB		

## halogen lamp

for socket G4 / G6.35 / G9



1

<b>GEV No.</b>	359599	<b>Ref. No.</b>	10307
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA...(Other models you can see in the webshop)		





oven lamps

Зип Общежит  
mounting diameter 35.5mm

vsezip.ru

+7(812)987-08-81

universal oven lamps

mounting diameter 35.5mm



<b>GEV No.</b>	359701	<b>Ref. No.</b>	35.0002.01
<b>description</b>	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
<b>For models:</b>	FC05E, FC05G, FC05GU, FE1-2		
<b>accessories for</b>	359701		
	<b>GEV No.</b>	359705	<b>Ref. No.</b> —
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	<b>GEV No.</b>	359709	<b>Ref. No.</b> —
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	<b>GEV No.</b>	359721	<b>Ref. No.</b> 0812.01
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	<b>GEV No.</b>	359942	<b>Ref. No.</b> —
	oven lamp glass thr.ø 33.5mm H 39mm ø 40mm hard glas temp.-resist. 350°C		



<b>GEV No.</b>	359661	<b>Ref. No.</b>	35000101
<b>description</b>	oven lamp glass thread 32.1 ø 58mm hard glas temp.-resist. 350°C		
<b>accessories for</b>	359661		
	<b>GEV No.</b>	359700	<b>Ref. No.</b> —
	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		
	<b>GEV No.</b>	360782	<b>Ref. No.</b> —
	gasket for bulb socket fibre glass ID ø 35mm ED ø 45mm thickness 5mm		



<b>GEV No.</b>	359721	<b>Ref. No.</b>	0812.01
<b>description</b>	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FE1-2, FE2-3, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP...(Other models you can see in the webshop)		



<b>GEV No.</b>	359703	<b>Ref. No.</b>	10340
<b>description</b>	oven lamp mounting ø 47.8mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
<b>spare parts for</b>	359703		
	<b>GEV No.</b>	359610	<b>Ref. No.</b> 35.0003.01
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
	<b>GEV No.</b>	359725	<b>Ref. No.</b> —
	oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C		

55x70mm



<b>GEV No.</b>	359297	<b>Ref. No.</b>	10306
<b>description</b>	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm		
<b>For models:</b>	FC05G, FC05GU		
<b>accessories for</b>	359297		
	<b>GEV No.</b>	359299	<b>Ref. No.</b> 10304
	gasket L 91mm W 77mm hole ø 3mm for oven lamp		



<b>GEV No.</b>	359299	<b>Ref. No.</b>	10304
<b>description</b>	gasket L 91mm W 77mm hole ø 3mm for oven lamp		
<b>For models:</b>	FC05G, FC05GU		



<b>GEV No.</b>	359296	<b>Ref. No.</b>	10305
<b>description</b>	lamp glass L 74mm W 58mm thickness 3mm		
<b>For models:</b>	FC05G, FC05GU		

1 electric components



55x100mm



<b>1</b>	<b>GEV No.</b>	359698	<b>Ref. No.</b>	3542
<b>description</b>	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
<b>For models:</b>	FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB			
<b>spare parts for</b>	359698			
	<b>GEV No.</b>	358119	<b>Ref. No.</b>	—
	frame L 118mm W 72mm mounting distance 143mm for bulb socket			
	<b>GEV No.</b>	358122	<b>Ref. No.</b>	—
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket			
	<b>GEV No.</b>	358123	<b>Ref. No.</b>	—
	lamp glass L 112mm W 68mm			
	<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	<b>GEV No.</b>	359714	<b>Ref. No.</b>	3543
	gasket silicone L 140mm W 75mm for bulb socket			
	<b>GEV No.</b>	359715	<b>Ref. No.</b>	3544
	lamp glass L 110mm W 65mm thickness 5mm			
	<b>GEV No.</b>	359716	<b>Ref. No.</b>	1265A 3545
	frame for bulb socket			
<b>accessories for</b>	359698			
	<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	<b>GEV No.</b>	359938	<b>Ref. No.</b>	—
	borosilicate glass L 115mm W 69mm			

1



<b>GEV No.</b>	359716	<b>Ref. No.</b>	1265A 3545
<b>description</b>	frame for bulb socket		
<b>For models:</b>	FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB		

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	359714	<b>Ref. No.</b>	3543
<b>description</b>	gasket silicone L 140mm W 75mm for bulb socket		
<b>For models:</b>	FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB		

1



<b>GEV No.</b>	359715	<b>Ref. No.</b>	3544
<b>description</b>	lamp glass L 110mm W 65mm thickness 5mm		
<b>For models:</b>	FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GB		

1






<b>GEV No.</b>	359698	<b>Ref. No.</b>	3542	
<b>description</b>	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
<b>For models:</b>	FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB			
<b>spare parts for</b>	359698			
	<b>GEV No.</b>	358119	<b>Ref. No.</b>	—
	frame L 118mm W 72mm mounting distance 143mm for bulb socket			
	<b>GEV No.</b>	358122	<b>Ref. No.</b>	—
	gasket L 112mm W 68mm silicone thickness 3mm for bulb socket			
	<b>GEV No.</b>	358123	<b>Ref. No.</b>	—
	lamp glass L 112mm W 68mm			
	<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	<b>GEV No.</b>	359714	<b>Ref. No.</b>	3543
	gasket silicone L 140mm W 75mm for bulb socket			
	<b>GEV No.</b>	359715	<b>Ref. No.</b>	3544
	lamp glass L 110mm W 65mm thickness 5mm			

Table continues overleaf

Зип Общепит  
Lamps



vsezip.ru


+7(812)987-08-81


<b>spare parts for</b> 359698				
	<b>GEV No.</b>	359716	<b>Ref. No.</b>	1265A 3545
frame for bulb socket				
<b>accessories for</b> 359698				
	<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	<b>GEV No.</b>	359938	<b>Ref. No.</b>	—
borosilicate glass L 115mm W 69mm				


producer-specific oven lamps

FOINOX


	1			
<b>GEV No.</b>	359297	<b>Ref. No.</b>	10306	
<b>description</b>	frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm			
<b>For models:</b>	FC05G, FC05GU			
<b>accessories for</b> 359297				
	<b>GEV No.</b>	359299	<b>Ref. No.</b>	10304
gasket L 91mm W 77mm hole ø 3mm for oven lamp				


	1			
<b>GEV No.</b>	359299	<b>Ref. No.</b>	10304	
<b>description</b>	gasket L 91mm W 77mm hole ø 3mm for oven lamp			
<b>For models:</b>	FC05G, FC05GU			

	1			
<b>GEV No.</b>	359296	<b>Ref. No.</b>	10305	
<b>description</b>	lamp glass L 74mm W 58mm thickness 3mm			
<b>For models:</b>	FC05G, FC05GU			

	1			
<b>GEV No.</b>	359839	<b>Ref. No.</b>	10867	
<b>description</b>	lamp socket socket G4 for halogen lamp			


<b>light bulbs</b>				
	1			
<b>GEV No.</b>	359610	<b>Ref. No.</b>	35.0003.01	
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FE1-2, FE2-3, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG			

	1			
<b>GEV No.</b>	359740	<b>Ref. No.</b>	10341	
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70 1000			

	1			
<b>GEV No.</b>	359612	<b>Ref. No.</b>	3546	
<b>description</b>	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
<b>For models:</b>	FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM2/3EA, MM2/3EB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB			

halogen lamps

for socket G4 / G6.35 / G9

	1 <b>500°C</b>			
<b>GEV No.</b>	359599	<b>Ref. No.</b>	10307	
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C 250 2000			
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA... (Other models you can see in the webshop)			

1 electric components



## Зип-Общепит

mechanical timers

## sockets

G4 / G5,3 / G6,35



<b>GEV No.</b>	359646	<b>Ref. No.</b>	10308
<b>description</b>	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA... (Other models you can see in the webshop)		

## timers

## programme timers



<b>GEV No.</b>	360339	<b>Ref. No.</b>	10039 10042
<b>description</b>	timer FIBER P25 engines 1 chambers 1 operation time 20s 230V shaft ø 6x4.6mm shaft L 20mm manuf. no. P255J01C1N4 motor type M51BJ0R6400		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP, MM401GA... (Other models you can see in the webshop)		
<b>spare parts for</b>	360339		
	<b>GEV No.</b>	360673	<b>Ref. No.</b> —
	motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder		

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b>	350003	<b>Ref. No.</b>	0039
<b>description</b>	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FDE10, FDE155, FDE55, FDG10, FDG155, FDG55, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		
<b>accessories for</b>	350003		
	<b>GEV No.</b>	110366	<b>Ref. No.</b> —
	knob switch zero mark t.max. °C ø 44mm shaft ø 6x4.6mm shaft flat upper black		
	<b>GEV No.</b>	111199	<b>Ref. No.</b> —
	dial plate graduation 120min permanent position no rotation 0-330° ø 60mm timers knob ø 45mm		

<b>GEV No.</b>	350008	<b>Ref. No.</b>	0050 3433 0050
<b>description</b>	timer M2 with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral		
<b>For models:</b>	FC05G, FC05GU, FC200EB, FC200GB, FC201EB, FC201GB, FC401EB, FC401GB, FE1-2, FE2-3, FM06EB, FM06GB, FM10EB, FM10GB, FM200EB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, MM06EB, MM06GB, MM10EB, MM10GB, MM2/3EB, MM200EB, MM200GB, MM201EB, MM201GB, MM20EB, MM20GB, MM401GB		

## alarm devices

## buzzers

<b>GEV No.</b>	350050	<b>Ref. No.</b>	1553
<b>description</b>	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		
<b>For models:</b>	FC05G, FC05GU		



contactors

SIEMENS

power contactors



1

<b>GEV No.</b>	380645	<b>Ref. No.</b>	10004
<b>description</b>	power contactor 230VAC with auxiliary contacts		



1

<b>GEV No.</b>	381387	<b>Ref. No.</b>	10001
<b>description</b>	power contactor resistive load 22A 230VAC (AC3/400V) 4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT2016-1AP01		

overload switches



1

<b>GEV No.</b>	381002	<b>Ref. No.</b>	10003
<b>description</b>	overload switch setting range 1.8-2.5A		

motor protection circuit breakers



1

<b>GEV No.</b>	382000	<b>Ref. No.</b>	10012
<b>description</b>	motor protection circuit breaker type 3RU1116-1EBO setting range 2.8-4A (AC3/400V) 1.5kW		

Зип Общепит

power contactors



1


<b>GEV No.</b>	381227	<b>Ref. No.</b>	10071
<b>description</b>	power contactor resistive load 25A 240VAC (AC3/400V) 14A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type J7KN-14D-10		

relays

power relays

with male contacts

female contact 2.0mm



1

<b>GEV No.</b>	380377	<b>Ref. No.</b>	10507	
<b>description</b>	power relays FINDER 220-240VAC 10A 2CO connection F2 plug-in connection manuf. no. 55.32.8.230.0000 94.92.3 250V			
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EB, MM200GB, MM201EB, MM401GB			
<b>accessories for</b>	380377			
	<b>GEV No.</b>	380341	<b>Ref. No.</b>	—
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			
	<b>GEV No.</b>	380378	<b>Ref. No.</b>	10509
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			
	<b>GEV No.</b>	380384	<b>Ref. No.</b>	—
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for			
	<b>GEV No.</b>	380399	<b>Ref. No.</b>	—
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			



electric components



## relay sockets



## Зип-Общепит

## level relays






1

<b>GEV No.</b>	380937	<b>Ref. No.</b>	10505
<b>description</b>	relay socket 2-pole 55.32 connection male faston 2.8mm contacts 2CO dimensions 27x77mm 300V voltage AC 12A FINDER manuf. no. 94.82.3SMA		

1

<b>GEV No.</b>	380378	<b>Ref. No.</b>	10509
<b>description</b>	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72		
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EB, MM200GB, MM201EB, MM201GB, MM401GB		
<b>accessories for</b>	380378		
	<b>GEV No.</b>	380804	<b>Ref. No.</b> —
	support bracket		



1

<b>GEV No.</b>	380638	<b>Ref. No.</b>	10503
<b>description</b>	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		
<b>For models:</b>	MM06EB, MM06GB, MM10EB, MM10GB, MM2/3EB, MM20EB, MM20GB		

GICAR  
vsezip.ru

+7(812)987-08-81





<b>GEV No.</b>	401224	<b>Ref. No.</b>	10532
<b>description</b>	level relay 230V connection F6.3 type RL30/3ES/F/G		
<b>For models:</b>	FM200EB, FM200GB, FM201EB		


## time relays

## time relays



<b>GEV No.</b>	380329	<b>Ref. No.</b>	10508
<b>description</b>	time relay FIBER 85.02.8.240 time range 0.05s - 100h 230-240VAC 10A mounting measurements 20.6x27.7mm 2CO connection 2.0		
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EB, MM200GB, MM201EB, MM201GB, MM401GB		
<b>accessories for</b>	380329		
	<b>GEV No.</b>	380378	<b>Ref. No.</b> 10509
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72		
	<b>GEV No.</b>	380803	<b>Ref. No.</b> —
	relay socket 2-pole dimensions 76.2x27x86.1mm 250V voltage AC 10A FINDER manuf. no. 94.92.3		



<b>GEV No.</b>	380639	<b>Ref. No.</b>	10501
<b>description</b>	time relay TECNOLOGIC RTR12DS06S time range 6s 230VAC 5A mounting measurements 34x34mm 1CO connection plug-in connection round 8-pole		
<b>For models:</b>	MM06EB, MM06GB, MM10EB, MM10GB, MM2/3EB, MM20EB, MM20GB		
<b>accessories for</b>	380639		
	<b>GEV No.</b>	380638	<b>Ref. No.</b> 10503
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	380640	<b>Ref. No.</b>	10502
<b>description</b>	time relay TECNOLOGIC RTR12DS60S time range 60s 230VAC 5A 1CO connection plug-in connection round 8-pole		
<b>For models:</b>	MM06EB, MM06GB, MM10EB, MM10GB, MM2/3EB, MM20EB, MM20GB		
<b>accessories for</b>	380640		
	<b>GEV No.</b>	380638	<b>Ref. No.</b>
			10503
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		



1

<b>GEV No.</b>	379054	<b>Ref. No.</b>	1551
<b>description</b>	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FM06EB, FM06GB, FM10EB, FM10GB, FM200EB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG...(Other models you can see in the webshop)		

transformers

open transformers

with clamp terminal



1

<b>GEV No.</b>	401229	<b>Ref. No.</b>	10323 10324
<b>description</b>	transformer primary 230V secondary 12V 63VA		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FDG55, FDG55DG, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB		

encapsulated transformers

PMA



1


<b>GEV No.</b>	379196	<b>Ref. No.</b>	0635
<b>description</b>	transformer primary 230VAC secondary 12VAC 10VA secondary 0.8A connection screw 50Hz		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM200EA, FM200EAP, FM200GA, FM200GAP, FM201EA, FM201EAP, FM201GA, FM201GAP, FM401EA, FM401EAP, FM401GA, FM401GAP, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version



1

<b>GEV No.</b>	378131	<b>Ref. No.</b>	1549
<b>description</b>	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependent on probe°C display 3½ digits		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FM06EB, FM06GB, FM10EB, FM10GB, FM200EB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG...(Other models you can see in the webshop)		
<b>accessories for</b>	378131		
	<b>GEV No.</b>	379050	<b>Ref. No.</b>
			0634
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	<b>GEV No.</b>	379160	<b>Ref. No.</b>
			—
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	<b>GEV No.</b>	379781	<b>Ref. No.</b>
			—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	<b>GEV No.</b>	379944	<b>Ref. No.</b>
			—
	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		



## SHANGFANG

## accessories



1

<b>GEV No.</b>	379054	<b>Ref. No.</b>	1551
<b>description</b>	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EB, FC200GB, FC201EB, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EB, FC401GB, FM06EB, FM06GB, FM10EB, FM10GB, FM200EB, FM200GB, FM201EB, FM201GB, FM20EB, FM20GB, FM401EB, FM401GB, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG...(Other models you can see in the webshop)		

## probes

## universal probes

## temperature probes



1

<b>GEV No.</b>	379050 <sup>1</sup>	<b>Ref. No.</b>	0634
<b>description</b>	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		

<sup>1</sup>3-wire

## producer-specific probes

## probes



1

<b>GEV No.</b>	402154	<b>Ref. No.</b>	10411
<b>description</b>	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 3-wire thread 1/8" probe ø6x35mm cable length 1.5m		

## core probes



1

<b>GEV No.</b>	379945	<b>Ref. No.</b>	10402
<b>description</b>	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 0.5m handle ø 10mm handle length 80mm		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM10EB, FM10GB, FM20EB, FM20GB, FP10E, FP10EDG, FP10G, FP10GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	379946	<b>Ref. No.</b>	10401
<b>description</b>	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 0.7m handle ø 10mm handle length 80mm		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FM06EB, FM06GB, FP05E, FP05EDG, FP05G, FP05GDG, MM2/3EA		




1

<b>GEV No.</b>	379947	<b>Ref. No.</b>	10405 10406
<b>description</b>	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 1.2m handle ø 10mm handle length 80mm		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP...(Other models you can see in the webshop)		

## electronics

## EPROMs



1

<b>GEV No.</b>	403201	<b>Ref. No.</b>	10547
<b>description</b>	EPROM type FOCABO 59		





solenoid valves


solenoid valves (water)

Зип Общепит

vsezip.ru


+7(812)987-08-81

RPE



1


<b>GEV No.</b>	374021	<b>Ref. No.</b>	1363
<b>description</b>	solenoid valve double straight 230VAC inlet 3/4" outlet 10mm DN10 RPE		
<b>For models:</b>	FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP, MM401GA, MM401GAP, MM401GB		



<b>GEV No.</b>	371268	<b>Ref. No.</b>	0290 0295
<b>description</b>	reducer flow rate 0.32-0.42l/min green		
<b>For models:</b>	FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG		

solenoid valves with reducers

4-fold



1


<b>GEV No.</b>	374111	<b>Ref. No.</b>	13003
<b>description</b>	solenoid valve 4-fold straight 230VAC inlet 3/4" outlet 10.5 duty cycle 100% RPE type H pressure range 0.2-10bar		



2

<b>GEV No.</b>	374017	<b>Ref. No.</b>	0282
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG...(Other models you can see in the webshop)		

various




1

<b>GEV No.</b>	371267	<b>Ref. No.</b>	0291
<b>description</b>	reducer flow rate 3l/min black		
<b>For models:</b>	FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM20EB, FM20EDG, FM20GB, FM20GDG, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB		


reducers

outlet side



1

<b>GEV No.</b>	371269	<b>Ref. No.</b>	13001
<b>description</b>	reducer flow rate 0.07-0.14l/min brown		
<b>For models:</b>	MM06EA, MM06EAP, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10GA, MM10GAP, MM10GB, MM20EA, MM20EAP, MM20EB, MM20GA, MM20GAP, MM20GB		



1

<b>GEV No.</b>	371266	<b>Ref. No.</b>	0289
<b>description</b>	reducer flow rate 0.2l/min red		
<b>For models:</b>	FC05G, FC05GU, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB...(Other models you can see in the webshop)		

metal

CEME

solenoid valves



1

<b>GEV No.</b>	370348	<b>Ref. No.</b>	11022
<b>description</b>	solenoid valve 2-ways 230VAC connection 1/2" L 60mm t.max. 90°C membranes NBR p max 10bar p min 0.25bar brass		

electric components




Зип.Общепит fans


vsezip.ru import


+7(812)987-08-81

### ball valves electric

			
1			
<b>GEV No.</b>	401233	<b>Ref. No.</b>	10036
<b>description</b>	ball valve inlet 1/2" IT outlet 1/2" IT 230V 50/60Hz mode of operation electric W 60mm H 99mm cable 4-pole 2.5W 4-pole duty cycle 50%		
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GB		

### electrodes



			
1			
<b>GEV No.</b>	401225	<b>Ref. No.</b>	3680
<b>description</b>	level electrode M12 ET - 1/8" ET total length 124/127/139mm probe L 91/95/104mm insulated probe length 42mm set 3-piece connection male faston 6.3mm ø 2.5mm		
<b>For models:</b>	FM06EB, FM06EDG		

			
1			
<b>GEV No.</b>	401226	<b>Ref. No.</b>	3681
<b>description</b>	level electrode M12x1 total length 150/160/171mm probe L 117/127/138mm insulated probe length 20mm set 3-piece connection male faston 6.3mm ø 2.5mm		
<b>For models:</b>	FM10EB, FM10EDG, FM20EB, FM20EDG		

			
1			
<b>GEV No.</b>	401228	<b>Ref. No.</b>	3572
<b>description</b>	level electrode total length 175mm connection male faston 6.3mm ø 2.5mm		
<b>For models:</b>	FM10GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401GA, FM401GAP, FM401GB		


### axial fans

			
1			
<b>GEV No.</b>	601080 <sup>1</sup>	<b>Ref. No.</b>	10724
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP...(Other models you can see in the webshop)		

<b>accessories for</b>	601080		
		<b>GEV No.</b>	550898
		<b>Ref. No.</b>	—
		connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan	
		<b>GEV No.</b>	692519
		<b>Ref. No.</b>	—
		guard L 120mm W 120mm plastic	

<sup>1</sup>with ball bearings

			
1			
<b>GEV No.</b>	601130 <sup>1</sup>	<b>Ref. No.</b>	10721
<b>description</b>	axial fan L 80mm W 80mm H 25mm 230VAC 50/60Hz 13/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C airflow 30.6m³/h		
<b>accessories for</b>	601130		
		<b>GEV No.</b>	550898
		<b>Ref. No.</b>	—
		connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan	

<b>accessories for</b>	601130		
		<b>GEV No.</b>	550898
		<b>Ref. No.</b>	—
		connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan	

<sup>1</sup>with ball bearings

electric components

Зип Общепит

vsezip.ru

+7(812)9870881



1


<b>GEV No.</b>	601081 <sup>1</sup>	<b>Ref. No.</b>	10720
<b>description</b>	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 14/13.5W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM2/3EA, MM2/3EB, MM200EA, MM200EAP.. (Other models you can see in the webshop)		
<b>accessories for</b>	601081		
	<b>GEV No.</b>	691102	<b>Ref. No.</b> —
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

<sup>1</sup>with ball bearings

hot air motors



1



<b>GEV No.</b>	601362	<b>Ref. No.</b>	1720
<b>description</b>			
<b>accessories for</b>	601362		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	<b>GEV No.</b>	694600	<b>Ref. No.</b> —
	bush for hot air motors ø 25mm H 10mm seat ø 8.5mm		
	<b>GEV No.</b>	694601	<b>Ref. No.</b> —
	spring for hot air motors ø 22mm H 18mm ID ø 19mm		



<b>GEV No.</b>	550757	<b>Ref. No.</b>	0693
<b>description</b>	counterflange for fan motor ED ø 48mm int. ø 1 24mm int. ø 2 15mm thickness 5mm brass		



<b>GEV No.</b>	550859	<b>Ref. No.</b>	0691
<b>description</b>	counterflange for fan motor ED ø 60mm int. ø 1 34mm int. ø 2 25mm thickness 6mm brass		



1

<b>GEV No.</b>	601046	<b>Ref. No.</b>	0840 0840B
<b>description</b>	fan motor 220/380V 3 phase 50/60Hz 0.75kW 1350/1650rpm speeds 1 L1 185mm L2 42mm L3 47mm D1 ø 24mm D2 ø 20mm M12L IT 1.9/3.3A Cos(φ) 0.83 at 50Hz 200-240/346-415V at 60Hz 200-277/346-480V at 50Hz 1350rpm at 60Hz 1650rpm type ST80/4 no. 661512		



1

<b>GEV No.</b>	601354	<b>Ref. No.</b>	1100C
<b>description</b>	fan motor 220-240V 1 phase 50Hz 0.11kW 2760rpm speeds 1 L1 130mm L2 32mm L3 30mm L4 18mm D1 ø 7/8mm D2 ø 9mm M4R IT 0.9A at 50Hz 230V at 50Hz 2760rpm suitable capacitor 4µF type LM63 shaft flat length 17mm		
<b>accessories for</b>	601354		
	<b>GEV No.</b>	365031	<b>Ref. No.</b> 1103
	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection		
	<b>GEV No.</b>	601061	<b>Ref. No.</b> —
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 18mm D3 ø 18mm H2 35mm		

Зип Общепит


vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	601043	<b>Ref. No.</b>	0764
<b>description</b>	fan motor 220-240V 1 phase 50Hz 0.37/0.07kW 0.1/0.5HP 1400/2700rpm speeds 2 L1 123mm L2 107mm L3 15mm D1 ø 15mm D2 ø 12mm M10L ET 2/0.7A suitable capacitor 20µF/250V at 50Hz 1400/2700rpm type 1057		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FP05E, FP05EDG, FP05G, FP05GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB		
<b>accessories for</b>	601043		
	GEV No.	365019	Ref. No. 0775
	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		





1

<b>GEV No.</b>	601067	<b>Ref. No.</b>	15007
<b>description</b>	fan wheel D1 ø 150mm H1 38mm blades 36 D2 ø 6mm D3 ø 6mm H2 14mm		
<b>For models:</b>	MM2/3EA, MM2/3EB		



1

<b>GEV No.</b>	601166	<b>Ref. No.</b>	10705
<b>description</b>	fan motor 220-240V 1 phase 50Hz 0.37kW 2700rpm speeds 1 L1 123mm L2 77mm L3 30mm D1 ø 15mm D2 ø 12mm M10L ET 2A suitable capacitor 12.5µF/450V at 50Hz 2700rpm type 1057.2157		
<b>For models:</b>	FC05G, FC05GU		
<b>spare parts for</b>	601166		
	GEV No.	365014	Ref. No. 0932
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
<b>accessories for</b>	601166		
	GEV No.	601165	Ref. No. 1118
	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 16mm D3 ø 16mm H2 29mm		




1

<b>GEV No.</b>	601165	<b>Ref. No.</b>	1118
<b>description</b>	fan wheel D1 ø 160mm H1 60mm blades 15 D2 ø 16mm D3 ø 16mm H2 29mm		
<b>For models:</b>	FC05G, FC05GU		



1

<b>GEV No.</b>	514507	<b>Ref. No.</b>	1104
<b>description</b>	fan wheel blades 15 D1 ø 160mm D2 ø 11mm D3 ø 16mm H1 60mm H2 18mm		



1

<b>GEV No.</b>	601060	<b>Ref. No.</b>	0758
<b>description</b>	fan wheel D1 ø 180mm H1 60mm blades 16 D2 ø 11mm D3 ø 16mm H2 30mm		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FP05E, FP05EDG, FP05G, FP05GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB		




1

<b>GEV No.</b>	601872	<b>Ref. No.</b>	15093
<b>description</b>	fan wheel D1 ø 200mm H1 43mm blades 45 D2 ø 8.3mm D3 ø 8.3mm H2 25mm		

Зип Общепит


vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	601064	<b>Ref. No.</b>	15016
<b>description</b>	fan wheel D1 $\varnothing$ 220mm H1 78mm blades 20 D2 $\varnothing$ 11.5mm D3 $\varnothing$ 16.5mm H2 30mm		




1

<b>GEV No.</b>	550858	<b>Ref. No.</b>	0690
<b>description</b>	flange for fan motor ED $\varnothing$ 60mm int. $\varnothing$ 1 28.5mm int. $\varnothing$ 2 25mm thickness 4mm brass		



1

<b>GEV No.</b>	601224	<b>Ref. No.</b>	3196
<b>description</b>	fan wheel D1 $\varnothing$ 300mm H1 100mm blades 24 D2 $\varnothing$ 19.5mm D3 $\varnothing$ 23mm H2 46mm		
<b>For models:</b>	FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FM10EB, FM10EDG, FM10GB, FM10GDG, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB		




1

<b>GEV No.</b>	550853	<b>Ref. No.</b>	0688
<b>description</b>	gasket for fan motor ID $\varnothing$ 24mm ED $\varnothing$ 29mm thickness 3mm		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA... (Other models you can see in the webshop)		




1

<b>GEV No.</b>	601063	<b>Ref. No.</b>	0759
<b>description</b>	fan wheel D1 $\varnothing$ 350mm H1 100mm blades 24 D2 $\varnothing$ 19.5mm D3 $\varnothing$ 23mm H2 46mm		
<b>For models:</b>	FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM20EB, FM20EDG, FM20GB, FM20GDG, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, FP10E, FP10EDG, FP10G, FP10GDG, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB... (Other models you can see in the webshop)		



1

<b>GEV No.</b>	511171	<b>Ref. No.</b>	0689
<b>description</b>	shaft seal ID $\varnothing$ 14.5mm ED $\varnothing$ 20mm thickness 3mm		



1

<b>GEV No.</b>	691810	<b>Ref. No.</b>	0692
<b>description</b>	flange for fan motor ED $\varnothing$ 48mm int. $\varnothing$ 1 19.5mm int. $\varnothing$ 2 15mm thickness 3.5mm brass		

Зип.Общепит.

condensators & interference sup-  
pression filters

vsezip.ru

operating capacitors


+7(812)987-08-81


hot air fans

miscellaneous



1



<b>GEV No.</b>	601125	<b>Ref. No.</b>	0016 0016A 10731
<b>description</b>	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC12E, FC12EA, FC12EDG, FE1-2, FE2-3		
<b>accessories for</b>	601125		
	<b>GEV No.</b>	550879	<b>Ref. No.</b> —
	insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan		

plastic



1

<b>GEV No.</b>	365014	<b>Ref. No.</b>	0932
<b>description</b>	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		



1

<b>GEV No.</b>	365019	<b>Ref. No.</b>	0775
<b>description</b>	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		



1

<b>GEV No.</b>	365031	<b>Ref. No.</b>	1103
<b>description</b>	operating capacitor capacity 4µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 31mm L 58mm M8 plastic connection male faston 6.3mm protection		

pumps

drain pumps

ASKOLL



1

<b>GEV No.</b>	500565	<b>Ref. No.</b>	3363
<b>description</b>	drain pump 30W		

electric accessories

cables

ribbon cables

group 1



1

<b>GEV No.</b>	400228	<b>Ref. No.</b>	70528
<b>description</b>	ribbon cable 16-pole L 600mm plug type FC-16P raster size 2.54mm		

terminals

porcelain clamps



1

<b>GEV No.</b>	550112	<b>Ref. No.</b>	10360
<b>description</b>	porcelain terminal block 2-pole 2.5mm <sup>2</sup> max. 10A max 250V t.max. 200°C L 22mm W 17mm H 15mm mounting distancemm Qty 1 pcs		



Зип-Общепит

vsezip.ru

+7(812)987-08-81

various



1			
<b>GEV No.</b>	693955	<b>Ref. No.</b>	10220
<b>description</b>	terminal grounding cable		
<b>For models:</b>	FC05G, FC05GU		

## gas valves and ignition boxes

### gas control valves

HONEYWELL



1			
<b>GEV No.</b>	101186	<b>Ref. No.</b>	11017
<b>description</b>	gas valve type VK4105C 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type pressure controller type V5360E 1226 1 HONEYWELL hole distance 24mm flange 32x32mm		
<b>accessories for</b>	101186		
	<b>GEV No.</b>	102845	<b>Ref. No.</b>
			—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	<b>GEV No.</b>	102846	<b>Ref. No.</b>
			—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

ELETTROSIT



1			
<b>GEV No.</b>	101127	<b>Ref. No.</b>	0766
<b>description</b>	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FP05G, FP05GDG, FP10G, FP10GDG		
<b>spare parts for</b>	101127		
	<b>GEV No.</b>	101312	<b>Ref. No.</b>
			1119
	microswitch		
	<b>GEV No.</b>	101352	<b>Ref. No.</b>
			—
	solenoid coil 230V 50Hz suitable for ELETTROSIT		
<b>accessories for</b>	101127		
	<b>GEV No.</b>	100006	<b>Ref. No.</b>
			—
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	<b>GEV No.</b>	100904	<b>Ref. No.</b>
			—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	100905	<b>Ref. No.</b>
			0830
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	<b>GEV No.</b>	101301	<b>Ref. No.</b>
			—
	gas connection thread 1/2" straight ELETTROSIT screw with O-ring		
	<b>GEV No.</b>	101303	<b>Ref. No.</b>
			—
	gas connection straight thread 3/4" ELETTROSIT		
	<b>GEV No.</b>	101309	<b>Ref. No.</b>
			—
	extension		














Зип-Общепит

## NOVASIT



1

<b>GEV No.</b>	101162	<b>Ref. No.</b>	3015
<b>description</b>	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010		
<b>For models:</b>	FM20GB, FM20GDG, MM20GA, MM20GAP, MM20GB		
<b>spare parts for</b>	101162		
	<b>GEV No.</b>	101065	<b>Ref. No.</b> —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
	<b>GEV No.</b>	101313	<b>Ref. No.</b> —
	solenoid coil 230V 50Hz		
<b>accessories for</b>	101162		
	<b>GEV No.</b>	100006	<b>Ref. No.</b> —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	<b>GEV No.</b>	101305	<b>Ref. No.</b> —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	<b>GEV No.</b>	101306	<b>Ref. No.</b> —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>GEV No.</b>	101307	<b>Ref. No.</b> —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>GEV No.</b>	101308	<b>Ref. No.</b> —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>GEV No.</b>	101312	<b>Ref. No.</b> 1119
	microswitch		
	<b>GEV No.</b>	101314	<b>Ref. No.</b> —
	solenoid coil 24V 50Hz		
	<b>GEV No.</b>	101317	<b>Ref. No.</b> —
	plug with cable L 1000mm suitable for NOVASIT		
	<b>GEV No.</b>	101318	<b>Ref. No.</b> —
	cover cap for solenoid coil suitable for NOVASIT		

accessories

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	100105	<b>Ref. No.</b>	0830
<b>description</b>	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		



1

<b>GEV No.</b>	101312	<b>Ref. No.</b>	1119
<b>description</b>	microswitch		

## SIGMA



1

<b>GEV No.</b>	107498	<b>Ref. No.</b>	11009
<b>description</b>	gas valve type Sigma 230V 50Hz gas inlet 1/2" gas outlet 1/2" pressure range 2-50mbar		
<b>spare parts for</b>	107498		
	<b>GEV No.</b>	106214	<b>Ref. No.</b> —
	solenoid coil 230V 50Hz Sigma		
<b>accessories for</b>	107498		
	<b>GEV No.</b>	107222	<b>Ref. No.</b> —
	plug for solenoid valve 3-pole cable length 1070mm		





Зип Общепит

honeywell

vsezip.ru

+7(812)987-08-81

TANDEM



1

<b>GEV No.</b>	101984	<b>Ref. No.</b>	11002
<b>description</b>	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 2-50mbar power supply for modulator 230VAC rectified Tandem equiv. no. 0.836.010		
<b>For models:</b>	FC200GA, FC200GAP, FC200GB, FC201GA, FC201GAP, FC201GB, FC401GA, FC401GAP, FC401GB, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM06GB, FM06GDG, FM10GB, FM10GDG, FM200GA, FM200GAP, FM200GB, FM201GA, FM201GAP, FM201GB, FM401GA, FM401GAP, FM401GB, MM06GA, MM06GAP, MM06GB, MM10GA, MM10GAP, MM10GB, MM200GA, MM200GAP, MM200GB, MM201GA, MM201GAP, MM201GB, MM401GA, MM401GAP, MM401GB		
<b>accessories for</b>	101984		
	<b>GEV No.</b>	101274	<b>Ref. No.</b> —
	olive for pipe ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	101275	<b>Ref. No.</b> —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	101925	<b>Ref. No.</b> —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	<b>GEV No.</b>	102845	<b>Ref. No.</b> —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	<b>GEV No.</b>	102846	<b>Ref. No.</b> —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		
	<b>GEV No.</b>	102847	<b>Ref. No.</b> —
	O-ring		



1

<b>GEV No.</b>	102367	<b>Ref. No.</b>	11016
<b>description</b>	ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		
<b>For models:</b>	FC05G, FC05GU		

SIT



1

<b>GEV No.</b>	102309	<b>Ref. No.</b>	11010
<b>description</b>	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 10s 230V 10VA 50-60Hz protection IP44		



1


<b>GEV No.</b>	107497	<b>Ref. No.</b>	11147
<b>description</b>	ignition box SIT type 579DBC electrodes 1 waiting time 1s safety time 5s 220/240V 12VA 50/60Hz		

ignition boxes

HONEYWELL



1

<b>GEV No.</b>	101165	<b>Ref. No.</b>	11003 11020
<b>description</b>	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
<b>spare parts for</b>	101165		
	<b>GEV No.</b>	358696	<b>Ref. No.</b> —
	fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs		

ignition parts

pilot burners




SIT

100 series




<b>GEV No.</b>	106906	<b>Ref. No.</b>	0836
<b>description</b>	pilot burner SIT type 100 series 3 flames nozzle $\varnothing$ 0.2mm gas connection 6mm		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FM06GB, FM20GB, FP05G, FP05GDG, FP10G, FP10GDG, MM20GB		
<b>spare parts for</b>	106906		
		GEV No. 100245	Ref. No. —
		pilot burner nozzle LPG code 20 bore $\varnothing$ 0.2mm Qty 1 pcs thread M8x0.75	
		GEV No. 100855	Ref. No. —
		pilot burner bracket triple	
		GEV No. 100885	Ref. No. —
		air mixing sleeve for pilot burner Qty 1 pcs	
		GEV No. 100916	Ref. No. —
		compression spring for pilot burner Qty 1 pcs	
		GEV No. 100917	Ref. No. —
		gasket for pilot burner Qty 1 pcs aluminium ID $\varnothing$ 8.5mm ED $\varnothing$ 11mm thickness 1.2mm	
		GEV No. 100918	Ref. No. —
		screw for pilot burner	
		GEV No. 107162	Ref. No. —
		pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs	
<b>accessories for</b>	106906		
		GEV No. 100245	Ref. No. —
		pilot burner nozzle LPG code 20 bore $\varnothing$ 0.2mm Qty 1 pcs thread M8x0.75	
		GEV No. 100246	Ref. No. —
		pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75	
		GEV No. 100904	Ref. No. —
		locking screw M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs	
		GEV No. 100905	Ref. No. 0830
		locking screw M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs	
		GEV No. 102110	Ref. No. —
		pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm	
		GEV No. 102111	Ref. No. —
		pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm	

Зип-Общепит

	GEV No. 107171	Ref. No. —
	pilot burner nozzle SIT natural/liquid gas bore $\varnothing$ 0.25mm Qty 1 pcs	
	GEV No. 107700	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.25mm	
	GEV No. 107702	Ref. No. —
	pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.35mm	


accessories

ignition electrodes



<b>GEV No.</b>	100706	<b>Ref. No.</b>	0832
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FM06GB, FM20GB, FM20GDG, FP05G, FP05GDG, FP10G, FP10GDG, MM20GB		

electrodes




<b>GEV No.</b>	100706	<b>Ref. No.</b>	0832
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FM06GB, FM20GB, FM20GDG, FP05G, FP05GDG, FP10G, FP10GDG, MM20GB		



Зип Общежит  
thermocouples

vsezip.ru

+7(812)987-08-81



<b>GEV No.</b>	102342	<b>Ref. No.</b>	11001 11007
<b>description</b>	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 48mm L2 13mm L3 15mm BL1 24mm BL2 35mm fixing dimensions ø4.5mm with flange connection ø 4mm		
<b>For models:</b>	FC05G, FC05GU, FC200GA, FC200GAP, FC200GB, FC201GA, FC201GAP, FC201GB, FC401GA, FC401GAP, FC401GB, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM06GDG, FM10GB, FM10GDG, FM200GA, FM200GAP, FM200GB, FM201GA, FM201GAP, FM201GB, FM401GA, FM401GAP, FM401GB, MM06GA, MM06GAP, MM06GB, MM10GA, MM10GAP, MM10GB, MM200GA, MM200GAP, MM200GB, MM201GA, MM201GAP, MM201GB, MM20GA, MM20GAP, MM401GB		

ignition cables

pre-assembled cables

<b>GEV No.</b>	100026	<b>Ref. No.</b>	3958
<b>description</b>	ignition cable cable length 1000mm connection ø4mm / F6.3mm		

<b>GEV No.</b>	102155	<b>Ref. No.</b>	3973
<b>description</b>	ignition cable cable length 900mm connection ø4mm / F2.8mm		
<b>For models:</b>	FM10GB, MM06GA, MM06GAP, MM06GB, MM10GA, MM10GAP, MM10GB, MM20GA, MM20GAP		

ignition units


<b>GEV No.</b>	101002	<b>Ref. No.</b>	0825
<b>description</b>	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FM06GB, FM20GB, FM20GDG, FP05G, FP05GDG, FP10G, FP10GDG		

plug-in thermocouples


plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT




<b>GEV No.</b>	107612	<b>Ref. No.</b>	1668
<b>description</b>	thermocouple SIT M9x1 L 1000mm plug connection ø6.0(6.5)mm		
<b>For models:</b>	FC06G, FC06GA, FC06GDG, FC12G, FC12GA, FC12GDG, FC20G, FC20GA, FC20GDG, FM06GB, FP05G, FP05GDG, FP10G, FP10GDG		



<b>GEV No.</b>	107614	<b>Ref. No.</b>	1556
<b>description</b>	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with interruption



<b>GEV No.</b>	107164	<b>Ref. No.</b>	0831
<b>description</b>	thermocouple SIT with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm soldering connection		

gas burners

bar burners

bar burners





<b>GEV No.</b>	105788	<b>Ref. No.</b>	0767A
<b>description</b>	bar burner 1-row ø 50mm Wmm Hmm L 483mm flange width 71mm convection oven flange ø 75mm		


gas components


3ип Общепит  
screw connectionsolives  
vsezip.ru

+7(812)987-08-81

			
1			
<b>GEV No.</b>	105790	<b>Ref. No.</b>	3131
<b>description</b>	bar burner ø 50mm Wmm Hmm L 325mm flange width 57mm flange length 57mm convection oven		
<b>For models:</b>	FM06GB, FM06GDG, FM10GB, FM10GDG, FM200GA, FM200GAP, FM200GB, FM201GA, FM201GAP, FM201GB, FM20GB, FM20GDG		

			
1			
<b>GEV No.</b>	101256	<b>Ref. No.</b>	0665
<b>description</b>	olive for pipe ø 16mm Qty 1 pcs		
<b>For models:</b>	FC05G, FC05GU		
<b>accessories for</b>	101256		
	<b>GEV No.</b>	101253	<b>Ref. No.</b>
			—
			
	union nut thread M24x1.5 PEL for pipe ø 16mm		

			
1			
<b>GEV No.</b>	105791	<b>Ref. No.</b>	11031 11032
<b>description</b>	bar burner ø 50mm Wmm Hmm L 375mm flange width 57mm flange length 57mm convection oven		
<b>For models:</b>	FM401GA, FM401GAP, FM401GB		

<b>union screws</b>			
			
1			
<b>GEV No.</b>	100905	<b>Ref. No.</b>	0830
<b>description</b>	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

			
1			
<b>GEV No.</b>	105789	<b>Ref. No.</b>	11030 1361
<b>description</b>	bar burner ø 50mm Wmm Hmm L 618mm flange width 71mm convection oven flange ø 75mm		
<b>For models:</b>	FC200GA, FC200GAP, FC200GB, FC201GA, FC201GAP, FC201GB, FC20G, FC20GA, FC20GDG, FC401GA, FC401GAP, FC401GB, FM200GA, FM200GAP, FM200GB, FM201GA, FM201GAP, FM201GB, FM20GDG, FM401GA, FM401GAP, FM401GB, MM200GB, MM201GA, MM201GAP, MM201GB, MM20GA, MM20GAP, MM20GB, MM401GA, MM401GAP, MM401GB		


## equipmentspecific units for convection ovens/combi-steamers

<b>glass panels</b>			
			
1			
<b>GEV No.</b>	694355	<b>Ref. No.</b>	15146
<b>description</b>	glass panel L 745mm W 355mm thickness 4mm		

## gas nozzles

### main nozzles

#### gas nozzles M10x1

			
1			
<b>GEV No.</b>	106287	<b>Ref. No.</b>	2142
<b>description</b>	gas injector thread M10x1 WS 11 bore ø 2.2mm inner peaked		



## knobs

### producer-specific knobs

#### FOINOX



1

<b>GEV No.</b>	111410	<b>Ref. No.</b>	15075
<b>description</b>	knob zero mark ø 50mm shaft ø 6x4.6mm shaft flat upper black		

## handles and hand wheels

### mushroom cap handles



1

<b>GEV No.</b>	111411	<b>Ref. No.</b>	0382
<b>description</b>	mushroom cap handle thread M6 handle ø 26mm ø 17mm L 17mm plastic black matt		
<b>For models:</b>	FC05G, FC05GU		

## locks

### handle latches




#### universal

#### outside fixing



#### locks



1

<b>GEV No.</b>	694065	<b>Ref. No.</b>	90199
<b>description</b>	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black		
<b>spare parts for</b>	694065		
	<b>GEV No.</b>	514390	<b>Ref. No.</b>
			15057
	spring for door handle ø 6mm L 54mm W 27.5mm		
	<b>GEV No.</b>	694734	<b>Ref. No.</b>
			—
	door handle L 165mm W 40mm H 25mm black		
	<b>GEV No.</b>	694735	<b>Ref. No.</b>
			—
	cap ø 32mm black		

Зип-Общепит

<b>accessories for</b>	694065		
	<b>GEV No.</b>	694066	<b>Ref. No.</b>
			3772
	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		
	<b>GEV No.</b>	694067	<b>Ref. No.</b>
			—
	door catch with spigot 1-stage L 26mm total length 51mm thread M8		

### producer-specific

#### HIOS/FOINOX



1






<b>GEV No.</b>	694066	<b>Ref. No.</b>	3772
<b>description</b>	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		



1

<b>GEV No.</b>	694065	<b>Ref. No.</b>	90199
<b>description</b>	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm outer black		

#### spare parts for 694065

	<b>GEV No.</b>	514390	<b>Ref. No.</b>
			15057
	spring for door handle ø 6mm L 54mm W 27.5mm		
	<b>GEV No.</b>	694734	<b>Ref. No.</b>
			—
	door handle L 165mm W 40mm H 25mm black		
	<b>GEV No.</b>	694735	<b>Ref. No.</b>
			—
	cap ø 32mm black		
<b>accessories for</b>	694065		
	<b>GEV No.</b>	694066	<b>Ref. No.</b>
			3772
	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		
	<b>GEV No.</b>	694067	<b>Ref. No.</b>
			—
	door catch with spigot 1-stage L 26mm total length 51mm thread M8		




1

<b>GEV No.</b>	514390	<b>Ref. No.</b>	15057
<b>description</b>	spring for door handle ø 6mm L 54mm W 27.5mm		

edgmount latches

handle latches

CAFF/FERMOD



<b>GEV No.</b>	700060	<b>Ref. No.</b>	1496
<b>description</b>	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
<b>accessories for</b>	700060		
	<b>GEV No.</b>	700061	<b>Ref. No.</b> 1500
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	<b>GEV No.</b>	700062	<b>Ref. No.</b> —
	handle protection heated units		

door catches



<b>GEV No.</b>	700061	<b>Ref. No.</b>	1500
<b>description</b>	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG		
<b>accessories for</b>	700061		
	<b>GEV No.</b>	690414	<b>Ref. No.</b> —
	handle latch L 150mm mounting distance 133mm non lockable refrigeration units G 791		

3in1 Общепит

snap locks

universal

vsezip.ru

+7(812)987-08-81



<b>GEV No.</b>	690864	<b>Ref. No.</b>	0285
<b>description</b>	door catch L 38mm W 13mm H 21mm mounting distance 28mm zamak with spigot		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU		



<b>GEV No.</b>	690596	<b>Ref. No.</b>	0285+0285B
<b>description</b>	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		



<b>GEV No.</b>	690863	<b>Ref. No.</b>	0285B
<b>description</b>	snap lock L 60mm W 16mm mounting distance 48mm spring thickness 1.5mm without door catch zamak		



<b>GEV No.</b>	690903	<b>Ref. No.</b>	0117B
<b>description</b>	snap lock L 69mm W 13mm H 20mm mounting distance 57mm complete with door catch nickel-plated brass		
<b>For models:</b>	FE1-2, FE2-3		

espagnolette locks

producer-specific

HIOS/FOINOX



<b>GEV No.</b>	514317	<b>Ref. No.</b>	3754
<b>description</b>	disc ID ø 11mm ED ø 17mm H 3mm brass		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG...(Other models you can see in the webshop)		



Зип Общепит

vsezip.ru

+7(812)987-08-81

1			
<b>GEV No.</b>	514321	<b>Ref. No.</b>	3738.1
<b>description</b>	door catch with roller L 35mm W 26mm H 32mm mounting distance 20mm rollerø 10mm		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG...(Other models you can see in the webshop)		

1			
<b>GEV No.</b>	690827	<b>Ref. No.</b>	3775
<b>description</b>	latch block L 40mm brass hole ø 20mm dimensions 30x30mm		

1			
<b>GEV No.</b>	690862	<b>Ref. No.</b>	3747
<b>description</b>	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 29mm		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC20E, FC20EA, FC20EDG, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE155, FDE155DG, FDE55, FDE55DG, FDG10, FDG155, FDG155DG, FDG55, FDG55DG, FM06EB...(Other models you can see in the webshop)		

<b>accessories for</b>	690862			
	<b>GEV No.</b>	514317	<b>Ref. No.</b>	3754
	disc ID ø 11mm ED ø 17mm H 3mm brass			
	<b>GEV No.</b>	514321	<b>Ref. No.</b>	3738.1
	door catch with roller L 35mm W 26mm H 32mm mounting distance 20mm rollerø 10mm			
	<b>GEV No.</b>	690826	<b>Ref. No.</b>	3910
	striker bolt L1 60mm L2 64mm D1 ø 20mm D2 ø 10mm			
	<b>GEV No.</b>	690827	<b>Ref. No.</b>	3775
	latch block L 40mm brass hole ø 20mm dimensions 30x30mm			
	<b>GEV No.</b>	690828	<b>Ref. No.</b>	3734
	bush L 20mm brass ID ø 10mm ED ø 15mm			
	<b>GEV No.</b>	690829	<b>Ref. No.</b>	3736.1
	bush H 8mm ID ø 8mm ED ø 26mm			
	<b>GEV No.</b>	691637	<b>Ref. No.</b>	3780
	roll pin ø 3mm L 20mm			
	<b>GEV No.</b>	691653	<b>Ref. No.</b>	40328
	striker bolt L1 60mm L2 240mm D1 ø 20mm D2 ø 10mm			

<b>accessories for</b>	690862			
	<b>GEV No.</b>	691654	<b>Ref. No.</b>	40332
	striker bolt L1 60mm L2 113mm D1 ø 20mm D2 ø 10mm			
	<b>GEV No.</b>	691655	<b>Ref. No.</b>	3909
	striker bolt L1 60mm L2 105mm D1 ø 20mm D2 ø 10mm			
	<b>GEV No.</b>	691656	<b>Ref. No.</b>	3795
	striker bolt L1 60mm L2 315mm D1 ø 20mm D2 ø 10mm			
	<b>GEV No.</b>	691657	<b>Ref. No.</b>	3796
	striker bolt L1 60mm L2 283mm D1 ø 20mm D2 ø 10mm			
	<b>GEV No.</b>	691658	<b>Ref. No.</b>	40329
	striker bolt L1 60mm L2 570mm D1 ø 20mm D2 ø 10mm			

1			
<b>GEV No.</b>	691637	<b>Ref. No.</b>	3780
<b>description</b>	roll pin ø 3mm L 20mm		

1			
<b>GEV No.</b>	691653	<b>Ref. No.</b>	40328
<b>description</b>	striker bolt L1 60mm L2 240mm D1 ø 20mm D2 ø 10mm		

## hinges

### oven hinges

1			
<b>GEV No.</b>	700390	<b>Ref. No.</b>	15062
<b>description</b>	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever lengthmm groove distance 12mm spring thickness 3mm mounting ear position spring length 116mm L 170mm mounting pos. left/right W 22mm		

## door bearing

1			
<b>GEV No.</b>	514306	<b>Ref. No.</b>	0045D
<b>description</b>	hinge bearing mounting pos. bottom left without bolt		
<b>For models:</b>	FE1-2, FE2-3		

mechanical components, equipment accessories


Зип Общепит

vsezip.ru


+7(812)987-08-81



<b>GEV No.</b>	514310	<b>Ref. No.</b>	0321.05
<b>description</b>	hinge bearing mounting pos. bottom left without bolt		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, FP05E, FP05EDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB...(Other models you can see in the webshop)		




<b>GEV No.</b>	514313	<b>Ref. No.</b>	12025
<b>description</b>	hinge bearing mounting pos. lower without bolt		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FDE10, FDE15, FDE15SDG, FDE55, FDE55DG, FDG10, FDG15, FDG15SDG, FDG55, FDG55DG, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA...(Other models you can see in the webshop)		




<b>GEV No.</b>	514315	<b>Ref. No.</b>	30082
<b>description</b>	hinge bearing mounting pos. lower without bolt		
<b>For models:</b>	MM2/3EA, MM2/3EB		



<b>GEV No.</b>	514309	<b>Ref. No.</b>	0322C
<b>description</b>	hinge bearing mounting pos. upper left without bolt		
<b>For models:</b>	FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FM06EB, FM06EDG, FM06GB, FM06GDG, FM10EB, FM10EDG, FM10GB, FM10GDG, FP05G, FP05GDG, FP10E, FP10EDG, FP10G, FP10GDG, MM06EA, MM06EAP, MM06EB, MM06GA, MM06GAP, MM06GB, MM10EA, MM10EAP, MM10EB, MM10GA, MM10GAP, MM10GB, MM20EA, MM20EAP, MM20EB, MM20GB		



<b>GEV No.</b>	514311	<b>Ref. No.</b>	15.0007.01
<b>description</b>	hinge bearing mounting pos. upper left without bolt		
<b>For models:</b>	FC20E, FC20EA, FC20EDG, FC20G, FC20GA, FC20GDG, FM20EB, FM20EDG, FM20GB, FM20GDG, MM20GA, MM20GAP		





<b>GEV No.</b>	514314	<b>Ref. No.</b>	30083
<b>description</b>	hinge bearing mounting pos. upper left without bolt		
<b>For models:</b>	MM2/3EA, MM2/3EB		

DERBY RUOTE

with fixing plate

chrome-plated steel




<b>GEV No.</b>	701286 <sup>1</sup>	<b>Ref. No.</b>	15034	
<b>description</b>	swivel castor with swivel brake ø 125mm plate fixing housing chrome-plated sheet steel plate size 95x70mm hole distance 70x50mm capacity 100kg bearing cup-and-cone bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 30mm Qty 1 pcs			
<b>accessories for</b>	701286			
	<b>GEV No.</b>	701287	<b>Ref. No.</b>	—
	swivel castor ø 125mm plate fixing housing chrome-plated sheet steel plate size 95x70mm hole distance 70x50mm capacity 100kg bearing cup-and-cone bearing wheel body polypropylene tread TPE tyres H 162mm wheel width 30mm Qty 1 pcs			

<sup>1</sup>with swivel brake

gaskets

gaskets for heated units

window seals



<b>GEV No.</b>	900058	<b>Ref. No.</b>	1441+1441 1444_25MT 1444_6MT
<b>description</b>	window gasket profile 1620 Qty supplied by meter		





Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b>	900463	<b>Ref. No.</b>	30093
<b>description</b>	window gasket profile 1650 L 1110mm Qty 1		
<b>For models:</b>	MM2/3EA, MM2/3EB		

<b>GEV No.</b>	900881	<b>Ref. No.</b>	30093
<b>description</b>	window gasket profile 1650 Qty supplied by meter		

<b>GEV No.</b>	900469	<b>Ref. No.</b>	14017
<b>description</b>	window gasket profile 1880 L 1385mm Qty 1		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP...(Other models you can see in the webshop)		

<b>GEV No.</b>	900470	<b>Ref. No.</b>	14018
<b>description</b>	window gasket profile 1880 L 520mm Qty 1		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB		
<b>accessories for</b>	900470		
	<b>GEV No.</b>	<b>Ref. No.</b>	14019
	window gasket profile 1880 L 680mm Qty 1		

<b>GEV No.</b>	900471	<b>Ref. No.</b>	14019
<b>description</b>	window gasket profile 1880 L 680mm Qty 1		
<b>For models:</b>	FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP, MM401GA, MM401GAP, MM401GB		
<b>accessories for</b>	900471		
	<b>GEV No.</b>	<b>Ref. No.</b>	14018
	window gasket profile 1880 L 520mm Qty 1		

<b>GEV No.</b>	900882	<b>Ref. No.</b>	14002
<b>description</b>	window gasket profile 1880 Qty supplied by meter		

door seals

<b>GEV No.</b>	900462	<b>Ref. No.</b>	30098
<b>description</b>	door seal profile 2400 L 410mm Qty 1		
<b>For models:</b>	MM2/3EA, MM2/3EB		

<b>GEV No.</b>	901324	<b>Ref. No.</b>	1442
<b>description</b>	door seal profile 2400 L 620mm external size		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b> 900883 <b>Ref. No.</b> 1093
<b>description</b> door seal profile 2400 Qty supplied by meter

<b>GEV No.</b> 900934 <b>Ref. No.</b> 0271B
<b>description</b> door seal profile 2400 Qty supplied by meter

<b>GEV No.</b> 900474 <b>Ref. No.</b> 14014
<b>description</b> door seal profile 2400 W 685mm L 805mm external size Qty 1

<b>GEV No.</b> 900466 <b>Ref. No.</b> 0324
<b>description</b> door seal profile 2400 W 700mm L 915mm external size Qty 1
<b>For models:</b> FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FP10E, FP10EDG, FP10G, FP10GDG

<b>GEV No.</b> 900348 <b>Ref. No.</b> 0324-15MT, 0324-6MT, 1093-15MT, 1093-6MT, 3351-15MT, 3351-6MT, 3352-15MT
<b>description</b> door seal profile 2402 Qty supplied by meter

<b>GEV No.</b> 900059 <b>Ref. No.</b> 14011-25MT, 14011-6MT, 14012-25MT, 14012-6MT, 14020-25MT, 14020-6MT, 14021-25MT, 14021-6MT, 14028-25MT, 14028-6MT, 14029-25MT, 14029-6MT
<b>description</b> door seal profile 2410 Qty supplied by meter

<b>GEV No.</b> 900478 <b>Ref. No.</b> 14020	
<b>description</b> door seal profile 2415 L 1465mm mounting pos. left/right Qty 1	
<b>For models:</b> FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FM201EA, FM201EAP, FM201EB, FM201GA, FM201GAP, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GA, FM401GAP, FM401GB, MM201EA, MM201EAP, MM201EB, MM201GA, MM201GAP, MM201GB, MM401EA, MM401EAP, MM401GA, MM401GAP, MM401GB	
<b>accessories for</b> 900478	
	<b>GEV No.</b> 900479 <b>Ref. No.</b> 14021
<b>description</b> door seal profile 2415 L 635mm mounting pos. upper/lower Qty 1	



Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b>	901302	<b>Ref. No.</b>	14029
<b>description</b>	door seal profile 2415 L 543mm mounting pos. left/right Qty 1		
<b>accessories for</b>	901302		
	<b>GEV No.</b>	901300	<b>Ref. No.</b> 14028
	door seal profile 2415 L 675mm mounting pos. upper/lower Qty 1		

<b>GEV No.</b>	902166	<b>Ref. No.</b>	14082
<b>description</b>	door seal profile 2749 W 660mm L 1450mm external size suitable for FOINOX		

<b>GEV No.</b>	900476	<b>Ref. No.</b>	14012
<b>description</b>	door seal profile 2415 L 695mm mounting pos. upper/lower Qty 1		
<b>accessories for</b>	900476		
	<b>GEV No.</b>	900477	<b>Ref. No.</b> 14011 14012 14013 14014 14021 14028
	door seal profile 2415 L 805mm mounting pos. left/right Qty 1		

door seals with fixing hook

<b>GEV No.</b>	900810	<b>Ref. No.</b>	0162
<b>description</b>	door seal L 360mm W 290mm with 8 mounting clips external size		

<b>GEV No.</b>	900307	<b>Ref. No.</b>	14070
<b>description</b>	door seal L 480mm W 380mm type ECG Speedy external size		

<b>GEV No.</b>	900477	<b>Ref. No.</b>	14011 14012 14013 14014 14021 14028
<b>description</b>	door seal profile 2415 L 805mm mounting pos. left/right Qty 1		
<b>For models:</b>	FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, MM200EA, MM200EAP, MM200EB, MM200GA, MM200GAP, MM200GB		
<b>accessories for</b>	900477		
	<b>GEV No.</b>	900476	<b>Ref. No.</b> 14012
	door seal profile 2415 L 695mm mounting pos. upper/lower Qty 1		

<b>GEV No.</b>	901342	<b>Ref. No.</b>	14073
<b>description</b>	door seal L 620mm W 270mm with 10 mounting clips plug size		

Зип.Общепит  
valves and tank inlets

ball valves  
ball valves electric

+7(812)987-08-81

sealing washers

silicone gaskets



1

<b>GEV No.</b>	359721	<b>Ref. No.</b>	0812.01
<b>description</b>	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
<b>For models:</b>	FC05E, FC05EU, FC05G, FC05GU, FC06E, FC06EA, FC06EDG, FC06G, FC06GA, FC06GDG, FC06SE, FC06SEA, FC06SEDG, FC12E, FC12EA, FC12EDG, FC12G, FC12GA, FC12GDG, FC12SE, FC12SEA, FC12SEDG, FC200EA, FC200EAP, FC200EB, FC200GA, FC200GAP, FC200GB, FC201EA, FC201EAP, FC201EB, FC201GA, FC201GAP, FC201GB, FC401EA, FC401EAP, FC401EB, FC401GA, FC401GAP, FC401GB, FE1-2, FE2-3, FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP...(Other models you can see in the webshop)		

ball valves

ball valves electric



1

<b>GEV No.</b>	401233	<b>Ref. No.</b>	10036
<b>description</b>	ball valve inlet 1/2" IT outlet 1/2" IT 230V 50/60Hz mode of operation electric W 60mm H 99mm cable 4-pole 2.5W 4-pole duty cycle 50%		
<b>For models:</b>	FM200EA, FM200EAP, FM200EB, FM200GA, FM200GAP, FM200GB, FM201EA, FM201EAP, FM201EB, FM201GB, FM401EA, FM401EAP, FM401EB, FM401GB		

shaft gaskets

shaft gaskets



1

<b>GEV No.</b>	511171	<b>Ref. No.</b>	0689
<b>description</b>	shaft seal ID ø 14.5mm ED ø 20mm thickness 3mm		

measuring equipment

thermometers

built-in thermometers

ø52mm



1

<b>GEV No.</b>	541077	<b>Ref. No.</b>	0593 0594
<b>description</b>	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 30mm capillary pipe 1000mm built-in depth 28mm		
<b>For models:</b>	FC05G, FC05GU		

hose reels and spray guns

spray guns



1

<b>GEV No.</b>	691048	<b>Ref. No.</b>	1518.01	
<b>description</b>	spray gun for appliances 1/2" ET L 225mm type STAR			
<b>spare parts for</b>	691048			
	<b>GEV No.</b>	507309	<b>Ref. No.</b>	—
	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs			
	<b>GEV No.</b>	510322	<b>Ref. No.</b>	—
	O-ring EPDM thickness 1.78mm ID ø 17.17mm Qty 1 pcs			
	<b>GEV No.</b>	524055	<b>Ref. No.</b>	—
	flat gasket rubber ED ø 18mm ID ø 12mm thickness 2mm Qty 1 pcs			
	<b>GEV No.</b>	528485	<b>Ref. No.</b>	—
	O-ring EPDM thickness 1.78mm ID ø 6.07mm Qty 1 pcs			
	<b>GEV No.</b>	528494	<b>Ref. No.</b>	—
	gasket rubber ED ø 13mm ID ø 4mm thickness 4mm Qty 1 pcs			

fastening material

screws

hexagonal screws



1

<b>GEV No.</b>	560083	<b>Ref. No.</b>	17120
<b>description</b>	hexagonal screw thread M5 thread L 10mm SS WS 8 Qty 20 pcs DIN 933 / ISO 4017		

mechanical components, equipment accessories



fasteners

roll pins



1

<b>GEV No.</b>	691637	<b>Ref. No.</b>	3780
<b>description</b>	roll pin ø 3mm L 20mm		

Зип Общепит

vsezip.ru

+7(812)987-08-81

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>A</b>		<b>I</b>	
alarm devices	12	ignition boxes	25
axial fans	18	ignition cables	27
<b>B</b>		ignition units	27
ball valves	36	immersion heating elements	2
ball valves electric	18, 36	indicator lights	8
bar burners	27	indicator lights (complete)	8
<b>C</b>		<b>L</b>	
cables	22	lamps	8
cam switches	7	light bulbs	8
castors and bumper angles	32	<b>M</b>	
condensators & interference suppression filters	22	magnetic switches	7
contactors	13	measuring equipment	36
control thermostats	4	mechanical timers	12
<b>D</b>		microswitches	5
door catches	30	<b>O</b>	
door seals	33	operating capacitors	22
door seals with fixing hook	35	oven hinges	31
drain pumps	22	oven lamps	9
<b>E</b>		<b>P</b>	
edgemount latches	30	pilot burners	26
electric accessories	22	probes	16
electrodes	18	programme timers	12
electronic controllers	15	pumps	22
energy regulators	4	push/momentary push switches	5
espagnolette locks	30	<b>R</b>	
<b>F</b>		relays	13
fans	18	ribbon cables	22
fasteners	37	roll pins	37
fastening material	36	<b>S</b>	
<b>G</b>		safety thermostats	5
gas burners	27	screws	36
gas control valves	23	sealing washers	36
gas nozzles	28	shaft gaskets	36
gaskets for heated units	32	snap locks	30
GEV	2	solenoid valves	17
<b>H</b>		spray guns	36
halogen lamp	8	spray guns with external thread	36
handle latches	30	switches and momentary switches	5
heating elements	2	system switches (ROLD)	6
heating elements for convection	2	<b>T</b>	
heating elements for ovens	2	temperature probes	16
hexagonal screws	36	terminals	22
hot air fans	22	thermocouples	27
hot air motors	19	thermostats	4

time relays	14
timers	12
transformers	15

**U**

universal probes	16
------------------	----

**V**

valves and tank inlets	36
------------------------	----

**W**

window seals	32
--------------	----

**Зип Общепит****vsezip.ru****+7(812)987-08-81**