



Зип Общепит

vsezip.ru

+7(812)987-08-81



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

EVEREST

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит

vsezip.ru

+7(812)987-08-81

Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer



Complete product range and all appliance data always up to date in the GEV Webshop







Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



-  Add to Favourites
-  Sign In with email address and usual password
-  Easy-order – place several items in your basket at the same time
-  Quick item search – no login needed




switches and momentary switches

rocker/momentary rocker switches


30x22mm



GEV No.	301001	Ref. No.	ELE2020
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301001		
	GEV No.	301036	Ref. No. —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

Зип Общепит
vsezip.ru
+7(812)9870900



GEV No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/left/0 4A protection IP40 ambient temperature max. 85°C/145°C		

	GEV No.	401709	Ref. No.	ELE1008
description	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm			

push/momentary push switches

ø22mm



GEV No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		
spare parts for	403149		
	GEV No.	347789	Ref. No. —
	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		
accessories for	403149		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

microswitches



roller-lever actuated

microswitches



GEV No.	347767	Ref. No.	ELE1030
description	microswitch with handle with a switch 250V 16A 1CO connection male faston 4.8mm L 21mm L1 16mm ambient temperature max. 85°C mounting distance 22.2mm black lever length 18mm		



GEV No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-I connection screw ambient temperature max. 125/55°C protection IP40		
spare parts for	401357		
	GEV No.	346181	Ref. No. —
	push button mounting ø 21mm external size 30x55mm oval		
accessories for	401357		
	GEV No.	401709	Ref. No. ELE1008
	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		

rotary switches

BREMAS

miscellaneous



GEV No.	348130	Ref. No.	ELE1026
description	rotary switch 3 1-0-2 momentary sets of contacts 6 type CR012V048 690V 12A shaft ø 4.9x4.9mm shaft L 18mm shaft square connection screw		

electric components





control equipment

GIOVENZANA

switches (complete)





1

GEV No.	403149	Ref. No.	ELE1007
description	control PCB mounting measurements ø22mm green/indicator light/red meat mincer TC8/TCE8/TCE8-2000 230V connection male faston 6.3mm L 79mm W 59mm 0-1 10A protection IP40		
spare parts for	403149		
	GEV No.	347789	Ref. No. —
description	momentary push switch mounting measurements ø22mm white/red 1NO/1NC 250V connection screw 4A symbol ON-OFF protection IP40 ambient temperature max. 85°C		
accessories for	403149		
	GEV No.	401709	Ref. No. ELE1008
description	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



1

GEV No.	401357	Ref. No.	ELE1001
description	momentary push switch mounting measurements ø22mm 1NO/1NC/indicator light 400V 4A indicator lamp 24V 0-1 connection screw ambient temperature max. 125/55°C protection IP40		
spare parts for	401357		
	GEV No.	346181	Ref. No. —
description	push button mounting ø 21mm external size 30x55mm oval		
accessories for	401357		
	GEV No.	401709	Ref. No. ELE1008
description	protective cover external size 57x32mm internal size 47x22mm matt finish rubber H 27.5mm		



1

GEV No.	347766	Ref. No.	ELE2034 TC32 R56
description	momentary push switch mounting measurements ø22mm green/red 1NO/1NC/1NO 400V connection male faston 6.3mm arrow right/left/0 4A protection IP40 ambient temperature max. 85°C/145°C		

Зип.Общепит

electronics

vsezip.ru

+7(812)987-08-81

PCBs



1

GEV No.	403150	Ref. No.	ELE1034
description	PCB cheese grater GS-TF-ST00 L 104mm W 104mm		



1

GEV No.	403554	Ref. No.	ELE1005
description	PCB for mincer TG12/TG22 suitable for EVEREST		

equipment-specific units

for meat mincers

blades

SALVADOR



1

GEV No.	696736	Ref. No.	DIS0372 S/S
description	knife type SALVADOR ø 73mm internal size 12.5x16.5mm stainless steel		

augers

complete



1

GEV No.	698298	Ref. No.	1DIS0152+DIS0180 1DIS0152+DIS0181
description	auger model 22 ø 63.5mm L 165mm cast iron shaft diameter 30x11mm with spindle Unger		



			
1			
GEV No.	698319	Ref. No.	1DIS0152+DIS0179
description	auger model 22 ø 63mm L 130mm cast iron shaft diameter 30x11mm ENTERPRISE		

Зип Общепит

vsezip.ru

(812)987-08-81

Зип Общепит

vsezip.ru

+7(812)987-08-81

Зип Общепит**vsezip.ru****+7(812)987-08-81****C**

control equipment

4

M

microswitches

3

P

push/momentary push switches

3

R

rocker/momentary rocker switches

3

rotary switches

3

S

switches and momentary switches

3