



pumps

wash and rinse pumps

HANNING

pumps


electric components

Зип Общепит


vsezip.ru

+7(812)987-08-81




1		
GEV No. 500578	Ref. No.	UP30-274
description	pump inlet ø 24mm outlet ø 24mm type UP30-274 230V 50/60Hz 1 phase 0,09kW 0,12HP L 145mm rotation direction left capacitor 2,5µF HANNING	
spare parts for	500578	
	GEV No. 501345	Ref. No. —
	O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs	



1		
GEV No. 500579	Ref. No.	UP30-275
description	pump inlet ø 24mm outlet ø 24mm type UP30-275 230V 50/60Hz 1 phase 0,09kW 0,12HP L 145mm rotation direction left capacitor 2,5µF HANNING	
spare parts for	500579	
	GEV No. 501345	Ref. No. —
	O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs	



1		
GEV No. 499184	Ref. No.	UP30-890
description	pump inlet ø 24mm outlet ø 24mm type UP30-890 200-240V 50/60Hz 1 phase 0,1kW L 145mm rotation direction left capacitor 2,5µF HANNING with SS housing	
spare parts for	499184	
	GEV No. 365009	Ref. No. —
	operating capacitor capacity 2,5µF 400V	



1		
GEV No. 499168	Ref. No.	UP30-890
description	pump inlet ø 24mm type UP30-890 200-240V 50/60Hz 1 phase 0,1kW L 145mm rotation direction left capacitor 2,5µF HANNING	







1		
GEV No. 500279	Ref. No.	UP60-357
description	pump inlet ø 26mm outlet ø 28mm type UP60-357 220/240V 50Hz 1 phase 0,25kW 0,34HP L 190mm rotation direction left capacitor 5µF HANNING	
spare parts for	500279	
	GEV No. 365017	Ref. No. —
	operating capacitor capacity 5µF 450V	
	GEV No. 507558	Ref. No. N/A
	mechanical shaft seal for shaft ø 7mm	

Table continues overleaf



Зип Общепит

vsezip.ru




+7(812)987-08-81

spare parts for 500279			
	GEV No.	521051	Ref. No.
			—
pump cover HANNING inlet ø 28 mm outlet ø 26 mm			
	GEV No.	532644	Ref. No.
			N/A
O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			




1	GEV No.	500700	Ref. No.	UP60-386
	description	pump inlet ø 28mm outlet ø 24mm type UP60-386 230V 50Hz 1 phase 0,19kW L 190mm capacitor 5µF HANNING		
	spare parts for 500700			
	GEV No.	365131	Ref. No.	N/A
	impellor capacity 5µF 450V tolerance 5% 50/60Hz			
	GEV No.	507558	Ref. No.	N/A
	mechanical shaft seal for shaft ø 7mm			
	GEV No.	524695	Ref. No.	N/A
	impellor ø 72 mm H 24 mm rotation direction left			
	GEV No.	532644	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			
	GEV No.	551223	Ref. No.	N/A
	housing 4-pole size 6,3mm straight nylon			



1	GEV No.	499066	Ref. No.	UP60-393
	description	pump inlet ø 28mm outlet ø 24mm type UP60-393 200-240V 50Hz 1 phase 0,25kW L 190mm HANNING		
	spare parts for 499066			
	GEV No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V			
	GEV No.	507558	Ref. No.	N/A
	mechanical shaft seal for shaft ø 7mm			
	GEV No.	532644	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			



1	GEV No.	499094	Ref. No.	UP60-343
	description	pump inlet ø 28mm outlet ø 26mm 220-240V 50Hz HANNING type UP60-343 L 191mm rotation direction left flow rate 110l/min p max 0,48bar 0,22kW capacitor 5µF 1 phase		
	spare parts for 499094			
	GEV No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V			








Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	499147	Ref. No.	UP30-324RU
description	pump inlet ø 28mm outlet ø 26mm type UP30-324RU 220-240V 50Hz 1 phase 0,14kW L 170mm rotation direction left capacitor 4µF HANNING		
spare parts for	499147		
	GEV No.	365031	Ref. No. —
	operating capacitor capacity 4µF 450V		
	GEV No.	507558	Ref. No. N/A
	mechanical shaft seal for shaft ø 7mm		
	GEV No.	521051	Ref. No. —
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm		
	GEV No.	532644	Ref. No. N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		
accessories for	499147		
	GEV No.	507498	Ref. No. —
	protective plate for wash pump suitable for HOBART		



1

GEV No.	499093	Ref. No.	UP30-379
description	pump inlet ø 28mm outlet ø 26mm type UP30-379 220-240V 50Hz 1 phase 0,14kW L 161mm rotation direction left capacitor 4µF HANNING		







1

GEV No.	499213	Ref. No.	UP30-439Ru.
description	pump inlet ø 28mm outlet ø 26mm type UP30-439Ru. 220-240V 50Hz 1 phase 0,14kW L 160mm rotation direction left capacitor 4µF HANNING		



1

GEV No.	500534	Ref. No.	UP60-184 UP60-184 (642.049.184)
description	pump inlet ø 28mm outlet ø 26mm type UP60-184 230V 50Hz 1 phase 0,27kW 0,37HP L 190mm rotation direction left capacitor 5µF HANNING p max 0,77bar Qmax. 160l/min		
spare parts for	500534		
	GEV No.	365017	Ref. No. —
	operating capacitor capacity 5µF 450V		
	GEV No.	507558	Ref. No. N/A
	mechanical shaft seal for shaft ø 7mm		
	GEV No.	521051	Ref. No. —
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm		
	GEV No.	532644	Ref. No. N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1				
GEV No.	499068	Ref. No.	UP60-313	
description	pump inlet ø 28mm outlet ø 26mm type UP60-313 230V 50Hz 1 phase 0,25kW 0,34HP L 190mm rotation direction left capacitor 5µF HANNING			
spare parts for	499068			
	GEV No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V			
	GEV No.	507558	Ref. No.	N/A
	mechanical shaft seal for shaft ø 7mm			
	GEV No.	521051	Ref. No.	—
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm			
	GEV No.	532644	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			



1				
GEV No.	499284	Ref. No.	UP60-321 Ru. (324914)	
description	pump inlet ø 28mm outlet ø 26mm type UP60-321 Ru. 220-240V 50Hz 1 phase 0,27kW L 190mm rotation direction right capacitor 5µF HANNING			
spare parts for	499284			
	GEV No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V			
	GEV No.	507558	Ref. No.	N/A
	mechanical shaft seal for shaft ø 7mm			
	GEV No.	532644	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			



1				
GEV No.	499149	Ref. No.	UP60-315RU	
description	pump inlet ø 28mm outlet ø 26mm type UP60-315RU 220-240V 50Hz 1 phase 0,25kW L 185mm rotation direction left capacitor 5µF HANNING countries UK			
spare parts for	499149			
	GEV No.	365017	Ref. No.	—
	operating capacitor capacity 5µF 450V			
	GEV No.	507558	Ref. No.	N/A
	mechanical shaft seal for shaft ø 7mm			
	GEV No.	521051	Ref. No.	—
	pump cover HANNING inlet ø 28 mm outlet ø 26 mm			
	GEV No.	532644	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			



1				
GEV No.	500982	Ref. No.	UP60-388	
description	pump inlet ø 28mm outlet ø 26mm type UP60-388 200/240V 50Hz 1 phase 0,22kW L 190mm rotation direction left capacitor 5µF HANNING pump rate 160l/min with metal impellor discharge pressure 0,77bar			
spare parts for	500982			
	GEV No.	365131	Ref. No.	N/A
	impellor capacity 5µF 450V tolerance 5% 50/60Hz			



Зип-Общепит
vsezip.ru
+7(812)987-08-81



GEV No.	499166	Ref. No.	UP60-414
description	pump inlet \varnothing 28mm outlet \varnothing 26mm type UP60-414 220-240V 50/60Hz 1 phase 0,25kW L 190mm rotation direction right capacitor 5 μ F HANNING p max 1bar Qmax. 150l/min		
spare parts for	499166		
	GEV No.	Ref. No.	—
	operating capacitor capacity 5 μ F 450V		
	GEV No.	Ref. No.	N/A
	mechanical shaft seal for shaft \varnothing 7mm		
	GEV No.	Ref. No.	N/A
	O-ring EPDM thickness 3mm ID \varnothing 78mm Qty 1 pcs		



GEV No.	500571	Ref. No.	UP60-442
description	pump inlet \varnothing 28mm outlet \varnothing 26mm type UP60-442 200/240V 50/60Hz 1 phase 0.2/0.3kW 0,19HP L 190mm rotation direction left capacitor 5 μ F auxiliary pressure connection 12mm supporting pressure closed HANNING p max 1bar Qmax. 160l/min		
spare parts for	500571		
	GEV No.	Ref. No.	N/A
	impellor capacity 5 μ F 450V tolerance 5% 50/60Hz		
	GEV No.	Ref. No.	N/A
	mechanical shaft seal for shaft \varnothing 7mm		
	GEV No.	Ref. No.	—
	pump cover HANNING inlet \varnothing 28 mm outlet \varnothing 26 mm		
	GEV No.	Ref. No.	N/A
	impellor \varnothing 72 mm H 24 mm rotation direction left		

GEV No.	532644	Ref. No.	N/A
O-ring EPDM thickness 3mm ID \varnothing 78mm Qty 1 pcs			



GEV No.	499112	Ref. No.	UP60-341Ru
description	pump inlet \varnothing 32.5mm outlet \varnothing 1" type UP60-341 Ru 220-240/380-415V 50/60Hz 0,16kW HANNING without impellor p max 0,68bar Qmax. 160l/min		



GEV No.	499000	Ref. No.	UP60-334 (781237-1V)
description	pump inlet \varnothing 32mm outlet \varnothing 1" type UP60-334 230V 50Hz 1 phase 0,24kW L 250mm rotation direction left capacitor 5 μ F HANNING p max 0,35bar Qmax. 85l/min		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	499040	Ref. No.	UP60-335 (781237-2)
description	pump inlet \varnothing 32mm outlet \varnothing 1" type UP60-335 230V 50Hz 1 phase 0,27kW L 250mm rotation direction left capacitor 5 μ F HANNING p max 0,68bar Qmax. 160l/min		




1

GEV No.	499072	Ref. No.	PS90S-107
description	pump inlet \varnothing 62mm outlet \varnothing 54mm type PS90S-107 220-240/380-415V 50Hz 3 phase 2,7kW 3,6HP L 380mm rotation direction right HANNING		



1

GEV No.	499092	Ref. No.	UP30-380
description	pump inlet \varnothing outlet \varnothing 26mm type 220-240V 50Hz 1 phase 0,1kW L 135mm capacitor 4 μ F p max 0,55bar HANNING flange \varnothing 92mm flow rate 45l/min		
accessories for	499092		
	GEV No.	510427	Ref. No. —
	O-ring EPDM thickness 3mm ID \varnothing 83mm Qty 1 pcs		



1

GEV No.	500548	Ref. No.	UP60-213
description	pump type UP60-213 230V 1 phase 0,25kW 0,34HP rotation direction left HANNING		

spare parts and accessories

mechanical shaft seals



1

GEV No.	507558	Ref. No.	N/A
description	mechanical shaft seal for shaft \varnothing 7mm height counter ring 5mm ID \varnothing 6,75mm ED \varnothing 20mm mounting \varnothing counter ring 18,5/slide ring 20mm		



Зип-Общепит

vsezip.ru

+7(812)987-08-81


steam traps



1

GEV No.	365131	Ref. No.	N/A
description	impellor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 30mm L 60mm M8 aluminium connection male faston 6.3mm protection		


impellers



1


GEV No.	524695	Ref. No.	N/A
description	impellor ø 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		

pump cover gaskets



1

GEV No.	532644	Ref. No.	N/A
description	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		




1


GEV No.	551223	Ref. No.	N/A
----------------	--------	-----------------	-----

description housing 4-pole size 6,3mm straight nylon t.max. 120°C Qty 1 pcs for plug

accessories for 551223

	GEV No.	551222	Ref. No.	—
housing 4-pole size 6,3mm straight plastic				

accessories for 551223

	GEV No.	551228	Ref. No.	—
male faston size 6.3x0.8mm 1.0-2.5mm ² Cu gal Sn				