



Cumhuriyet Mah.Hadım Çay Yolu Caddesi No:8 1Nolu Bağımsız Bölüm
Büyükcçekmece İstanbul V.D. Etiler Kat:10 Telefon: +90 90 212 8867800 VKN: 7080013433

Phone.: 00 90 212 8867800

Fax No: 00 90 212 8867809

071D.00110.BB

HOOD TYPE DISHWASHER (DIGITAL & HALF TANK) OBM 1080D RT

Page 1
Version No: V21.03

SPARE PART LIST

| Spare Part ItemCode | Item name. | Picture | Price. | Curr. |
|---------------------|---|---------|--------|-------|
| 6218.00002.17 | M5 blind fastener self lock | | | |
| 6213.00002.39 | M5*10 stud bolt inox | | | |
| 6215.00001.02 | M6 washer supporting ring | | | |
| 6606.00001.12 | Grommet rubber Ø8x16 | | | |
| 6262.00033.33 | Washing&Rinsing Arm (Completely) plst. | | | |
| 6234.00001.86 | TERMOSTAT BIMETAL LIMIT RESETSIZ-OTOMATIK 95 C (MERCIMEK TIP) | | | |
| 6238.00003.00 | KABLO BAGI CV-100 2,5 (100 AD/PK) | | | |
| 6221.00001.020 | Clamp 12x20 | | | |
| 6262.00003.06 | Slide pulley bolt | | | |
| 6215.00001.03 | Ring M8 | | | |
| 6214.00014.04 | M5 hex nut with flange | | | |
| 6214.00014.04 | M5 hex nut with flange | | | |
| 6228.00001.35 | Q RING 35MM*1,5MM | | | |
| 2710.F0025.03 | Plastic Washing-Rinsing Elbow(Top) | | | |
| 6262.00027.05 | Suction filter lower part | | | |
| 6228.00001.36 | ORING Q35*2,5 mm | | | |
| 6262.00041.044 | HOOD H TYPE YAY SUSTASI BURCU PASLANMAZ | | | |
| 6214.00002.03 | M10 GALVENİZ SOMUN | | | |
| 2710.01000.25 | BYM 1080 HOOD TYPE UST KAPAK TOPLANMIS (25 LT) | | | |
| 6213.00001.01 | M4x10 INOX PAN HEAD CROSS RECESSES SCREW | | | |
| 6214.00013.15 | M8 nylon insert lock nut | | | |
| 2710.10004.07 | BYM 1080 HOOD TYPE MANYETİK SWITCH ve PROSESTAT BAGLANTI SACI | | | |
| 6216.00015.00 | M4 serrated lock washer | | | |
| 6261.00014.320 | Yellow Label (VOLTAGE) | | | |
| 6232.00005.16 | PIC MANYETİK SENSOR MS-328-3-0500 | | | |
| 6213.00002.29 | M3*8 YHB INOX VIDA | | | |
| 2710.F1000.13 | PANO TOPLANMIS BYM 1080 DIJITAL | | | |
| 6214.00014.04 | M5 hex nut with flange | | | |
| 6234.00001.036 | REZİSTANS KOPRUSU SARI 1 1/2 | | | |
| 6214.00014.01 | M6 hex nut with flange | | | |
| 8740.DBB50.00 | OPEN RACK | | | |
| 6262.00062.08 | Washing tank heater cover | | | |
| 8740.0TB50.00 | RACK BASE FOR PLATE AND TRAY | | | |
| 6260.00090.89 | ETIKET ÇIKARTMA 220-240 V NPE 50HZ 5*2 CM (47) | | | |
| 6214.00014.01 | M6 hex nut with flange | | | |
| 6248.00017.01 | KLEMENS NO 0 YANMAZ | | | |
| 6262.00018.30 | ETIKET DİKKAT! ATTENTION! ACHTUNG! BHNMAHNE! 17*5 CM(28) | | | |
| 6213.00002.33 | M6*10 TEK NOKTA VIDA INOX | | | |
| 6214.00001.03 | M6 hex nut | | | |
| 6226.00021.13 | Grommet for Drain Hose | | | |
| 6262.00041.03 | NAVEL AXLES | | | |
| 6262.00030.05 | Ring of Water Canalize | | | |
| 6214.00014.01 | M6 hex nut with flange | | | |
| 6215.00001.03 | Ring M8 | | | |
| 6215.00001.03 | Ring M8 | | | |
| 6221.00001.050 | Clamp 50x70 | | | |
| 6226.00004.030 | gasket , black (outer Q72/innerQ45/thickness:3mm) | | | |
| 2710.F1000.03 | 1080 BOILER TANK (OZTI HOOD TYPE) | | | |
| 2710.01000.13 | BYM 1080 HOOD TYPE KAPAK KALDIRMA BORU KOL TOPLANMIS (25 LT KAZAN) | | | |
| 6262.00003.20 | KIZAK MAKARASI 1080 T/S | | | |
| 6262.00026.03 | Air trap (Plastic) | | | |
| 6226.00006.02 | Gasket for air trap | | | |
| 6262.00021.071 | Washing pump connecting Hose | | | |
| 6214.00013.15 | M8 nylon insert lock nut | | | |
| 6262.00039.00 | PUL DIS 30 x IC 10 x 2 mm 430 KALITE | | | |
| 2710.11002.26 | BYM 1080 HOOD TYPE UST KAPAK ARA BAGLANTI | | | |
| 6214.00014.01 | M6 hex nut with flange | | | |
| 2710.10011.03 | BYM 1080 HOOD TYPE YIKAMA MOTOR UST KORUMA SACI | | | |
| 6262.00008.00 | 3/4 PLASTIC VALVE | | | |
| 6228.00001.110 | Q RING 12,37*2,62 | | | |
| 6262.00027.06 | Suction filter center part | | | |
| 6227.00007.07 | Hose blue Q6x1mm dosing system | | | |
| 6262.00021.78 | HORTUM BASKILI DURULAMA Y PARCA HOOD TYPE OBM 1080 (Rekorlu 570x630x570 mm) UZUN SASE | | | |
| 6262.00047.041 | Handle spring plate blank filling part | | | |
| 2710.F0001.01 | door type Magnet with cover | | | |
| 2710.00501.58 | OBY 500 GOVDE TERMOSTAT PROB UCU | | | |
| 6218.00002.17 | M5 blind fastener self lock | | | |



Cumhuriyet Mah.Hadım Çay Yolu Caddesi No:8 1Nolu Bağımsız Bölüm
Büyükcçekmece İstanbul V.D. Etiler Kat:10 Etiler VKN: 7080013433

Phone.: 00 90 212 8867800

Fax No: 00 90 212 8867809

Page 2

071D.00110.BB

HOOD TYPE DISHWASHER (DIGITAL & HALF TANK) OBM 1080D RT

Version No: V21.03

| | |
|------------------------|--|
| 9099.01000.13 | Washing Tank heater 2000W 230V |
| 6221.00001.030 | CLAMP 32*50 MM |
| 6262.00032.05 | Hook tie-rod for spring M10 partial threaded |
| 6214.00013.10 | M6 nylon insert lock nut |
| 6262.00021.38 | Hood type washing distribution hose |
| 6214.00013.15 | M8 nylon insert lock nut |
| 6262.00062.01 | Boiler tank heater cover |
| 6221.00001.040 | CLAMP 40-60MM |
| 2710.550.00250125.0.01 | HOOD H TYPE KAPAK SUSTASI 25X142X4 LAZER ISLENMIS |
| 6215.00001.01 | M5 INOX PUL |
| 2710.01000.24 | BYM 1080 HOOD TYPE ARKA SASE - YIKAMA KAZAN TOPLANMIS (25 LT) |
| 2710.F0024.03 | OBY 35/40 Wash Collector |
| 6241.00007.02 | cablE terminal |
| 6262.00021.18 | Boiler Hose(inlet) |
| 6262.00047.05 | Hood spring |
| 6262.00043.02 | PCB FOR POWER CIRCUIT 120.02.072 |
| 2710.11049.50 | BYM 1080 HOOD TYPE REZISTANS SABITLEME ve ISI ILETIM SACI |
| 6214.00005.00 | NUT M5 S/S WITH DOMED CAP |
| 6212.00002.07 | M6x10 hex bolt with flange |
| 6262.00041.04 | YIKAMA MILI SAPKASI M8*10mm 6K INOX |
| 6262.30666.013 | Rinse-aid connection check valve |
| 6259.00003.94 | Blind stop with nut PG21 |
| 2710.11001.08 | BYM 1080 HOOD TYPE ALT SASE DIJITAL ON PANEL YARIM KAZAN |
| 6214.00001.01 | NUT M4 |
| 6222.00027.01 | CEKVALF PLASTIK DN20 (20MM 3/4" PLASTIK VENTIL ICIN) |
| 6262.00033.04 | WASHING PIPE UPPER PARTS |
| 6213.00005.10 | SAC VIDASI 3.5*16 YSB INOX |
| 6215.00001.02 | M6 washer supporting ring |
| 6262.00003.060 | Spring connection shaft |
| 2710.550.00120030.0.01 | Hood H type spacer for hinges |
| 6214.00014.04 | M5 hex nut with flange |
| 6262.00021.07 | Pressure switch connection hose Q8*4mm |
| 2710.1080H.05 | Stainless Steel Strainer |
| 6011.00010.05 | packing belt poliester 11*070 mm green |
| 2710.01000.18 | BYM 1080 HOOD TYPE ALT SASE TOPLANMIS (25 LT) |
| 6226.00004.040 | GASKET-BLACK(EXT DIM Ø69/ DIM IN Ø55/K.4_5MM EPDM) |
| 6262.00021.13 | Water discharge hose Ø30x250 cm double sided |
| 6262.00028.07 | Hood H type drain plug |
| 6215.00001.03 | Ring M8 |
| 6262.00066.04 | Bushing for spring hook tie-rod |
| 6262.00022.13 | Hood handle side guide |
| 6214.00014.03 | M4 hex nut with flange |
| 6259.00003.10 | CABLE GLAND PG 21 |
| 6218.00002.15 | M4 inox reduced head blind hex body fastener |
| 6262.00800.016 | KOLI BYM 1080 HOOD TYPE GIYOTIN MODEL 785x715x1481 DOPEL KOLI |
| 6262.00018.18 | Yellow label (Grounding) |
| 6262.00043.04 | Data Cable 120.02.066 |
| 6262.00067.41 | KABLO GRUBU 1080 +EKO1000 T/S -TOPRAKLAMA |
| 6213.00001.01 | M4x10 INOX PAN HEAD CROSS RECESSES SCREW |
| 6214.00001.00 | M3 INOX HEX NUT |
| 6221.00001.121 | Hose clamp 20-32 mm |
| 2710.00502.99 | Handle cut over |
| 6213.00001.01 | M4x10 INOX PAN HEAD CROSS RECESSES SCREW |
| 2710.57885.01 | BYM 1080 HOOD TYPE OZTIRYAKILER SEPET OTURAGI KOMPLE |
| 2EKO.PFBLYM.020 | PALET FIRINLI BLYM - OBM 1080 - 78x71 |
| 6011.00011.04 | KOSEBENT KARTON 40*40*4 mm / BOY 100 mm - BASKISIZ |
| 6221.00001.120 | CLAMP 25*42 MM |
| 6213.00001.46 | M5*10 RYSB INOX VIDA |
| 8740.CKB50.00 | RACK BASE FOR CUTLERY |
| 6238.00003.00 | KABLO BAGI CV-100 2,5 (100 AD/PK) |
| 6238.00003.01 | CABLE TIE CV-150*3,6MM |
| 6238.00005.00 | CABLE TIE CV-250*3,6MM |
| 6214.00013.15 | M8 nylon insert lock nut |
| 6214.00001.00 | M3 INOX HEX NUT |
| 6213.00001.01 | M4x10 INOX PAN HEAD CROSS RECESSES SCREW |
| 6262.00027.07 | Suction filter top part |
| 6226.00004.07 | Suction filter seal |
| 6262.00007.01 | PRESSURE SWITCH 45-20 |
| 6215.00001.18 | PUL DIS 20 mm x IC 4,2 mm x 1 mm (INOX 430 KALITE) |

+7(812)987-08-81




071D.00110.BB

HOOD TYPE DISHWASHER (DIGITAL & HALF TANK) OEM: 1080D RT


Version No: V21.03

| | | |
|-----------------|---|-----|
| 6213.00002.39 | M5*10 stud bolt inox | |
| 6259.00003.90 | Blind stop with nut PG7 | |
| 6212.00002.08 | M6x15 hex head screw | |
| 6262.00033.06 | BYM 1080 YIKAMA BORUSU UST PARCASI SOMUNU | |
| 6214.00013.16 | M5 nylon insert lock nut | |
| 6214.00013.18 | M4 nylon insert lock nut | |
| 2710.10002.21 | Rear external cover | |
| 9099.ZF290.VO | Washing Pump LGB ZF290V SX | |
| 6226.00010.01 | Klinger gasket 1/2" | |
| 6262.00047.042 | Handle support plate blank filling part-right | |
| 6213.00002.11 | M5x15 S/S COUNTERSINKING HEAD CROSS RECESS SCREW | |
| 6213.00002.33 | M6*10 TEK NOKTA VIDA INOX | |
| 6214.00014.01 | M6 hex nut with flange | |
| 6262.00021.12 | 3/4" Water Inlet Hose | |
| 9099.00001.85 | TERMOSTAT LIMIT RESETSIZ 75 C (MERCIMEK TIP) T1/11-75/55C | |
| 6215.00001.01 | M5 INOX PUL | |
| 6262.00058.07 | Clamp assembly for hood pipe arm Q25 polyemid | |
| 6262.00043.06 | Tank Probe 120.02.068 | 298 |
| 6262.00045.0822 | BYM 1080 DIJITAL KART SEVIYE SENSOR KABLOSU 142 CM SOKETLI | 316 |
| 6262.00043.05 | Boiler Probe 120.02.067 | 317 |
| 6262.00045.0821 | BYM 1080 DIJITAL KART KAPAK SENSOR KABLOSU 92 CM SOKETLI | 318 |
| 6262.00021.163 | Water discharge hose double sided 200cm | 41 |
| 6262.00021.053 | Drain pump connection hose | 49 |
| 9099.DP020.052 | Drain Pump DP020-052 with fixing bracket | 50 |
| 9099.R63T3.30 | RINCING PUMP | 68 |
| 6262.00021.18 | Boiler Hose(inlet) | 69 |
| 9099.01000.06 | HEATING ELEMENT 9000 W IRCA INCOLAY 800 (1080-1500-2000 BOILER) | 72 |
| 6221.00001.020 | Clamp 12x20 | 77 |

+7(812)987-08-81



+7(812)987-08-81



V 20.11

OZTI

GROUP NAME: RINSING GROUP EXPLODED VIEW

PICTURE NO

| VERSION NO | | MATERIAL | | DATE | | SIGNATURE | | NAME | |
|------------|--|----------|--|------------------------|--|-----------|--|---------|--|
| V 20.11 | | | | 10.02.2020 | | | | S.GURCU | |
| | | | | 10.02.2020 | | | | S.GURCU | |
| | | | | 10.02.2020 | | | | M.HACI | |
| | | | | MEASUREMENTS MILIMETER | | | | | |
| | | | | THICKNESS | | | | | |
| | | | | WEIGHT (KG) | | | | | |
| | | | | SCALE | | | | | |

+7(812)987-08-81

