



Spare parts for:

**Ovens**

Зип Общепит

[vsezip.ru](http://vsezip.ru)

+7(812)987-08-81



Suitable for:

**ELOMA**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2013-11211426





Suitable for:

Suitable for:



## Electrical gas valves and accessories

**3526015 VALVE VK4115V HONEYWELL  $\varnothing$  1/2"**  
 inlet-outlet  $\varnothing$  1/2" unthreaded  
 maximum gas inlet pressure 60 mbar  
 room temperature -15÷70°C  
 power supply 220/240V 50Hz  
 for Convection oven electric (ELOMA)  
 GENIUS MA 10-11 - GENIUS MA 20-11  
 GENIUS MA 6-11 - GENIUS MB 10-11  
 GENIUS MB 20-11 - GENIUS MB 6-11

# +7(812)987-08-81



ELOMA 744050

## Electronic boxes

**3091021 IGNITION CONTROL BOX M205362**  
 model PACTROL MICROGAS - 220/240V 50/60Hz 15VA  
 for 6-10-20 shelves  
 for Convection oven (ELOMA) GENIUS MA - GENIUS MB



ELOMA 783714

## Fittings

**1349716 NICHEL PLATED L-FITTING  $\varnothing$  1/8" M-1/8" F**



ELOMA E440172

ELOMA 773719

## Fuses

**3049016 DELAY FUSE 5x20 - 10 PCS**  
 250V 2A



ELOMA 190756

**3049019 DELAY FUSE 5x20 - 10 PCS**  
 250V 4A



ELOMA 765368



Suitable for:

**3049022 DELAY FUSE 5x20 - 10 PCS**  
250V 10A



ELOMA 578975

**ELOMA** ЗипОбщепит

Suitable for:

**vsezip.ru**

**+7(812)987-08-81**



## Gaskets and seals

**3186525 GASKET FOR LAMP RECEPTACLE**  
external  $\varnothing$  49 mm  
internal  $\varnothing$  32 mm  
thickness 2.8 mm  
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 425132

ELOMA 693421

**3186526 GASKET FOR THERMOSTAT**  
internal  $\varnothing$  15 mm  
external  $\varnothing$  21 mm  
for Convection oven (ELOMA)



ELOMA 373079

## Gaskets for oven door

**3186523 DOOR FRAME GASKET 1640 mm**  
made of silicone elastomer  
profile dimensions 29x24 mm  
COLOUR BLACK  
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 693219

**5042060 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BLACK  
SOLD PER METRE



ELOMA E425031

ELOMA 131385

**3186528 OVEN DOOR GASKET 1495x510 mm**  
made of silicone elastomer  
profile dimensions 33x18 mm  
COLOUR BLACK  
for Convection oven electric (ELOMA)  
GENIUS MA 20-11 - GENIUS MB 20-11



ELOMA 742384

**3186524 OVEN DOOR GASKET 520x490 mm**  
made of silicone elastomer  
profile dimensions 33x18 mm  
COLOUR BLACK  
for Convection oven electric (ELOMA)  
GENIUS MA 6-11 - GENIUS MB 6-11



ELOMA 742368



Suitable for:



Suitable for:

**5020135 OVEN DOOR GASKET 640x460 mm**  
 made of silicone elastomer  
 profile dimensions 29x24 mm  
 COLOUR BLACK  
 for Convection oven (ELOMA)  
 for Convection oven (PALUX) FM611



ELOMA E425030

ELOMA 384410

**5017638 OVEN DOOR GASKET 700x650 mm**  
 made of silicone elastomer  
 profile dimensions 29x24 mm  
 COLOUR BLACK  
 for Convection oven (ELO MA) EDA 10-11 - EDB 10-11  
 EDC 10-11 - MD 10-11 - MMC 10-11 - MMD 10-11



ELOMA 382310

ELOMA 425033

**3186527 OVEN DOOR GASKET 765x510 mm**  
 made of silicone elastomer  
 profile dimensions 33x18 mm  
 COLOUR BLACK  
 for Convection oven electric (ELOMA)  
 GENIUS MA 10-11 - GENIUS MB 10-11



ELOMA 742376

**3286020 OVEN GLASS GASKET - 25 m**  
 made of silicone elastomer  
 profile dimensions 13.5x10 mm  
 COLOUR GREY  
 for Convection oven (ELOMA) MD 10-11 - MD 6-11  
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

**3286019 OVEN GLASS GASKET - 7 m**  
 made of silicone elastomer  
 profile dimensions 13.5x10 mm  
 COLOUR GREY  
 for Convection oven (ELOMA) MD 10-11 - MD 6-11  
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

**3286020 OVEN GLASS GASKET - 25 m**  
 made of silicone elastomer  
 profile dimensions 13.5x10 mm  
 COLOUR GREY  
 for Convection oven (ELOMA) MD 10-11 - MD 6-11  
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

## Handles

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



ELOMA LF-3242042



Suitable for:


# ELOMA

Suitable for:



## Handles

**3242753 LH-RH CATCH WITHOUT LOCK 791 CR**  
 for high temperatures  
 curved handgrip  
 length 254x30 mm - distance 133 mm  
 adjustable catch from 9 to 22 mm  
 for Convection oven electric (INOXTREND) RDA5E  
 RDE5E - RPDA5E - RPDE5E - RPDE5EP



ELOMA H0195

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



ELOMA LF-3242042

**3242052 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 33 mm  
 for OVEN



ELOMA H0193

## Heating elements

**3755317 HEATING ELEMENT 10500W 230V**  
 external  $\varnothing$  425 mm - internal  $\varnothing$  407 mm  
 overall height 210 mm - flange 130x54 mm  
 for Convection oven electric (ELOMA)  
 GENIUS MA 6-11 - GENIUS MB 6-11



ELOMA 742414

**3755318 HEATING ELEMENT 21600W 230V**  
 external  $\varnothing$  467 mm - internal  $\varnothing$  405 mm  
 overall height 225 mm - flange 130x90 mm  
 for Convection oven electric (ELOMA)  
 GENIUS MA 10-11 - GENIUS MA 20-11  
 GENIUS MB 10-11 - GENIUS MB 20-11



ELOMA 742422

**3755298 HEATING ELEMENT 5700W 230V**  
 external  $\varnothing$  240 mm - internal  $\varnothing$  200 mm  
 overall height 105 mm - flange 110x20 mm  
 for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 693383



Suitable for:

ELOMA  
ЭЛОМА

Suitable for:



Lamps  
usezip.ru

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**

dimensions  $\varnothing$  48x38x5 mm  
for OVEN

+7(812)987-08-81



ELOMA

**3221222 GREEN INDICATOR LAMP 230V**

head  $\varnothing$  7 mm - hole  $\varnothing$  5.5 mm - 120°C  
wire connection length 200 mm  
for Convection oven electric (ANGELO PO) FC101E  
FC1011E - FC1221E - FC241E - FC61E - FC611E  
for Convection oven gas (ANGELO PO) FC101  
FC1011G - FC1221G - FC241 - FC241G - FC61  
FC611G



ELOMA E0960

**3221096 ORANGE INDICATOR LAMP 230V**

head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
wire connection length 210 mm  
for Convection oven electric (ANGELO PO) FC101E  
FC1011E - FC1221E - FC241E - FC61E - FC611E  
for Convection oven gas (ANGELO PO) FC101  
FC1011G - FC1221G - FC241 - FC241G - FC61  
FC611G



ELOMA E0961

ELOMA 314011

**3221271 HALOGEN LAMP RECEPTACLE G4 10W 12V**

wire connection length 130 mm  
distance between holes 26 mm  
for Convection oven electric (ELOMA) JOKER6/23



ELOMA 577294

**3186525 GASKET FOR LAMP RECEPTACLE**

external  $\varnothing$  49 mm  
internal  $\varnothing$  32 mm  
thickness 2.8 mm  
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 425132

ELOMA 693421

**3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**

for Convection oven electric (FAGOR) COE-061  
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



ELOMA 571954

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**

for Electric oven (ELOMA) 12-21 MULTIMAX



ELOMA 570478



Suitable for:

ELOMA ЭЛОМА



Suitable for:

**3221096 ORANGE INDICATOR LAMP 230V**

head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
wire connection length 210 mm  
for Convection oven electric (ANGELO PO) FC101E  
FC1011E - FC1221E - FC241E - FC61E - FC611E  
for Convection oven gas (ANGELO PO) FC101  
FC1011G - FC1221G - FC241 - FC241G - FC61  
FC611G

vsezip.ru

+7(812)987-08-81



ELOMA E0961

ELOMA 314011

**Microswitches**

**3240327 MAGNETIC MICROSWITCH  $\varnothing$  6x25 mm**

with cable length 1000 mm  
for OVEN 6-10-20 grills

**3240123 MICROSWITCH 16A 250V**



ELOMA 581038

ELOMA 570540

**3240053 MICROSWITCH 83106 5A 250V**

M16x1 terminal  
for Steam oven (ELOMA)  
for Steam oven (PALUX)



ELOMA E0290

**Penetration probes**

**3397058 PENETRATION PROBE**

2 wires - bulb  $\varnothing$  4x80 mm  
cable length 1850 mm  
with fastening coupling M13  
for Convection oven electric (ELOMA) JOKER6-23



ELOMA 783668



Suitable for:

ЭЛОМА

Suitable for:



Solenoid valves

**3120261 MULLER SOLENOID VALVE 230V ø 12 mm**

solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet - ø 12 mm outlet



ELOMA 754463

+7(812)987-08-81

**Sparking and detection plugs**

**3020212 ROUND DETECTION PLUG ø 7x60 mm**

overall length 115 mm  
complete with covered cable length 460 mm  
for Convection oven electric (ELOMA)  
GENIUS MA 10-11 - GENIUS MA 20-11  
GENIUS MA 6-11 - GENIUS MB 10-11  
GENIUS MB 20-11 - GENIUS MB 6-11



ELOMA 874906

**3020214 SPARKING PLUG KIT**

2 plugs ø 9x68 mm - overall length 85 mm  
complete with covered cables length 350 mm  
plate 60x20 mm  
for Convection oven electric (ELOMA)  
GENIUS MA 10-11 - GENIUS MA 20-11  
GENIUS MA 6-11 - GENIUS MB 10-11  
GENIUS MB 20-11 - GENIUS MB 6-11



ELOMA 874787

**Tangential fans**

**3526150 TANGENTIAL FAN 180 mm LEFT**

230V 50/60Hz - ø 60 mm - 25 W  
operating temperature -30°+135°C



ELOMA 573469

**Thermostats**

**3444509 SINGLE-PHASE THERMOSTAT 360°C**

with manual reset  
covered capillary length 1170 mm - 16A 250V  
button bulb ø 15 mm  
for Convection oven (ELOMA)



ELOMA E336029

ELOMA 504602

**3186526 GASKET FOR THERMOSTAT**

internal ø 15 mm  
external ø 21 mm  
for Convection oven (ELOMA)



ELOMA 373079





Suitable for:

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1  
for Convection oven (ELOMA)



ELOMA E0268  
ELOMA 234007

ELOMA E334007

ELOMA 091634

**ELOMA** ЗИП ОБЩЕПИТ



Suitable for:

**3444798 3-PHASE THERMOSTAT 500°C**

with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x310 mm



ELOMA E0234

ELOMA E336005

+7(812)987-08-81

## Vibrating pumps

**1122735 VIBRATORY PUMP EX5 48W 230V 50Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



ELOMA 772550