


Зип Общепит



Spare parts for the professional sector

Ovens

+7(812)987-08-81



Suitable for:

GARBIN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2016-12090921





Suitable for:

GARBIN
Элп Общепит

Suitable for:



Capacitors, electrical

3068096 CAPACITOR ELECTRICAL 5µF
450V 50/60Hz - ø 30xh51 mm



GARBIN CON003

+7(812)987-08-81

Contact thermostats


5076832 CONTACT THERMOSTAT
automatic reset
1 NO contact



GARBIN TER011

Controllers and changeover switches

5069412 CHANGEOVER SWITCH R3/3 3 CAMS 220/240V50
6 minute cycle
for Convection oven (GARBIN) 101FGX



GARBIN INV008

GARBIN INV013

GARBIN INV030

Door glasses for oven and accessories

5029771 GLASS EXTERNAL OVEN DOOR 765x465 mm
for Convection oven (GARBIN)



GARBIN VET009

5061990 GLASS EXTERNAL OVEN DOOR 845x470 mm
for Convection oven (GARBIN)



GARBIN VET027

GARBIN VET239



Suitable for:

5034811 GLASS INTERNAL OVEN DOOR 500x460 mm
for Convection oven (GARBIN) 43DX - 43DX UMI
43MX - 43MX UMI - 43SE VAPOR



GARBIN VET007

GARBIN VET43

GARBIN
Зинъ Общепит



Suitable for:

5033097 GLASS INTERNAL OVEN DOOR 765x465 mm
for Convection oven (GARBIN)



GARBIN VET035

GARBIN VET240

+7(812)987-08-81

Electronic boxes


3526182 CONTROL BOX S4565A2092B
model HONEYWELL - 220/240V 50/60Hz 4VA



GARBIN CEN000

Electronic printed-circuit boards

5060658 MOTHEBOARD 187x103 mm
for Convection oven (GARBIN)



GARBIN SCH094

5050179 PC BOARD CONTROLS 460x65 mm
for Convection oven (GARBIN)



GARBIN SCH037

5032106 PC BOARD CONTROLS 465x65 mm
for Convection oven (GARBIN) 101EX VAPOR
104EX VAPOR - 25EX VAPOR - 45EX VAPOR
46EX VAPOR - 61GX VAPOR - 64EX VAPOR



GARBIN SCH001

GARBIN SCH006

GARBIN SCH029

5066534 PC BOARD CONTROLS 473x65 mm
for Convection oven (GARBIN)



GARBIN SCH027



Suitable for:

GARBIN

Suitable for:



Energy regulators

+7(812)987-08-81

3350024 ENERGY ADJUSTER
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



GARBIN REG001

GARBIN REG100


Fans for motors

5059348 FAB \varnothing 160 mm
 thickness 44 mm
 number of blades 36 - \varnothing D-shaped hole 6x5 mm
 for Convection oven (GARBIN)




GARBIN VEN005

5080630 FAN \varnothing 159 mm
 blades no.12 - D-shaped hole 6x4.6
 thickness 28 mm
 for Convection oven (GARBIN) BRAVO-M



GARBIN VEN010

3240323 FAN \varnothing 160 mm
 thickness 40 mm
 total blades 36 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 25EXVAPOR
 31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI
 43SEVAPOR



GARBIN VEN001

GARBIN VEN227

3240324 FAN \varnothing 200 mm
 thickness 40 mm
 total blades 45 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 101EXVAPOR
 104EXVAPOR - 41EXVAPOR - 41GXUMI - 44EXVAPOR
 44PXUMI - 45EXVAPOR - 45GXUMI - 46EXVAPOR
 46PXVAPOR - 61EXVAPOR - 61GXVAPOR - 64EXVAPOR
 64PXVAPOR



GARBIN VEN000

GARBIN VEN226

Fittings

3349119 STRAIGHT FITTING JG PM0406E
 pipe \varnothing 6 mm



GARBIN RID000



Suitable for:

GARBIN
Элп Общепит

Suitable for:



Gaskets and seals

3186522 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 40x30x2 mm
for Convection oven (GARBIN)



GARBIN GUA001
GARBIN GUA078

GARBIN GUA001

GARBIN GUA019

3186520 HEATING ELEMENT GASKET
external dimensions 70x22 mm
for Convection oven electric (GARBIN)

+7(812)9870000



GARBIN GUA000
GARBIN GUA70

GARBIN GUA000

GARBIN GUA017

3186521 HEATING ELEMENT GASKET
external dimensions 100x22 mm
for Convection oven electric (GARBIN)




GARBIN GUA018

GARBIN GUA014

GARBIN GUA018

Gaskets for oven door

5056322 GASKET FOR OVEN DOOR 1600 mm
profile dimensions 30x10 mm
in silicone elastomer
color black
for Convection oven (GARBIN)



GARBIN GUA030

5060962 GASKET FOR OVEN DOOR 2400 mm
profile dimensions 30x10 mm
in silicone elastomer
color black
for Convection oven (GARBIN)



GARBIN GUA022


3186519 OVEN DOOR GASKET 350x350 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI



GARBIN GUA010

GARBIN GUA023

3786083 OVEN DOOR GASKET 4000 mm
made of silicone elastomer
profile dimensions 16x26 mm
BLACK COLOR
for Convection oven electric (GARBIN) 101EXVAPOR
101GXVAPOR - 104EXVAPOR - 104PXVAPOR
25EXVAPOR - 43SEVAPOR - 45EXVAPOR - 45GXUMI
46EXVAPOR - 46PXVAPOR - 61GXVAPOR - 64EXVAPOR
64PXVAPOR



GARBIN GUA013

GARBIN GUA060



Suitable for:



Suitable for:

3786081 OVEN DOOR GASKET 460x370 mm
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (GARBIN) 43DX
 43DXUMI - 43MX - 43MXUMI



GARBIN GUA003

GARBIN GUA029

GARBIN GUA43

3786090 OVEN DOOR GASKET 610x485 mm
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (GARBIN) 64EXVAPOR
 64PXVAPOR



GARBIN GUA005

3786635 OVEN DOOR GASKET 660x270 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (GARBIN) 31EXVAPOR
 31GXUMI - 36EXVAPOR - 36PXUMI



GARBIN GUA007

GARBIN GUA36

3786082 OVEN DOOR GASKET 660x360 mm
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (GARBIN) 41EXVAPOR
 41GXUMI - 44EXVAPOR - 44PXUMI



GARBIN GUA006

GARBIN GUA222

GARBIN GUA44

Handles

3242122 COMPLETE OVEN DOOR HANDLE
 for Convection oven electric (GARBIN) 104EXVAPOR
 104PXVAPOR - 25EXVAPOR - 43SEVAPOR - 45EXVAPOR
 45GXVAPOR - 64EXVAPOR - 64PXVAPOR



GARBIN MAN011

GARBIN MAN025

5065936 HANDLE FOR OVEN DOOR
 distance bet. holes 66 mm
 for Convection oven (GARBIN)



GARBIN MAN019

5054621 HANDLE FOR OVEN DOOR \varnothing 22x560 mm
 for Convection oven (GARBIN)



GARBIN MAN010

5070962 HANDLE FOR OVEN DOOR \varnothing 22x825 mm
 for Convection oven (GARBIN)



GARBIN MAN008



Heating elements

3755316 CEILING HEATING ELEMENT 2400W 230V
double element 1700W + 700W
length 330 mm - width 300 mm
flange 100x22 mm
for Convection oven electric (GARBIN) 23MX
23MXUMI - 43MX - 43MXUMI



GARBIN RESSUP2343MX

GARBIN RES008

GARBIN RES039

3755310 DECK HEATING ELEMENT 1500W 230V
length 320 mm - width 300 mm
flange 70x22 mm
for Convection oven electric (GARBIN) 23MX
23MXUMI - 43MX - 43MXUMI
for Proving oven electric (GARBIN) 84LIM



GARBIN RESINF
GARBIN RES041

GARBIN RESINF838443MX23

GARBIN RES009

5028285 HEATING ELEMENT 1300W 230V
ø external 190 mm - overall height 70 mm
flange 70x22 mm
for Convection oven (GARBIN) 43DX - 43DX UMI



GARBIN RES007

GARBIN RES038

3355889 HEATING ELEMENT 2500W 230V
external ø 190 mm - total height 70 mm
flange 70x22 mm
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 43MX - 43MXUMI



GARBIN RES036

5068653 HEATING ELEMENT 2500W 230V
ø external 203 mm - overall height 75 mm
flange 70x22 mm
for Convection oven (GARBIN)



GARBIN RES029

GARBIN RES029-UL

3755307 HEATING ELEMENT 3300W 230V
external ø 235 mm - internal ø 225 mm
overall height 80 mm - flange 70x22 mm
for Convection oven electric (GARBIN) 41EXVAPOR
41GXUMI - 44EXVAPOR - 44PXUMI - 45EXVAPOR
45GXVAPOR - 46EXVAPOR - 46PXVAPOR



GARBIN RESCIRC44
GARBIN RES229

GARBIN RESCIRC4446

GARBIN RES017

3186520 HEATING ELEMENT GASKET
external dimensions 70x22 mm
for Convection oven electric (GARBIN)



GARBIN GUARESPIC
GARBIN GUA70

GARBIN GUA000

GARBIN GUA017



Suitable for:

GARBIN



Suitable for:

3755309 HEATING ELEMENT 3300W 230V
 internal \varnothing 185 mm - overall height 75 mm
 flange 70x22 mm
 for Convection oven electric (GARBIN) 25EXVAPOR
 43SEVAPOR

3186520 HEATING ELEMENT GASKET
 external dimensions 70x22 mm
 for Convection oven electric (GARBIN)

+7(812)987-08-81



GARBIN RES013

GARBIN RES013-UL

GARBIN RES048

GARBIN GUARESPIC
GARBIN GUA70

GARBIN GUA000

GARBIN GUA017

3755305 HEATING ELEMENT 4000W 230V
 internal \varnothing 230 mm - overall height 78 mm
 flange 70x22 mm
 for Convection oven electric (GARBIN) 101EXVAPOR
 101GXVAPOR - 104EXVAPOR - 104PXVAPOR
 61GXVAPOR - 64EXVAPOR - 64PXVAPOR

3186520 HEATING ELEMENT GASKET
 external dimensions 70x22 mm
 for Convection oven electric (GARBIN)



GARBIN RES012

GARBIN RES047

GARBIN RES60100

GARBIN GUARESPIC
GARBIN GUA70

GARBIN GUA000

GARBIN GUA017

3755308 HEATING ELEMENT 4000W 230V
 external \varnothing 200 mm - internal \varnothing 185 mm
 overall height 85 mm - flange 100x22 mm
 for Convection oven electric (GARBIN) 31EXVAPOR
 31GXUMI - 36EXVAPOR - 36PXUMI

3186521 HEATING ELEMENT GASKET
 external dimensions 100x22 mm
 for Convection oven electric (GARBIN)



GARBIN RES000
GARBIN RES4000

GARBIN RES000-UL

GARBIN RES36

GARBIN GUARESGR

GARBIN GUA014

GARBIN GUA018

5036622 HEATING ELEMENT 4000W 240V
 \varnothing external 240 mm - overall height 90 mm
 flange 100x22 mm
 for Convection oven electric (GARBIN)

5061168 HEATING ELEMENT 4500W 230V
 \varnothing external 240 mm - overall height 102 mm
 flange 142x25 mm
 for Convection oven (GARBIN)
 for Convection oven (GARBIN) 61G VAP



GARBIN RES015

GARBIN RES026

Hinges, catches and accessories

3053253 HINGE FOR OVEN LH

mounting distance 125 mm - overall length 148 mm
height 156 mm

for Convection oven electric (GARBIN) 43DX
43DXUMI - 43MX - 43MXUMI



GARBIN CERDX43
GARBIN CER43

GARBIN CER004

GARBIN CER041

3053254 ROLL HOLDER FOR HINGE

mounting distance 95 mm - overall length 110 mm
height 23 mm

for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI
43MX - 43MXUMI - 44EXVAPOR - 44PXUMI



GARBIN POR025

GARBIN POR043

GARBIN POR44

3053252 HINGE FOR OVEN RH

mounting distance 123 mm - overall length 148 mm
height 156 mm

for Convection oven electric (GARBIN) 43DX
43DXUMI - 43MX - 43MXUMI



GARBIN CERSX43
GARBIN CER43A

GARBIN CER003

GARBIN CER042

3053254 ROLL HOLDER FOR HINGE

mounting distance 95 mm - overall length 110 mm
height 23 mm

for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI
43MX - 43MXUMI - 44EXVAPOR - 44PXUMI



GARBIN POR025

GARBIN POR043

GARBIN POR44

5052367 HINGE RH-LH FOR OVEN
for Convection oven (GARBIN)



GARBIN CER005

5054856 HINGE RH-LH FOR OVEN
distance bet. holes 125 mm - overall length 155 mm
height 50 mm
for Convection oven (GARBIN)



GARBIN CER018



Suitable for:



Suitable for:

3053350 OVEN HINGE LEFT-RIGHT
 with hinge catch - hinge distance 135 mm
 total hinge length 155 mm
 hinge height 149 mm
 roller holder distance 95 mm
 roller holder length 110 mm
 roller holder length 23 mm
 for Convection oven electric (GARBIN) 41EX
 41EXVAPOR - 41GXUMI - 44EX - 44EXVAPOR
 44PXUMI



GARBIN CER002
GARBIN CER44

GARBIN CER002+POR025

GARBIN CER232

3053254 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm
 for Convection oven electric (GARBIN) 12GX - 23MX
 23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
 36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI
 43MX - 43MXUMI - 44EXVAPOR - 44PXUMI



GARBIN POR025

GARBIN POR043

GARBIN POR44

3053251 RIGHT/LEFT HINGE FOR OVEN
 mounting distance 133 mm - overall length 155 mm
 height 150 mm
 for Convection oven electric (GARBIN) 12GX - 23MX
 23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
 36PXUMI



GARBIN CER001

GARBIN CER36

GARBIN CER3623

3053254 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm
 for Convection oven electric (GARBIN) 12GX - 23MX
 23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
 36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI
 43MX - 43MXUMI - 44EXVAPOR - 44PXUMI



GARBIN POR025

GARBIN POR043

GARBIN POR44

3053254 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm
 for Convection oven electric (GARBIN) 12GX - 23MX
 23MXUMI - 31EXVAPOR - 31GXUMI - 36EXVAPOR
 36PXUMI - 41EXVAPOR - 41GXUMI - 43DX - 43DXUMI
 43MX - 43MXUMI - 44EXVAPOR - 44PXUMI



GARBIN POR025

GARBIN POR043

GARBIN POR44

Incandescent lamps and neon lamps

5049560 NEUTRAL HALOGEN LAMP G9 25W 240V
 max. temperature 250°C



GARBIN LAM008

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V
 max. temperature 250°C



GARBIN LAM003



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN




GARBIN LAM002

GARBIN
Зин Общепит



Suitable for:

3221051 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



GARBIN LAM001

+7(812)987-08-81

Indicator lights

3221080 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C



GARBIN SP036

Knobs

3241321 GREY KNOB \varnothing 50 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (GARBIN) 101GXVAPOR
104PXVAPOR - 12GX - 23MX - 23MXUMI - 31GXUMI
36PXUMI - 41GXUMI - 43DX - 43DXUMI - 43MX
43MXUMI - 44PXUMI - 45GXVAPOR - 46PXVAPOR
61GXVAPOR - 64PXVAPOR
for Convection oven gas (GARBIN) 101FGX
for Proving oven electric (GARBIN) 84LIM



GARBIN MANOPOLA
GARBIN MAN041

GARBIN MANOPOLAOR
GARBIN MAN100

GARBIN MAN000

Labels for control panels

5056654 ELECTRONIC PLATE GRAY
dimensions 523x73 mm
for Convection oven (GARBIN)



GARBIN TAR001



Suitable for:



Suitable for:

Lamp receptacles and spare parts

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm
for Convection oven (GARBIN)



GARBIN VET001


GARBIN VET002

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



GARBIN POR021

3221268 LAMP RECEPTACLE W/LAMP G9 25W 240V
external dimensions 96x80 mm
max temperature 300°C
for Convection oven electric (GARBIN) 101EXVAPOR
101GXVAPOR - 104EXVAPOR - 104PXVAPOR
25EXVAPOR - 45EXVAPOR - 45GXVAPOR - 46EXVAPOR
46PXVAPOR - 61GXVAPOR - 64EXVAPOR - 64PXVAPOR
for Convection oven gas (GARBIN) 101FGXVAPOR
104FGXVAPOR



GARBIN LAM005

GARBIN PORTLAM060

GARBIN POR020+LAM001+...

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



GARBIN PORTLAM290

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



GARBIN POR021

Motors

3240325 MOTOR SISME K48210 M01616
0,12Kw 220/240V
1.6A 2100-3100rpm
for Convection oven electric (GARBIN) 25EXVAPOR
31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI
43SEVAPOR



GARBIN MOTCOND44

GARBIN MOT002

GARBIN MOT200

GARBIN MOT001

GARBIN MOT002+CON003

GARBIN MOT201

GARBIN MOT001+CON002

GARBIN MOT012+CON013

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm




GARBIN CON003



Suitable for:

3240323 FAN \varnothing 160 mm
 thickness 40 mm
 total blades 36 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 25EXVAPOR
 31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI -
 43SEVAPOR



GARBIN VEN001

GARBIN VEN227

GARBIN

Suitable for:


3240324 FAN \varnothing 200 mm
 thickness 40 mm
 total blades 45 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 101EXVAPOR
 104EXVAPOR - 41EXVAPOR - 41GXUMI - 44EXVAPOR
 44PXUMI - 45EXVAPOR - 45GXUMI - 46EXVAPOR
 46PXVAPOR - 61EXVAPOR - 61GXVAPOR - 64EXVAPOR
 64PXVAPOR



GARBIN VEN000

GARBIN VEN226

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
 fan \varnothing 150 mm




GARBIN MOT+VEN046

5075844 MOTOR 3013.2348 0,12/0,18Kw 230V 50Hz
 0,8A 2800rpm - capacitor 5 μ F
 for Convection oven electric (GARBIN)
 Series TUTTI I FORNI PRIMA DEL 01/15
 for Convection oven gas (GARBIN)



GARBIN MOT017

3240323 FAN \varnothing 160 mm
 thickness 40 mm
 total blades 36 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 25EXVAPOR
 31EXVAPOR - 31GXUMI - 36EXVAPOR - 36PXUMI
 43SEVAPOR



GARBIN VEN001

GARBIN VEN227

3240324 FAN \varnothing 200 mm
 thickness 40 mm
 total blades 45 - \varnothing hole 8x6 mm
 for Convection oven electric (GARBIN) 101EXVAPOR
 104EXVAPOR - 41EXVAPOR - 41GXUMI - 44EXVAPOR
 44PXUMI - 45EXVAPOR - 45GXUMI - 46EXVAPOR
 46PXVAPOR - 61EXVAPOR - 61GXVAPOR - 64EXVAPOR
 64PXVAPOR



GARBIN VEN000

GARBIN VEN226





Suitable for:

GARBIN
Элп Общепит




Suitable for:

3340139 MOTOR 9637/62683 55W 230/240V 50/60Hz
fan \varnothing 155 mm
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 43DX - 43DXUMI - 43MX - 43MXUMI

vsezip.ru

+7(812)987-08-81



GARBIN MMOT019+VEN020+

GARBIN MOT005

GARBIN MOT019

GARBIN MOT019+VEN020+

GARBIN MOT019+VEN020+...

GARBIN MOT046

GARBIN VEN046

Penetration probes

5051569 PENETRATION PROBE PT100
3 wires
probe length 100 mm
cable length 3000 mm
with fastening fitting M10x1.5 mm
for Convection oven (GARBIN) 101EX VAPOR
104EX VAPOR - 25EX VAPOR - 31EX VAPOR
36EX VAPOR - 41EX VAPOR - 44EX VAPOR
61GX VAPOR - 64EX VAPOR
for Convection oven (GARBIN) 25GX VAPOR



GARBIN SON000

GARBIN SON010

GARBIN SON102

Probes

5029008 TEMPERATURE PROBE PT100
2 wires
 \varnothing bulb 5x50 mm
cable length 1970 mm
for Convection oven (GARBIN) 101EX VAPOR
104EX VAPOR - 25EX VAPOR - 31EX VAPOR
36EX VAPOR - 41EX VAPOR - 43SE VAPOR
44EX VAPOR - 45EX VAPOR - 46EX VAPOR
61GX VAPOR - 64EX VAPOR



GARBIN SON001

GARBIN SON006

GARBIN SON011


GARBIN SON103



Rotary switches

3057157 SELECTOR SWITCH 0-8 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (GARBIN) 23MX
 23MXUMI - 43MX - 43MXUMI

+7(812)987-08-81



GARBIN COM000

GARBIN COM002

GARBIN COM037

Solenoid valves

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



GARBIN ELE1V

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets \varnothing 10.5 mm



GARBIN ELE2V

5051568 SOLENOID VALVE ROBERTSHAW 220/240V 3-WAY
 solen. valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - three outlets \varnothing 10.5 mm
 3 outlets with adjusters - brown
 for Convection oven (GARBIN)



GARBIN ELE002

GARBIN ELE012

5033868 SOLENOID VALVE 220/240V \varnothing 8 mm
 solen. valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - quick release couplings \varnothing 8 mm
 1 outlet with adjusters - brown
 for Convection oven (GARBIN)



GARBIN ELE000
 GARBIN VAL235

GARBIN L000

GARBIN RID236

Sparking and detection plugs

5048878 SPARKING PLUG ROUND \varnothing 7x76 mm
 overall length 118 mm
 for Convection oven (GARBIN)



GARBIN ELE005



Suitable for:

GARBIN

Suitable for:



Switches

zip.ru

3319323 PUSH-BUTTON 1-POLE WHITE 16A 250V

with indicator lamp
"steam" silk-screen printing
mounting hole \varnothing 24 mm
for Convection oven electric (GARBIN) 23MX
23MXUMI - 31GXUMI - 36PXUMI - 41GXUMI - 43DX
43DXUMI - 43MX - 43MXUMI - 44PXUMI

+7(812)987-08-81



GARBIN PUL002

GARBIN PUL245

Tangential and radial fans

3526153 TANGENTIAL FAN 180 mm RH

25W 230V 50/60Hz - \varnothing 60 mm
operating temperature $-30^{\circ}+100^{\circ}\text{C}$




GARBIN MOT43SE

Thermostats

3444499 SINGLE-PHASE THERMOSTAT 335°C

with manual reset
capillary length 1400 mm - 16A 250V
bulb \varnothing 3x180 mm - with stuff.gland coupling M10x1
with complete sealing coupling for tank M14x1
for Convection oven electric (GARBIN) 101EXVAPOR
101GXVAPOR - 104EXVAPOR - 104PXVAPOR - 12GX
23MX - 23MXUMI - 25EXVAPOR - 31EXVAPOR
31GXUMI - 36EXVAPOR - 36PXUMI - 41EXVAPOR
41GXUMI - 43DX - 43DXUMI - 43MX - 43MXUMI
43SEVAPOR - 44EXVAPOR - 44PXUMI - 45EXVAPOR
45GXVAPOR - 46EXVAPOR - 46PXVAPOR - 61EXVAPOR
61GXVAPOR - 64EXVAPOR - 64PXVAPOR
for Convection oven gas (GARBIN) 101FGXVAPOR



GARBIN TER002

GARBIN TER325

GARBIN TER008

GARBIN TER035

3444498 THERMOSTAT SINGLE-PHASE 50-280°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1400 mm - 16A 250V
bulb \varnothing 3x180 mm -with stuffing gland fitting M10x1
with tank hold fitting complete M14x1
for Convection oven electric (GARBIN) 101GXVAPOR
104PXVAPOR - 12GX - 23MX - 23MXUMI - 31GXUMI
36PXUMI - 41GXUMI - 43DX - 43DXUMI - 43MX
43MXUMI - 44PXUMI - 45GXVAPOR - 46PXVAPOR
61GXVAPOR - 64PXVAPOR
for Convection oven gas (GARBIN) 101FGX - 104FGX



GARBIN TER001

GARBIN TER290

GARBIN TER007

GARBIN TER034



Suitable for:

GARBIN
Элп Общепит



Suitable for:

Times
vsezip.ru

3446099 60 MINUTES TIMER M2 KIT

with board - board external dimension 45x48 mm
manually set mechanical timer

60 minutes manually set cycle

contact capacity 16(4)A 250V

max temperature 100°C

D-shaped pin \varnothing 6x4.6 mm

for Convection oven electric (GARBIN) 101GXVAPOR

104PXVAPOR - 12GX - 23MX - 23MXUMI - 31GXUMI

36PXUMI - 41GXUMI - 43DX - 43DXUMI - 43MX

43MXUMI - 44PXUMI - 45GXUMI - 46PXVAPOR

61GXVAPOR - 64PXVAPOR

for Convection oven gas (GARBIN) 101FGXVAPOR

+7(812)987-08-81



GARBIN TIM000

GARBIN TIM001+BUZ000

GARBIN TIM060







Зип Общепит

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

+7(812)987-08-81



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us