




Зип Ощепит

vsezip.ru

Spare Parts for

+7(812)987-08-81 Dishwashing



Spare parts suitable for

**WINTERHALTER**


2018

Find the complete and up-to-date range of products in our GEV Webshop



# heating elements

## dry heating elements for dishwashers



<b>GEV No.</b>	420152	<b>Ref. No.</b>	3103137 3103138
<b>description</b>	heating element 2000W 230V heating circuits 1 L 115mm W 345mm connection length 18mm tube ø 6.3mm connection male faston 6.3mm dry heating element for drying thread M10x1 mounting distance 339mm		
<b>For models:</b>	MTF, MTR, STR, WKTS		



<b>GEV No.</b>	420151	<b>Ref. No.</b>	3103024
<b>description</b>	heating element 2000W 230V heating circuits 1 L 185mm W 220mm connection length 18mm tube ø 6.3mm connection male faston 6.3mm dry heating element for drying 2 hole fixing thread M10x1 mounting distance 214mm		
<b>For models:</b>	WBA, WKTS		



<b>GEV No.</b>	420348	<b>Ref. No.</b>	5101415
<b>description</b>	heating element 2500W 230V heating circuits 1 L 130mm W 690mm tube ø 6.3mm connection male faston 6.3mm mounting pos. lower dry heating element for dishwasher bracket mounting hole ø 4mm lug length 36mm lug width 22mm		

## heating cartridges



<b>GEV No.</b>	420161	<b>Ref. No.</b>	30000122 30002536
<b>description</b>	heating cartridge 1800W 200-254V ø 20mm L 215mm connection coded plug mounting ø 35mm cable length 300mm 3 hole flange immersion heater		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

Зип Общепит

vsezip.ru

+7(812)987-0600



<b>GEV No.</b>	420347	<b>Ref. No.</b>	30000123 30002495
<b>description</b>	heating cartridge 2500 W 200-255V ø 20mm L 215mm connection coded plug mounting ø 35mm cable length 300mm 3 hole flange hole distance 49mm warewashing		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## contact heaters



<b>GEV No.</b>	416056	<b>Ref. No.</b>	61005230 61005231
<b>description</b>	contact heater 1800W 230V heating circuits 2 L 257mm W 112mm H 27mm dishwasher connection male faston 6.3mm with thermostat dry heating element tube ø 6.3mm		
<b>For models:</b>	GS501, GS502, GS515		

<b>spare parts for</b>	416056	<b>GEV No.</b>	502004	<b>Ref. No.</b>	82000014
					gasket L 235mm W 92mm for heating element suitable for WINTERHALTER equiv. no. 82000014

## immersion heating elements

### 3 hole flange ø47.5mm



<b>GEV No.</b>	420404	<b>Ref. No.</b>	60003598 60003601
<b>description</b>	heating element 5000W 380-420V mounting ø 47.5mm heating circuits 3 L 285mm W 39mm H 32mm tube ø 8.5mm hole distance 63mm hole ø 8/10mm connection length 6mm connection male faston 6.3mm 3 hole flange with notch immersion heater with fuse		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



<b>GEV No.</b>	420402	<b>Ref. No.</b>	60003605
<b>description</b>	heating element 2600W 220-240V mounting ø 47.5mm heating circuits 1 L 250mm W 40mm H 20mm tube ø 8.5mm hole distance 62mm hole ø 8mm connection male faston 6.3mm 3 hole flange with notch immersion heater with fuse		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

<b>accessories for</b>	420402	<b>GEV No.</b>	510408	<b>Ref. No.</b>	—
					O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs



Зип Общепит

vsezip.ru

+7(812)9818181

<b>GEV No.</b>	420438	<b>Ref. No.</b>	60003604
<b>description</b>	heating element 4000W 220-240V heating circuits 3 countries UK		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

<b>GEV No.</b>	420412	<b>Ref. No.</b>	3103084
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\phi$ 47.5mm L 220mm W 28mm H 50mm round flange connection male faston 6.3mm immersion heater tube $\phi$ 6.2mm H1 25mm H2 25mm L1 20mm L2 35mm L3 170mm thermostat sleeves $\phi$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 210mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS32, GS4, GS7, GS9		

<b>GEV No.</b>	419189	<b>Ref. No.</b>	30008074
<b>description</b>	heating element 4900W 380-440/200-254V heating circuits 3 mounting $\phi$ 47.5mm L 266mm W 160mm H 35mm cable length 250mm tank tube $\phi$ 8.5mm		

<b>GEV No.</b>	420418	<b>Ref. No.</b>	3103062
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\phi$ 47.5mm L 235mm W 140mm H 14mm round flange with thread bolt connection male faston 6.3mm for tank mounting thread M5		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4		

<b>GEV No.</b>	418896	<b>Ref. No.</b>	30000125								
<b>description</b>	heating element 4900W 380-440/200-254V heating circuits 3 mounting $\phi$ 47.5mm L 280mm W 36mm H 41mm cable length 250mm boiler tube $\phi$ 8.5mm										
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds										
<b>accessories for</b>	418896										
		<table border="1"> <tr> <td><b>GEV No.</b></td> <td>510562</td> <td><b>Ref. No.</b></td> <td>2707071</td> </tr> <tr> <td></td> <td></td> <td></td> <td>2707085</td> </tr> </table>	<b>GEV No.</b>	510562	<b>Ref. No.</b>	2707071				2707085	
<b>GEV No.</b>	510562	<b>Ref. No.</b>	2707071								
			2707085								
	O-ring silicone thickness 5.34mm ID $\phi$ 47mm Qty 1 pcs										

<b>GEV No.</b>	420408	<b>Ref. No.</b>	3103047
<b>description</b>	heating element 2800W 230V heating circuits 1 mounting $\phi$ 47.5mm L 245mm W 35mm H 44mm round flange connection male faston 6.3mm immersion heater tube $\phi$ 6.3mm H1 19mm H2 35mm connection length 28mm		
<b>For models:</b>	GS10, GS22, GS25, GS32, GS4, GS7, GS9		

group 8

<b>GEV No.</b>	420193	<b>Ref. No.</b>	3103228
<b>description</b>	heating element 5000W 400V mounting $\phi$ 47.5mm heating circuits 3 L 185mm W 32mm H 117mm tube $\phi$ 8.4mm hole distance 63mm hole $\phi$ 9mm cable length 1000mm connection cable 3 hole flange immersion heater		
<b>For models:</b>	GS202, GS402		

<b>GEV No.</b>	420395	<b>Ref. No.</b>	3103033
<b>description</b>	heating element 2800W 240V heating circuits 1 mounting $\phi$ 47.5mm L 220mm W 28mm H 50mm round flange connection male faston 6.3mm immersion heater tube $\phi$ 6.2mm H1 25mm H2 25mm L1 20mm L2 35mm L3 170mm thermostat sleeves $\phi$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 210mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS22, GS23, GS24, GS27, GS32, GS7, GS9		

with round flange  $\phi$ 47.5mm

<b>GEV No.</b>	416391	<b>Ref. No.</b>	3103081 3103082 3103083 3103088
<b>description</b>	heating element 2200W 230V heating circuits 1 mounting $\phi$ 47.5mm L 220mm W 24mm H 54mm round flange connection male faston 6.3mm immersion heater H1 11mm H2 43mm L1 30mm L2 35mm L3 155mm thermostat sleeves $\phi$ 6.5mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS8		

<b>GEV No.</b>	420409	<b>Ref. No.</b>	3103027
<b>description</b>	heating element 3000W 230/400V heating circuits 3 mounting $\phi$ 47.5mm L 220mm W 36mm H 45mm round flange connection male faston 6.3mm immersion heater tube $\phi$ 6.3mm thermostat sleeves $\phi$ 6mm number of thermostat sleeves 1 length thermostat sleeves 170mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS7, GS9, WKTS		


electric components





Зип Общепит


www.zip.ru


(812)9874380


			
<b>GEV No.</b>	420155	<b>Ref. No.</b>	3103100
<b>description</b>	heating element 3000W 230/400V heating circuits 3 mounting ø 47.5mm L 295mm W 34mm H 57mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 32mm H2 25mm L1 30mm L2 55mm L3 210mm connection length 17mm thermostat sleeves ø 6.6mm number of thermostat sleeves 1 length thermostat sleeves 200mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GR64, GR65, GR66-1, KTS1900, KTS2400, WKT1000, WKTS		


			
<b>GEV No.</b>	420396	<b>Ref. No.</b>	3103032
<b>description</b>	heating element 5000W 240V heating circuits 3 mounting ø 47.5mm L 290mm W 33mm H 55mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 29mm H2 26mm L1 21mm L2 52mm L3 217mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 205mm		
<b>For models:</b>	GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS27, GS28, GS29, GS29B, GS32, GS34, GS7, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1200, WKTS		



			
<b>GEV No.</b>	419114	<b>Ref. No.</b>	30000219 30008041 3103154
<b>description</b>	heating element 3000W 400V heating circuits 3 mounting ø 47.5mm L 260mm W 33mm H 65mm round flange connection cable cable length 800mm boiler immersion heater tube ø 8.5mm H1 36mm H2 28mm L1 60mm L2 60mm L3 140mm connection length 30mm		
<b>For models:</b>	MTF, MTR		



			
<b>GEV No.</b>	420394	<b>Ref. No.</b>	3103017 3103072 3103086
<b>description</b>	heating element 6000W 230/400V heating circuits 3 mounting ø 47.5mm L 282mm W 35mm H 57mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 22mm L1 20mm L2 52mm L3 210mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, non clinging		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS12, GS22, GS27B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72...(Other models you can see in the webshop)		

			
<b>GEV No.</b>	419190	<b>Ref. No.</b>	30008048
<b>description</b>	heating element 3000W 400V heating circuits 3 mounting ø 47.5mm L 530mm W 30mm H 40mm round flange connection cable cable length 780mm tank		

			
<b>GEV No.</b>	420401	<b>Ref. No.</b>	3103089
<b>description</b>	heating element 4980W 230V mounting ø 47.5mm L 230mm W 165mm H 45mm heating circuits 3 round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 28mm H2 17mm L1 30mm L2 20mm L3 180mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 170mm thermostat sleeve centred, adjacent		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		

			
<b>GEV No.</b>	418903	<b>Ref. No.</b>	3103132
<b>description</b>	heating element 6000W 230/400V heating circuits 3 mounting ø 47.5mm L 435mm W 30mm H 55mm round flange connection male faston 6.3mm immersion heater tube ø 6.5mm H1 31mm H2 23mm L1 30mm L2 55mm L3 350mm connection length 25mm thermostat sleeves ø 6.5mm number of thermostat sleeves 1 length thermostat sleeves 205mm thermostat sleeve eccentric, clinging		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS640, GS640-McDonalds, GS650, GS650-McDonalds, KTS1900, KTS2400		

			
<b>GEV No.</b>	420410	<b>Ref. No.</b>	3103030
<b>description</b>	heating element 5000W 230V heating circuits 3 mounting ø 47.5mm L 290mm W 33mm H 55mm round flange connection male faston 6.3mm immersion heater H1 29mm H2 26mm L1 21mm L2 52mm L3 217mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 205mm		
<b>For models:</b>	GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS27, GS28, GS29, GS29B, GS32, GS34, GS7, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1200, WKTS		
<b>accessories for</b>	420410		
	<b>GEV No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			

			
<b>GEV No.</b>	420431	<b>Ref. No.</b>	30008050
<b>description</b>	heating element 6000W 230V heating circuits 3 L 260mm W 60mm H 65mm		
<b>accessories for</b>	420431		
	<b>GEV No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs			









Зип Общепит


vsezip.ru


7(912)987-08-81






			
<b>GEV No.</b>	420397	<b>Ref. No.</b>	3103025
<b>description</b>	heating element 6000W 230V heating circuits 3 mounting ø 47.5mm L 335mm W 130mm H 49mm L1 55mm L2 280mm W1 44mm W2 42mm H1 29mm H2 20mm tube ø 6.3mm round flange with thread bolt connection male faston 6.3mm immersion heater connection length 30mm		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WKT1000		


			
<b>accessories for</b>	416058		
<b>GEV No.</b>	550362	<b>Ref. No.</b>	—
<b>description</b>	blind flange ø 64mm mounting ø 47.5mm		
<b>GEV No.</b>	417532	<b>Ref. No.</b>	30000237 30002558 30008051 3103178
<b>description</b>	heating element 6000W 400V heating circuits 3 mounting ø 47.5mm L 520mm W 32mm H 52mm round flange cable length 800mm tank immersion heater H1 38mm H2 24mm L1 65mm L2 60mm L3 410mm		


			
<b>GEV No.</b>	420413	<b>Ref. No.</b>	3103043
<b>description</b>	heating element 6000W 240-420V heating circuits 3 mounting ø 47.5mm L 290mm W 35mm H 57mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 22mm L1 20mm L2 52mm L3 210mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 215mm thermostat sleeve eccentric, non clinging		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS22, GS27B, GS29, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS62, GS63, GS64, GS65, GS7, GS71, GS72, GS80, GS81, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000...(Other models you can see in the webshop)		
<b>accessories for</b>	420413		
	<b>GEV No.</b>	532495	<b>Ref. No.</b> 2707015 2707037 2707069 2707088
	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		

			
<b>GEV No.</b>	420430	<b>Ref. No.</b>	30008049
<b>description</b>	heating element 6200W 230V heating circuits 3 L 525mm W 60mm H 65mm for tank incl. accessories		

			
<b>GEV No.</b>	420400	<b>Ref. No.</b>	3103018 3103058
<b>description</b>	heating element 9000W 230V heating circuits 3 mounting ø 47.5mm L 430mm W 36mm H 52mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 17mm L1 20mm L2 50mm L3 360mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 215mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S, GS62, GS63, GS64, GS65, GS660, GS72, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		

			
<b>GEV No.</b>	416058	<b>Ref. No.</b>	30000234 30002548 30008044 3103150
<b>description</b>	heating element 6000W 400-440V heating circuits 3 mounting ø 47.5mm L 260mm W 32mm H 62mm round flange cable length 800mm boiler immersion heater H1 38mm H2 24mm L1 65mm L2 60mm L3 135mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, WKT1200		
<b>spare parts for</b>	416058		
	<b>GEV No.</b>	532495	<b>Ref. No.</b> 2707015 2707037 2707069 2707088
	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		
<b>accessories for</b>	416058		
	<b>GEV No.</b>	520235	<b>Ref. No.</b>
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
	<b>GEV No.</b>	520236	<b>Ref. No.</b>
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes		
	<b>GEV No.</b>	550002	<b>Ref. No.</b>
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		

			
<b>GEV No.</b>	420411	<b>Ref. No.</b>	3103057
<b>description</b>	heating element 9000W 240V heating circuits 3 mounting ø 47.5mm L 430mm W 36mm H 52mm round flange connection male faston 6.3mm immersion heater H1 35mm H2 17mm L1 20mm L2 50mm L3 360mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 215mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1230, GR1320, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S, GS660, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		

			
<b>GEV No.</b>	420392	<b>Ref. No.</b>	30008047
<b>description</b>	heating element 9000W 400V heating circuits 3 mounting ø 47.5mm L 434mm W 32mm H 32mm round flange cable length 820mm boiler tube ø 8.5mm connection length 40mm		



electric components






Зип-Общепит




vsezip.ru






812)987-08-81

			
<b>GEV No.</b>	420173	<b>Ref. No.</b>	30000244 30008054 3103177
<b>description</b>	heating element 9000W 400V heating circuits 3 mounting ø 47.5mm L 525mm W 33mm H 54mm round flange cable length 620mm tank immersion heater tube ø 8.5mm H1 36mm H2 29mm L1 65mm L2 60mm L3 310mm connection length 40mm		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		
<b>accessories for</b>	420173		
	<b>GEV No.</b>	532495	<b>Ref. No.</b>
			2707015 2707037 2707069 2707088
	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		


<b>1 1/2"</b>			
			
<b>GEV No.</b>	415401	<b>Ref. No.</b>	3103009
<b>description</b>	heating element 4500W 230V heating circuits 3 thread 1 1/2" L 315mm W 33mm H 30mm thermostat sleeves ø 6mm length thermostat sleeves 240mm connection M4x0.75 immersion heater flange with thread no original spare part		
<b>spare parts for</b>	415401		
	<b>GEV No.</b>	510406	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1 1/2" Qty 1 pcs		
<b>accessories for</b>	415401		
	<b>GEV No.</b>	510424	<b>Ref. No.</b>
			—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1 1/2"		
	<b>GEV No.</b>	520211	<b>Ref. No.</b>
			—
	reducer thread 2" ET - 1 1/2" IT brass		
	<b>GEV No.</b>	520212	<b>Ref. No.</b>
			—
	hexagonal nut thread 1 1/2" brass WS 60 H 8mm		
	<b>GEV No.</b>	550361	<b>Ref. No.</b>
			—
	blind flange ø 58mm thread 1 1/2"		

			
<b>GEV No.</b>	415402	<b>Ref. No.</b>	3103012
<b>description</b>	heating element 6000W 400/230V heating circuits 3 thread 1 1/2" L 425mm W 35mm H 35mm length thermostat sleeves ø 7mm length thermostat sleeves 330mm thermostat sleeve centre not clinging tube ø 8.5mm connection M4 immersion heater flange with thread WS 60 no original spare part number of thermostat sleeves 1		
<b>spare parts for</b>	415402		
	<b>GEV No.</b>	510406	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1 1/2" Qty 1 pcs		
<b>accessories for</b>	415402		
	<b>GEV No.</b>	510424	<b>Ref. No.</b>
			—
	gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1 1/2"		

			
<b>GEV No.</b>	520211	<b>Ref. No.</b>	—
	reducer thread 2" ET - 1 1/2" IT brass		
	<b>GEV No.</b>	520212	<b>Ref. No.</b>
			—
	hexagonal nut thread 1 1/2" brass WS 60 H 8mm		
	<b>GEV No.</b>	550361	<b>Ref. No.</b>
			—
	blind flange ø 58mm thread 1 1/2"		

			
<b>GEV No.</b>	415878	<b>Ref. No.</b>	3103117 3103119 62001178 62001773
<b>description</b>	heating element 2800W 230V heating circuits 1 L 237mm W 120mm H 24mm W1 20mm W2 82mm thread M10x1 thread L 15mm mounting distance 75mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing thermostat sleeves ø 7mm length thermostat sleeves 195mm number of thermostat sleeves 1 thermostat sleeve clinging immersion heater screw connection included included		
<b>For models:</b>	GS24		
<b>accessories for</b>	415878		
	<b>GEV No.</b>	510416	<b>Ref. No.</b>
			—
	flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs		
	<b>GEV No.</b>	510893	<b>Ref. No.</b>
			—
	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
	<b>GEV No.</b>	520231	<b>Ref. No.</b>
			—
	nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs		
	<b>GEV No.</b>	521129	<b>Ref. No.</b>
			—
	nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439		

## foil heating elements

			
<b>GEV No.</b>	420405	<b>Ref. No.</b>	60003653
<b>description</b>	foil heating element L 310mm W 115mm 600W 230V t.max. 185°C with safety thermostat silicone cable length 1950mm thickness 1mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		




Зип Общепит


vsezip.ru

+7(812)987-0881


accessories


hexagonal nuts

			
1			
<b>GEV No.</b>	560131	<b>Ref. No.</b>	2101302 2102302
<b>description</b>	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS28, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS7, GS72, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, Solidos, STR, WKT1000, WKTS, ZU22		


			
1			
<b>GEV No.</b>	560132	<b>Ref. No.</b>	2101203 2101303
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1231, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS630-McDonalds...(Other models you can see in the webshop)		


washers

			
1			
<b>GEV No.</b>	560112	<b>Ref. No.</b>	2201300
<b>description</b>	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS72, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L...(Other models you can see in the webshop)		


			
1			
<b>GEV No.</b>	560333	<b>Ref. No.</b>	2201302
<b>description</b>	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS23S, GS24, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS, ZU22		


sealing materials

			
1			
<b>GEV No.</b>	510417	<b>Ref. No.</b>	2704002 2709036
<b>description</b>	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23S, GS24, GS27, GS27B, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		



			
1			
<b>GEV No.</b>	521122	<b>Ref. No.</b>	2702011 2709011
<b>description</b>	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS32, GS34, GS4, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

O-rings

			
1			
<b>GEV No.</b>	510901	<b>Ref. No.</b>	30000251
<b>description</b>	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	510563	<b>Ref. No.</b>	2707078
<b>description</b>	O-ring EPDM thickness 3mm ID ø 28mm Qty 1 pcs		
<b>For models:</b>	MTF, MTR, WKT1200, WKTS		


electric components

1


<b>GEV No.</b>	510562	<b>Ref. No.</b>	2707071 2707085
<b>description</b>	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

flange gaskets




1

<b>GEV No.</b>	502004	<b>Ref. No.</b>	82000014
<b>description</b>	gasket L 235mm W 92mm for heating element suitable for WINTERHALTER equiv. no. 82000014		
<b>For models:</b>	GS501, GS502, GS515		




1

<b>GEV No.</b>	502005	<b>Ref. No.</b>	2706002 2709037
<b>description</b>	gasket ID ø 143mm ED ø 190mm 6 hole flange		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS100-1, GS40, GS61, GS70, GS72		



1

<b>GEV No.</b>	551062	<b>Ref. No.</b>	3103059 60002787
<b>description</b>	blind flange ø 60mm suitable for WINTERHALTER		
<b>For models:</b>	BAVARIA2000, GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKT5		




1

<b>GEV No.</b>	551077	<b>Ref. No.</b>	5519018
<b>description</b>	flange ø 43mm hole distance 56mm with mounting strap		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS22, GS29, GS32, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71...(Other models you can see in the webshop)		


Зип Общепит

vsezip.ru

+7(812)987-08-81




<b>GEV No.</b>	692162	<b>Ref. No.</b>	0117003
<b>description</b>	flange ø 60mm hole distance 58mm thickness 4mm		
<b>For models:</b>	BAVARIA2000, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS72, GS8, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF...(Other models you can see in the webshop)		




1

<b>GEV No.</b>	551233	<b>Ref. No.</b>	3103067
<b>description</b>	flange ø 62mm mounting ø 51.5mm thickness 3mm		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS10, GS100, GS100-1, GS22, GS23H, GS23S, GS32, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WKT1000		



1

<b>GEV No.</b>	692332	<b>Ref. No.</b>	3123088 5519023
<b>description</b>	contact bridge for heating element L 110mm connection male faston 6.3mm cable length 80mm 2.5mm <sup>2</sup>		
<b>For models:</b>	BAVARIA2000, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	692332	<b>Ref. No.</b>	3123088 5519023
<b>description</b>	contact bridge for heating element L 110mm connection male faston 6.3mm cable length 80mm 2.5mm <sup>2</sup>		
<b>For models:</b>	BAVARIA2000, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64...(Other models you can see in the webshop)		



thermostats

bi-metal thermostats

safety bi-metal thermostats



<b>GEV No.</b>	390958	<b>Ref. No.</b>	3125053
<b>description</b>	bi-metal safety thermostat hole distance 14mm switch-off temp. 185°C 1NC 1-pole connection F6.3		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

control and safety thermostats

EGO

control thermostats

55.13\_ series



<b>GEV No.</b>	376018	<b>Ref. No.</b>	3125047
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS501, GS502, GS515		




<b>GEV No.</b>	376022	<b>Ref. No.</b>	3125046
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS501, GS502, GS515		

Зип Общепит

vsezip.ru

+7(812)987-08-81




<b>GEV No.</b>	390926	<b>Ref. No.</b>	5528271
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO/1CO probe ø 3.1mm probe L 245mm capillary pipe 740mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position upper rotation 270° kit		
<b>For models:</b>	GS501, GS502, GS515		

<b>spare parts for</b>	390926		
<b>GEV No.</b>	375304	<b>Ref. No.</b>	—
<b>description</b>	thermostat t.max. 93°C temperature range 28-93°C 1-pole 1NO 16A probe ø 3.1mm probe L 244mm capillary pipe 710mm capillary pipe isolated 650mm gland nut shaft L 23mm shaft position upper rotation 270°		



<b>GEV No.</b>	375949	<b>Ref. No.</b>	3125031
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 1-pole probe ø 6mm probe L 95mm capillary pipe 1730mm capillary pipe isolated 600mm gland nut shaft ø 4.5x6mm shaft L 7mm shaft position upper rotation 270°		
<b>For models:</b>	GS24		



<b>GEV No.</b>	376015	<b>Ref. No.</b>	3125010
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 95mm capillary pipe 2380mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 10mm shaft position upper rotation 270°		
<b>For models:</b>	GR1410, GR1420, GR1430, GS10, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS32, GS4, GS7, GS9, WKTS		


electric components



Зип Общепит

vsezip.ru

+7(812)987-08-81



<b>GEV No.</b>	376016	<b>Ref. No.</b>	3125013 3125014
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 90mm capillary pipe 2380mm capillary pipe isolated 1700mm gland nut M9x1 shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1...(Other models you can see in the webshop)		



<b>GEV No.</b>	376017	<b>Ref. No.</b>	3125015
<b>description</b>	thermostat t.max. 95°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 95mm capillary pipe 2380mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 15mm shaft position upper rotation 270°		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR63, GR63-1, GS62, GS63, GS64, GS65, GS81, GS90		

55.34\_series



<b>GEV No.</b>	376020	<b>Ref. No.</b>	3125023
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 2-pole 2NO 16A probe ø 6mm probe L 173mm capillary pipe 1780mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS24		



<b>GEV No.</b>	376021	<b>Ref. No.</b>	3125011
<b>description</b>	thermostat t.max. 93°C temperature range 30-93°C 3-pole 3CO 16A probe ø 6mm probe L 175mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	GS25, GS4, GS501, GS502, GS515		

safety thermostats

55.11\_series



<b>GEV No.</b>	376019	<b>Ref. No.</b>	3125022
<b>description</b>	safety thermostat switch-off temp. 98°C 1-pole 16A probe ø 3.1mm probe L 248mm capillary pipe 1770mm capillary pipe isolatedmm gland nut probe		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GS100-1, GS23S, GS24, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT5		

55.13\_series



<b>GEV No.</b>	376023	<b>Ref. No.</b>	3125030 3125045
<b>description</b>	safety thermostat switch-off temp. 160°C 1-pole 16A probe ø 6mm probe L 75mm capillary pipe 1540mm capillary pipe isolated 1490mm gland nut probe SS		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKT5		




Зип Общепит

vsezip.ru

+7(812)9800000


accessories

fitting parts


 <p>1</p>			
<b>GEV No.</b>	698510	<b>Ref. No.</b>	60003939
<b>description</b>	bracket for contact thermostat L 110mm W 35mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

gland nut accessories

ducts

 <p>1</p>			
<b>GEV No.</b>	521074	<b>Ref. No.</b>	3125001
<b>description</b>	gland duct ET M12x0.75 IT M9x1		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41...(Other models you can see in the webshop)		


plunger sockets


 <p>1</p>			
<b>GEV No.</b>	511652	<b>Ref. No.</b>	3201030
<b>description</b>	thermowell thread M14x1 IT M10x1 ET M14x1 ID ø 9mm L 36mm SS single ø 11mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100, GS100-1, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		

switches and momentary switches

rocker/momentary rocker switches


30x22mm


 <p>1</p>			
<b>GEV No.</b>	348034	<b>Ref. No.</b>	3124035
<b>description</b>	momentary rocker switch mounting measurements 30x22mm white 2NO 250V 20A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		


			
<b>GEV No.</b>	348035	<b>Ref. No.</b>	3124034
<b>description</b>	rocker switch mounting measurements 30x22mm white 2NO 250V 16A 0-1 connection male faston 6.3mm ambient temperature max. 100/55°C protection IP65 with rubber collar		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		

push/momentary push switches

30x22mm


 <p>1</p>			
<b>GEV No.</b>	345439	<b>Ref. No.</b>	3124129 3124167
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO 250V 16A rinsing connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS24, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		


 <p>1</p>			
<b>GEV No.</b>	345436	<b>Ref. No.</b>	3124115 3124153
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/indicator light 250V 16A programme I connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS12, GS14, GS14E, GS15, GS15E, GS23, GS27, GS28, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


 <p>1</p>			
<b>GEV No.</b>	345440	<b>Ref. No.</b>	3124075 3124130
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/indicator light 250V 16A programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		





Зип Общепит  
vsezip.ru  
7(812)9870000


		1	
<b>GEV No.</b>	345443 <sup>1</sup>	<b>Ref. No.</b>	3124073 3124074 3124131 3124132 3124185
<b>description</b>	push switch mounting measurements 30x22mm green 2NO 250V 16A illuminated ON-OFF connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS41-5, GS42, GS501, GS502, GS515, GS72, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


		1	
<b>GEV No.</b>	347645	<b>Ref. No.</b>	3124160
<b>description</b>	momentary push switch mounting measurements 30x22mm green 1NO/indicator light 250V 16A illuminated on connection F6.3/F4.8 (lamp) ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		


		1	
<b>GEV No.</b>	345442 <sup>1</sup>	<b>Ref. No.</b>	3124227
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/2NC/indicator light 250V 16A illuminated outflow connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		


		1	
<b>GEV No.</b>	347916	<b>Ref. No.</b>	3124161
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NC 250V 16A OFF connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		


		1	
<b>GEV No.</b>	345437 <sup>1</sup>	<b>Ref. No.</b>	3124166
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A illuminated programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		


		1	
<b>GEV No.</b>	347918	<b>Ref. No.</b>	3124197
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO 250V 16A rinsing cold connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66-1, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

		1	
<b>GEV No.</b>	345438	<b>Ref. No.</b>	3124128
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A illuminated rinse connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GKTS2600, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, WKT1000		

		1	
<b>GEV No.</b>	347917	<b>Ref. No.</b>	3124163
<b>description</b>	momentary push switch mounting measurements 30x22mm white 1NO/1NC/indicator light 250V 12A programme II connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1200, WKTS		


		1	
<b>GEV No.</b>	345441	<b>Ref. No.</b>	3124165
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/indicator light 250V 16A programme I connection male faston 4.8mm/6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72, WKT1000		

		1	
<b>GEV No.</b>	347646	<b>Ref. No.</b>	3124162
<b>description</b>	momentary push switch mounting measurements 30x22mm white/blue 1NO/1NC/indicator light 250V 12A programme I connection male faston 4.8mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WBA, WKT1200, WKTS		


		1	
<b>GEV No.</b>	347647	<b>Ref. No.</b>	3124186
<b>description</b>	push switch mounting measurements 30x22mm green/blue 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




Зип Общепит  
vsezip.ru  
+7 (812) 987-0881


 <p>1</p>			
<b>GEV No.</b>	347915 <sup>1</sup>	<b>Ref. No.</b>	3124202
<b>description</b>	push switch mounting measurements 30x22mm white 2NO 250V 16A illuminated drain pump connection male faston 6.3mm ambient temperature max. 85/55°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66, GR66-1		

<sup>1</sup>illuminated

 <p>1</p>			
<b>GEV No.</b>	347914	<b>Ref. No.</b>	3124205
<b>description</b>	push switch mounting measurements 30x22mm white 2NO/2NC/indicator light 250V 12A manual rinsing connection male faston 4.8mm/6.3mm ambient temperature max. 85°C protection IP40		
<b>For models:</b>	GR64, GR65, GR66-1, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


 <p>1</p>			
<b>GEV No.</b>	345966	<b>Ref. No.</b>	5519007
<b>description</b>	microswitch 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C with plunger		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS32, GS34, GS7, GS8, GS9		

non-standard

 <p>1</p>			
<b>GEV No.</b>	345992	<b>Ref. No.</b>	62001349
<b>description</b>	microswitch 1CO 1-pole		
<b>For models:</b>	GS24		


position switches

miscellaneous

 <p>1</p>			
<b>GEV No.</b>	348033	<b>Ref. No.</b>	3124104 3124216 80003235
<b>description</b>	position switch with roller 1NO/1CO L 65mm W 30mm H 30mm SCHMERSAL		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS100, GS100-1, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81, GS90, WBA, WKTS		


accessories

blank elements

 <p>1</p>			
<b>GEV No.</b>	345312	<b>Ref. No.</b>	3124187
<b>description</b>	dummy element internal size 30x22mm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66-1, GS41-5, GS501, GS502, GS515, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		


microswitches

lever actuated

 <p>1</p>			
<b>GEV No.</b>	345211	<b>Ref. No.</b>	62000224
<b>description</b>	microswitch with lever 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C lever length 49mm		
<b>For models:</b>	GS23H, GS23S		

pin-plunger actuated

miscellaneous


 <p>1</p>			
<b>GEV No.</b>	345965	<b>Ref. No.</b>	5519024
<b>description</b>	microswitch 250V 10A 1CO connection male faston 6.3mm ambient temperature max. 85°C with plunger		
<b>For models:</b>	GS23, GS25, GS27, GS28, GS4		



Зип Общежит

magnetic switches

## float switches




<b>GEV No.</b>	345446	<b>Ref. No.</b>	3113163 3126032 3126034 3126041 3126047 5528255 5528292
<b>description</b>	float switch thread M14x2 1NO or 1NC $\phi$ 17.5mm L 114mm mounting $\phi$ 15mm 250V 0.13A male faston 6.3mm cable length 230mm kit		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

## accessories




<b>GEV No.</b>	694619	<b>Ref. No.</b>	60003989
<b>description</b>	nut for float switch thread M14x2 $\phi$ 27mm plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		



<b>GEV No.</b>	347186	<b>Ref. No.</b>	3124272
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 175V 0.25A P max. 3W connection cable length 1350mm		
<b>For models:</b>	MTF, MTR, STR		



<b>GEV No.</b>	347374	<b>Ref. No.</b>	3124229
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 200V 0.5A connection coded plug cable length 400mm 10W		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



<b>GEV No.</b>	345968	<b>Ref. No.</b>	3124224
<b>description</b>	magnetic switch L 32mm W 15mm 1NO 250V 1A P max. 100W connection coded plug cable length 1000mm		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		






Зип Общепит

vsezip.ru

+7(812)987-08-81



1


<b>GEV No.</b>	348028	<b>Ref. No.</b>	3124228
<b>description</b>	magnetic switch L 32mm W 15mm 250V 1A connection male faston		
<b>For models:</b>	AirCon, GS501, GS502, GS515		



1

<b>GEV No.</b>	347584 <sup>1</sup>	<b>Ref. No.</b>	30000364 3124295 3124297
<b>description</b>	magnetic switch 200V 0.5A P max. 100W probe L 26mm 1NO connection coded plug cable length 700mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


80x20mm



1


<b>GEV No.</b>	347644	<b>Ref. No.</b>	3124190 3124199 3124221
<b>description</b>	magnetic switch L 80mm W 20mm 1NO 180-265V 0.5A P max. 10W connection male faston 6.3mm cable length 550mm		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

with coded connector



1


<b>GEV No.</b>	348027	<b>Ref. No.</b>	3124240
<b>description</b>	magnetic switch 250V 1A 1NO connection cable 50W L 30mm nominal 1A		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	347912	<b>Ref. No.</b>	3124111
<b>description</b>	magnetic switch L 80mm W 20mm 1NO 250V 1A P max. 100W connection cable cable length 7000mm		
<b>For models:</b>	Eckfoerderer-WKT(S)-90-180, GR1210, GR1220, GR1230, KTS1900, KTS2400, WKTS		


ø 8mm



1

<b>GEV No.</b>	347430	<b>Ref. No.</b>	3124134
<b>description</b>	magnetic switch 12V 1A P max. 10W probe L 50mm 1NO connection cable cable length 2500mm		
<b>For models:</b>	BAVARIA2000, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		

miscellaneous



1

<b>GEV No.</b>	347921	<b>Ref. No.</b>	83000408
<b>description</b>	magnetic switch 12V 0.07A P max. 1W 1NO connection plug L 32mm L1 24mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

Зип-Общепит

vsezip.ru

+7(812)987-08-81

accessories

magnets



1

<b>GEV No.</b>	519475	<b>Ref. No.</b>	3124191
<b>description</b>	magnet ø 10mm L 10mm Hmm Wmm		
<b>For models:</b>	Eckfoerderer-WKT(S)-90-180, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		



1

<b>GEV No.</b>	347154	<b>Ref. No.</b>	61005155 61006243
<b>description</b>	magnet ø 3mm L 40mm H 12.5mm W 15mm hole distance 33mm M3 hole ø 3mm		
<b>For models:</b>	AirCon, GS501, GS502, GS515, GS630-McDonalds, MTF, MTR, STR		

switches (complete)

push/momentary push switches



1

<b>GEV No.</b>	347920 <sup>1</sup>	<b>Ref. No.</b>	67000553
<b>description</b>	momentary push switch mounting measurements ø22mm green illuminated, 80-264V 2NO protection cap momentary		
<b>For models:</b>	GM170, GM85		

<sup>1</sup>with rubber cap

SCHLEGEL

push buttons



1

<b>GEV No.</b>	360612	<b>Ref. No.</b>	3124080 3124088
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary anthracite/transparent square		
<b>For models:</b>	GS12, GS34		



1

<b>GEV No.</b>	360616	<b>Ref. No.</b>	3124077
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary green START square		
<b>For models:</b>	GS12, GS34		



1

<b>GEV No.</b>	360615	<b>Ref. No.</b>	3124078
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary white 1 square		
<b>For models:</b>	GS12, GS34		



1

<b>GEV No.</b>	360611	<b>Ref. No.</b>	3124079
<b>description</b>	momentary switch unit mounting measurements ø16/24x24mm type momentary white 2 square		
<b>For models:</b>	GS12, GS34		

control equipment

MOELLER/EATON

push buttons - signal lamps



1

<b>GEV No.</b>	348029	<b>Ref. No.</b>	3124206
<b>description</b>	push button mounting measurements ø22mm silver green lens momentary		

accessories



1

<b>GEV No.</b>	348030	<b>Ref. No.</b>	3124006 3124208
<b>description</b>	protective cover ED ø 30mm transparent for push-button H 13mm		
<b>For models:</b>	GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS10, GS100, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS81, GS9, GS90		



Зип-Общепит

vsezip.ru

+7(812)987-08-81

signal element



1	<b>GEV No.</b>	360617	<b>Ref. No.</b>	3108036
	<b>description</b>	signal lamp mounting measurements $\phi 16/24 \times 24 \text{mm}$ 27x27 black/clear square socket T5.5K		
	<b>For models:</b>	GS12, GS34		
	<b>accessories for</b>	360617		
	<b>GEV No.</b>	359590	<b>Ref. No.</b>	—
	<b>description</b>	light bulb socket T5.5K 24V 3W $\phi 5.5 \text{mm}$ L 22mm clear		
	<b>GEV No.</b>	359591	<b>Ref. No.</b>	—
	<b>description</b>	light bulb socket T5.5K 48V 3W $\phi 5.5 \text{mm}$ L 22mm clear		
	<b>GEV No.</b>	359592	<b>Ref. No.</b>	—
	<b>description</b>	light bulb socket T5.5K 12V 3W $\phi 5.5 \text{mm}$ L 22mm clear		
	<b>GEV No.</b>	359593	<b>Ref. No.</b>	—
	<b>description</b>	light bulb socket T5.5K 60V 0.02A		

switch blocks



1	<b>GEV No.</b>	359194	<b>Ref. No.</b>	3124082
	<b>description</b>	contact block latching 1NC/1NO connection male faston 2.8mm illuminable socket T5.5K type AFL		
	<b>For models:</b>	GS12, GS34		



1	<b>GEV No.</b>	360614	<b>Ref. No.</b>	3124081
	<b>description</b>	contact block latching 2NO/2NC connection male faston 2.8mm illuminated socket T5.5K		
	<b>For models:</b>	GS12, GS34		



1	<b>GEV No.</b>	360613	<b>Ref. No.</b>	3124083
	<b>description</b>	contact block momentary 1NC/1NO connection male faston 2.8mm illuminated socket T5.5K		
	<b>For models:</b>	GS12, GS34		

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1	<b>GEV No.</b>	361928	<b>Ref. No.</b>	3108037
	<b>description</b>	light bulb socket T5.5K 12V 20mA		
	<b>For models:</b>	GS12, GS34		



1	<b>GEV No.</b>	361927	<b>Ref. No.</b>	3108034
	<b>description</b>	light bulb socket T5.5K 48V 0.02A		
	<b>For models:</b>	GS10-2, GS12, GS34		

indicator lights (complete)

30x22mm



1	<b>GEV No.</b>	359409	<b>Ref. No.</b>	3108017
	<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm with protecting cover		
	<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		



1	<b>GEV No.</b>	359406	<b>Ref. No.</b>	3108064
	<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm programme		
	<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72		



Зип Общепит

vsezip.ru

7(812)987-08-81



1

<b>GEV No.</b>	359407	<b>Ref. No.</b>	3108033 3108051 3108054 3108116
<b>description</b>	indicator light mounting measurements 30x22mm 230V white connection male faston 6.3mm temp.-resist. 85°C temperature type Marquardt 1667..		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS34, GS41-5, GS42, GS501, GS502, GS515, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WBA, WKT1200, WKTS		

## LED

## indicator lamps

mounting diameter 8mm



1

<b>GEV No.</b>	360650	<b>Ref. No.</b>	3108111
<b>description</b>	indicator light LED mounting ø 8mm 12VDC red connection F2.8x0.8		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>GEV No.</b>	360651	<b>Ref. No.</b>	3108112
<b>description</b>	indicator light LED mounting ø 8mm 12VDC yellow connection F2.8x0.8		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## screw-on/push-on fit

## light bulbs

for indicator lights



1

<b>GEV No.</b>	361928	<b>Ref. No.</b>	3108037
<b>description</b>	light bulb socket T5.5K 12V 20mA		
<b>For models:</b>	GS12, GS34		




1

<b>GEV No.</b>	361927	<b>Ref. No.</b>	3108034
<b>description</b>	light bulb socket T5.5K 12V 20mA		
<b>For models:</b>	GS10-2, GS12, GS34		

## timers

## programme timers



1

<b>GEV No.</b>	360235	<b>Ref. No.</b>	3105119 3105122
<b>description</b>	timer AKO-DIEHL 422		
<b>For models:</b>	GS100-1, GS12, GS23, GS27, GS28, GS34, GS41-1, GS41-4, GS41-4S, GS72		



1

<b>GEV No.</b>	360237	<b>Ref. No.</b>	3105142 3105145 3105146 5528272
<b>description</b>	timer AKO-DIEHL 514 chambers 6 operation time 230V shaft ømm shaft Lmm voltage AC		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	360461	<b>Ref. No.</b>	3105144
<b>description</b>	timer AKO-DIEHL 514 GS 501 from serial no.430572 engines 1 chambers 3 180-265V 50/60Hz manuf. no. 3105144 run-time 30s		
<b>For models:</b>	GS501, GS502, GS515		




Зип Общепит

contactors

ABB  
vsezip.ru  
power contactors

+7(812)987-08-81



1

<b>GEV No.</b>	360317	<b>Ref. No.</b>	3105106
<b>description</b>	timer AKO-DIEHL operation time 5min		
<b>For models:</b>	GR62, GR62-1, GS10, GS22, GS32, GS405, GS41, GS41-3, GS62, GS63, GS64, GS65, GS7, GS71, GS8, GS9		



1

<b>GEV No.</b>	360236	<b>Ref. No.</b>	3105100
<b>description</b>	timer AKO-DIEHL P10100 250V shaft ø 6x4.6mm shaft L 10mm		
<b>For models:</b>	GS10, GS100, GS10-2, GS12, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS32, GS34, GS4, GS40, GS405, GS41, GS61, GS7, GS70, GS71, GS80, GS81, GS9, GS90		



1

<b>GEV No.</b>	360238	<b>Ref. No.</b>	3105130 3105131
<b>description</b>	timer EPS 1.1 V2.1 electronic engines chambers operation time 230V		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		



1

<b>GEV No.</b>	380101	<b>Ref. No.</b>	3104154
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type B6-30-01 / B7-30-01		
<b>For models:</b>	GS202, GS215, GS24, GS302, GS310, GS315, GS402, GS630-McDonalds, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1200, WKTS		



1

<b>GEV No.</b>	381259	<b>Ref. No.</b>	30000861 3104058 3104059 3104162
<b>description</b>	power contactor resistive load 30A 100-250VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AF16-30-01-13		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR1410, GR1420, GR1430, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS71...(Other models you can see in the webshop)		

GENERAL ELECTRIC (AEG)

power contactors



1

<b>GEV No.</b>	381260	<b>Ref. No.</b>	3104068
<b>description</b>	power contactor resistive load 16A 230VAC (AC3/400V) 6A/3kW main contacts 3NO auxiliary contacts 1NC connection male faston 6.3mm type type AEG LS0701F		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS23, GS25, GS27, GS27B, GS28, GS4		





## TELEMECANIQUE (Schneider Electric)

Зип Общепит

## power contactors



1

<b>GEV No.</b>	381257	<b>Ref. No.</b>	3104128
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 5A/2.2kW main contacts 2NO connection screw connection type LC1SGC200P7		
<b>For models:</b>	GS501, GS502, GS515		

## auxiliary contactors



1

<b>GEV No.</b>	381256	<b>Ref. No.</b>	3104114
<b>description</b>	auxiliary contactor 230VAC AC1 10A type CA2SK11P7 connection screw contacts 1NO/1NC		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR64, GR65, GR66, GR66-1, GS100-1, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		

## relays

## plug-in/print relays



1

<b>GEV No.</b>	381270	<b>Ref. No.</b>	3104158
<b>description</b>	print relay 230VAC 1CO at 250V 16A connection 8 pins raster size 5mm		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, WKT1200, WKTS		



1

<b>GEV No.</b>	381271	<b>Ref. No.</b>	3104159 3104196
<b>description</b>	print relay 250VAC 2CO at 250V 8A connection pins raster size 5mm		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKTS		

## relay sockets



1

<b>GEV No.</b>	381272	<b>Ref. No.</b>	3104157
<b>description</b>	relay socket 300V voltage AC		
<b>For models:</b>	GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1200, WKTS		

## time relays

## time relays



1

<b>GEV No.</b>	380363	<b>Ref. No.</b>	3104141
<b>description</b>	time relay DOLD CD7839.71 time range 1-10s 220-240VAC 4A 1CO connection grip connection		
<b>For models:</b>	GS29B		



1

<b>GEV No.</b>	380630	<b>Ref. No.</b>	3104150
<b>description</b>	time relay DOLD CD7839.71 time range 15-300s 220-240VAC 4A 1CO connection grip connection		
<b>For models:</b>	GM170, GM85, GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



Зип.Общепит


transformers

encapsulated transformers

vsezip.ru


multiple connections

+7(812)987-08-81



1


<b>GEV No.</b>	380364	<b>Ref. No.</b>	3104120
<b>description</b>	time relay DOLD IK7815.71/200 time range 1-10s 220-240VAC 10A 1CO connection grip connection		
<b>For models:</b>	GKTS2600, GS100-1, GS41-1, GS41-4, GS41-4S, GS72, KTS1900, KTS2400		



1

<b>GEV No.</b>	380631	<b>Ref. No.</b>	3104117
<b>description</b>	time relay DOLD IK7816.81/200 time range 1-10s 220-240VAC 10A 1CO		
<b>For models:</b>	GS23H, GS23S, GS24, GS28		

miscellaneous



1

<b>GEV No.</b>	380632	<b>Ref. No.</b>	3104139
<b>description</b>	coupling relay 230V		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		




1

<b>GEV No.</b>	403471	<b>Ref. No.</b>	3115020
<b>description</b>	transformer primary 230V secondary 18V 22VA secondary DCA H 60mm L 95mm W 40mm 50/60Hz		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

probes

producer-specific probes




1

<b>GEV No.</b>	400666	<b>Ref. No.</b>	3125051
<b>description</b>	temperature probe NTC 12kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø7x45mm cable length 1.7m		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	403310	<b>Ref. No.</b>	61006359
<b>description</b>	temperature probe NTC 12kOhm cable rubber probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø13x15mm cable length 1.8m		
<b>For models:</b>	STR		




1

<b>GEV No.</b>	403311	<b>Ref. No.</b>	71002590
<b>description</b>	temperature probe NTC 12kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection 2-wire thread M10x1 probe ø8.5x22mm cable length 4.5m		
<b>For models:</b>	MTF, MTR		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	402202	<b>Ref. No.</b>	3125036 70004624
<b>description</b>	temperature probe PTC 2kOhm cable probe -50 up to +150°C cable connection male faston 2.8mm thread M10 probe ø8x140mm cable lengthm		
<b>For models:</b>	WKTS		



<b>GEV No.</b>	401848	<b>Ref. No.</b>	3105155
<b>description</b>	control PCB MTR/MTS WPS004Slave		
<b>For models:</b>	MTF, MTR		



1

<b>GEV No.</b>	400658	<b>Ref. No.</b>	3113082 3113108 5528253
<b>description</b>	PCB		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29B		

## electronics

### PCBs



1

<b>GEV No.</b>	400663	<b>Ref. No.</b>	3124222
<b>description</b>	control PCB dishwasher GS 202/215/302		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		




1

<b>GEV No.</b>	402814	<b>Ref. No.</b>	3113180
<b>description</b>	PCB dishwasher GS 202/215/302 for softstart type WSA4		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	400664	<b>Ref. No.</b>	3105139 3105140 3105141
<b>description</b>	control PCB dishwasher GS 202/215/302 WPS004		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1


<b>GEV No.</b>	400667	<b>Ref. No.</b>	3113164
<b>description</b>	PCB dishwasher GS 202/215/302 level control		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



Зип Общежит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	402931	<b>Ref. No.</b>	3113165
<b>description</b>	PCB dishwasher GS501/502/515 L 80mm W 40mm level control		
<b>For models:</b>	GS501, GS502, GS515		


## keypads

### front foils




1

<b>GEV No.</b>	403745	<b>Ref. No.</b>	61006610
<b>description</b>	front foil dishwasher L 126mm W 35mm		
<b>For models:</b>	GS502, GS515		



1

<b>GEV No.</b>	403744	<b>Ref. No.</b>	3124291
<b>description</b>	front foil dishwasher UC L 268mm W 60mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1


<b>GEV No.</b>	694712	<b>Ref. No.</b>	3124223
<b>description</b>	keypad foil dishwasher GS202/215/302/310/315 L 180mm W 50mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

## solenoid valves

### solenoid valves (water)

#### MÜLLER

medium temperature: 90°C  
duty cycle: 100%






1


<b>GEV No.</b>	374044	<b>Ref. No.</b>	3106038
<b>description</b>	solenoid valve single angled 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		

#### solenoid valves with reducers

##### single




<b>GEV No.</b>	370740	<b>Ref. No.</b>	3106197 60004251	
<b>description</b>	Read switch kit straight 230VAC inlet 3/4" outlet 14.5mm input 8l/min DN10 t.max. 90°C MÜLLER plastic flow regulating valve inlet brown			
<b>For models:</b>	GS501, GS502, GS515, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, WKTS			
<b>spare parts for</b>	370740			
	<b>GEV No.</b>	370002	<b>Ref. No.</b>	—
	solenoid valve single straight 230VAC inlet 3/4" outlet 14.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER			
	<b>GEV No.</b>	371201	<b>Ref. No.</b>	—
	reducer MÜLLER type MR04 flow rate 8l/min mounting measurements 19mm nominal flow at 4bar pressure range 0 up to 10bar approval KTW tolerance ±15% black			



1

<b>GEV No.</b>	370716	<b>Ref. No.</b>	3106196 60004147
<b>description</b>	solenoid valve kit single straight 220-240VAC inlet 3/4" outlet 14.5mm input 5l/min t.max. 90°C MÜLLER SVGW plastic		
<b>For models:</b>	GR66-1, GS14, GS14E, GS15, GS15E, GS29B, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR		




1

<b>GEV No.</b>	370697	<b>Ref. No.</b>	60004148
<b>description</b>	solenoid valve kit single straight 230VAC inlet 3/4" outlet 14.5mm input 15l/min 10 t.max. 90°C duty cycle 100% MÜLLER 1.010.125 plastic		
<b>For models:</b>	MTF, MTR, STR		

#### spare parts and accessories

##### spare parts sets



1

<b>GEV No.</b>	371011	<b>Ref. No.</b>	3106047 3106048 3106049 3106073
<b>description</b>	spare parts kit membrane with long star star hight 8mm MÜLLER		
<b>For models:</b>	GM170, GM85, GR1200, GR1400, GR1410, GR1420, GR1430, GS12, GS25, GS29, GS34, GS4, GS72, H52, WKTS, ZU22		



Зип-Общепит  
ROBERTO WINTERHALTER

medium temperature: 90°C 90°C 60°C  
ambient temperature: 60°C 25°C 60°C  
duty cycle: 40% 100% 100%

solenoid coils



1			
<b>GEV No.</b>	371017	<b>Ref. No.</b>	3106046 3106108
<b>description</b>	solenoid coil MÜLLER 230VAC connection male faston 6.3mm		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GS12, GS25, GS29, GS34, GS4, GS72, H52, WKTS		

reducers

inlet side



1			
<b>GEV No.</b>	371202	<b>Ref. No.</b>	3106104
<b>description</b>	reducer MÜLLER type MR04 flow rate 10l/min mounting measurements 19mm nominal flow at 4bar pressure range 0 up to 10bar approval KTW tolerance ±15% white		
<b>For models:</b>	WKTS		

filters



1			
<b>GEV No.</b>	371122	<b>Ref. No.</b>	3106118
<b>description</b>	solenoid valve filter ø 19mm H 10mm suitable for MÜLLER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GS100-1, GS12, GS23H, GS28, GS29, GS41-3, WKTS, ZU22		

miscellaneous



1			
<b>GEV No.</b>	371009	<b>Ref. No.</b>	3106117
<b>description</b>	compression spring for solenoid coil		
<b>For models:</b>	GS29, GS72, WKTS, ZU22		



1			
<b>GEV No.</b>	374045	<b>Ref. No.</b>	3106043 3106116 3106182
<b>description</b>	solenoid valve double straight 230VAC inlet 3/4" outlet 13.5mm DN10 EATON (INVENSYS)		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS80, GS81...(Other models you can see in the webshop)		

solenoid valves with reducers

single



1			
<b>GEV No.</b>	374046	<b>Ref. No.</b>	3106044 3106180
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 13.5mm input 15l/min t.max. 90°C EATON (INVENSYS) plastic flow regulating valve inlet grey		
<b>For models:</b>	GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GS100-1, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4, GS41-5, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS72, STR, WKTS		



1			
<b>GEV No.</b>	374047	<b>Ref. No.</b>	3106215
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 13.5mm input 5.5l/min t.max. 90°C EATON (INVENSYS) plastic flow regulating valve inlet yellow		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		








Зип Общепит


vsezip.ru


+7(812)987-08-81

			
1			
<b>GEV No.</b>	374048	<b>Ref. No.</b>	3106174
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 12.5mm input 5l/min DN10 t.max. 90°C EATON (INVENSYS) plastic		
<b>For models:</b>	GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>GEV No.</b>	370739	<b>Ref. No.</b>	3106179
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 14.5mm Inven-sys plastic flow regulating valve inlet orange		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		


			
1			
<b>GEV No.</b>	374049	<b>Ref. No.</b>	3106214
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 14mm input 15l/min plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS640, GS640-McDo-nalds, GS650, GS650-McDonalds, GS660		

with coded terminal			
			
1			
<b>GEV No.</b>	370671	<b>Ref. No.</b>	3106250
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) plastic flow regulating valve inlet violet		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


various			
			
1			
<b>GEV No.</b>	370596	<b>Ref. No.</b>	83000403 83000460
<b>description</b>	solenoid valve 230VAC plastic		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

metal			
ASCO			
spare parts and accessories			
kits			
1			
<b>GEV No.</b>	371118	<b>Ref. No.</b>	3106085 3106115
<b>description</b>	spare parts kit type D size 3/4"		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GS62, GS63, GS64, GS65, WBA, WKTS		

drain valves

			
1			
<b>GEV No.</b>	370629	<b>Ref. No.</b>	3106045 3106053 5519091
<b>description</b>	drain solenoid valve 230V single inlet 46mm outlet 1 1/2" ETmm t.max. 95°C DN 40mm		
<b>For models:</b>	GM170, GM85, GR1410, GR1420, GR1430, GR63, GR63-1, GR64, GR65, GR66, GR66-1, WBA		

Solenoid valve - accessories

filters			
			
1			
<b>GEV No.</b>	371122	<b>Ref. No.</b>	3106118
<b>description</b>	solenoid valve filter ø 19mm H 10mm suitable for MÜLLER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GS100-1, GS12, GS23H, GS28, GS29, GS41-3, WKTS, ZU22		

1 electric components



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	370467	<b>Ref. No.</b>	3106186
<b>description</b>	solenoid valve filter suitable for ELBI		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS72, GS8, GS81, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, RoMatik, RoMatik150, UC-L, UC-L-McDonalds...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	370619	<b>Ref. No.</b>	83000402
<b>description</b>	repair kit plug type coded plug 220-240V voltage AC for regeneration valve		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## pressure switches

for warewashing

ø 45mm with male faston 6.3mm

with connection vertical



1

<b>GEV No.</b>	543019	<b>Ref. No.</b>	3126020
<b>description</b>	pressure control pressure range 100/60mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GR62-2, GR62-3, GS10-2, GS12, GS34, GS8		



1

<b>GEV No.</b>	543017	<b>Ref. No.</b>	3126003 3126008 3126021 3126023
<b>description</b>	pressure control pressure range 105/75mbar connection 6mm ø 45mm pressure connection vertical warewashing		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS81, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	543018	<b>Ref. No.</b>	3126035
<b>description</b>	pressure control pressure range 120/60mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, WKTS		



1

<b>GEV No.</b>	543020	<b>Ref. No.</b>	3126018 3126028 80003155
<b>description</b>	pressure control pressure range 160/80mbar connection 6mm ø 45mm pressure connection vertical half-round warewashing		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR64, GR65, GS501, GS502, GS515, GS72, KTS1900, KTS2400, WBA		



1


<b>GEV No.</b>	543016	<b>Ref. No.</b>	3126009 3126019
<b>description</b>	pressure control pressure range 55/35mbar connection 6mm ø 45mm pressure connection vertical warewashing		
<b>For models:</b>	GS12, GS23, GS23H, GS23S, GS25, GS27, GS27B, GS34, GS4, KTS1900, KTS2400, WKTS		




Зип Общепит

vsezip.ru

+7(812)987-08-81

			
1			
<b>GEV No.</b>	543021	<b>Ref. No.</b>	3126029
<b>description</b>	pressure control pressure range 85/55mbar connection 6mm ø 54mm pressure connection vertical warewashing		
<b>For models:</b>	BAVARIA2000, GS24, GS29, GS29B		

			
1			
<b>GEV No.</b>	509930	<b>Ref. No.</b>	3116070
<b>description</b>	gear motor type S01-M1C6/4 90/120W 230/400V 50/60Hz 3 phase shaft ø 14mm L 265mm W 120mm H 175mm for dishwasher		
<b>For models:</b>	Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, WKT1200, WKTS		

pressure transmitters

			
1			
<b>GEV No.</b>	541149	<b>Ref. No.</b>	3126044
<b>description</b>	pressure transmitter pressure range 0-30mbar output voltage 0.5-3.5VDC input voltage 5VDC max 200mbar		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

flow meters and flow sensors

flow meters

miscellaneous

			
1			
<b>GEV No.</b>	502056	<b>Ref. No.</b>	60003512
<b>description</b>	flow meter set WSE suitable for WINTERHALTER		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS650, GS660		

motors

gear motors

for dishwashers


			
1			
<b>GEV No.</b>	600041	<b>Ref. No.</b>	3116062 3116079 61006607
<b>description</b>	gear motor type 404988 12W 24V voltage DCHz phase 28rpm shaft ø 7.5mm L 160mm W 100mm H 80mm for dishwasher		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

pumps

wash and rinse pumps

ATB

pumps

			
1			
<b>GEV No.</b>	501458	<b>Ref. No.</b>	5514023 5514076 5514190
<b>description</b>	pump inlet ø outlet ø type AF90S/2F-12 230/400V 50Hz 3 phase 2kW 2.7HP L 330mm rotation direction left without pump casing		
<b>For models:</b>	GR63, GR63-1, GS62, GS63, GS64, GS65		

FIR

pumps

			
1			
<b>GEV No.</b>	499327	<b>Ref. No.</b>	3102549
<b>description</b>	pump inlet ø 30mm outlet ø 35mm type 5215.4150 200-254/346-440VV 50Hz 3 phase		
<b>For models:</b>	MTF, MTR		
<b>spare parts for</b>	499327		
	<b>GEV No.</b>	<b>Ref. No.</b>	521079
			3102528
	fanwheel cover ø 155mm H 70mm plastic		





Зип Общепит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	500549	<b>Ref. No.</b>	3102065
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 2220 230V 50Hz 1 phase 0.73kW 1HP L 235mm rotation direction right capacitor 16µF FIR		
<b>For models:</b>	GS10, GS22, GS32, GS7, GS9		
<b>spare parts for</b>	500549		
	<b>GEV No.</b>	365021	<b>Ref. No.</b> —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	<b>GEV No.</b>	502007	<b>Ref. No.</b> —
	pump cover gasket		
	<b>GEV No.</b>	502014	<b>Ref. No.</b> 3102200
	pump cover FIR inlet ø 45mm outlet ø 40mm		
	<b>GEV No.</b>	510529	<b>Ref. No.</b> —
	impellor ø 103mm H 30mm shaft intake ø 9/8mm rotation direction right blades 6		
	<b>GEV No.</b>	510692	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 11mm slide ring ext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm		



1

<b>GEV No.</b>	500550	<b>Ref. No.</b>	3102260
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 3983 230V 50Hz 1 phase 0.37kW 0.5HP L 210mm rotation direction right capacitor 12.5µF FIR		
<b>For models:</b>	GS24		
<b>spare parts for</b>	500550		
	<b>GEV No.</b>	502014	<b>Ref. No.</b> 3102200
	pump cover FIR inlet ø 45mm outlet ø 40mm		



1

<b>GEV No.</b>	499277	<b>Ref. No.</b>	3102363
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 4261/1 230V 50Hz 1 phase 0.55kW L 210mm rotation direction right capacitor 12.5µF WINTERHALTER		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>GEV No.</b>	501461	<b>Ref. No.</b>	3102014 3102015 3102276
<b>description</b>	pump inlet ø 45mm outlet ø 40mm type 3911.1421 230V 50Hz 1 phase 0.55kW 0.75HP L 205mm rotation direction right capacitor 12.5µF FIR		
<b>For models:</b>	GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4		







Зип Общепит

vsezip

+7(812)987-08-81








1

<b>GEV No.</b>	500278	<b>Ref. No.</b>	5514011 5514085
<b>description</b>	pump inlet ø 57mm outlet ø 49mm type AF90L/2C-12 400V 50Hz 3 phase 2.7kW 3.7HP L 400mm rotation direction right FIR inlet ø 57mm outlet ø 49mm		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81, GS90		
<b>spare parts for</b>	500278		
	<b>GEV No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring 18.5/slide ring 20mm		
	<b>GEV No.</b>	510683	<b>Ref. No.</b> —
	O-ring EPDM thickness 3mm ID ø 79mm Qty 1 pcs		

<b>spare parts for</b>	501457		
<b>GEV No.</b>	510693	<b>Ref. No.</b>	—
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
<b>GEV No.</b>	524416	<b>Ref. No.</b>	3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		





1

<b>GEV No.</b>	501463	<b>Ref. No.</b>	3102019 3102028 3102086 3102087 3102263 3102268 3102269 3102270 3102364 3102411
<b>description</b>	pump inlet ø 63mm outlet ø 53mm type 1241.2780 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction left FIR		
<b>For models:</b>	GM170, GM85, GS10, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS7, GS70, GS71, GS9, KTS1900, KTS2400, MTF, MTR, STR, WBA, WKT1200, WKTS		
<b>spare parts for</b>	501463		
	<b>GEV No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet ø 63mm outlet ø 53mm supporting pressure 1/2" turn direction left ø 185mm ID ø 150mm inner height 37mm		
	<b>GEV No.</b>	510523	<b>Ref. No.</b> —
	fan wheel ø 142mm shaft intake ø 15mm blades 12		
	<b>GEV No.</b>	510612	<b>Ref. No.</b> —
	impellor ø 110mm H 34mm M8R		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	<b>GEV No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		



1

<b>GEV No.</b>	501457	<b>Ref. No.</b>	3102470
<b>description</b>	pump inlet ø 63mm outlet ø 53mm type 1204 230/400V 50Hz 3 phase 1.5kW 2HP L 328mm rotation direction left FIR		
<b>For models:</b>	GS501, GS502, GS515		
<b>spare parts for</b>	501457		
	<b>GEV No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet ø 63mm outlet ø 53mm supporting pressure 1/2" turn direction left ø 185mm ID ø 150mm inner height 37mm		
	<b>GEV No.</b>	510604	<b>Ref. No.</b> —
	impellor ø 118mm H 34mm M8R rotation direction left		

electric components



Зип Общепит

vsezip.ru

+7(812)987-08-81



<b>GEV No.</b>	501459	<b>Ref. No.</b>	3102089 3102265 3102419
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 1241/1 230/240V 50Hz 1 phase 1.1kW 1.5HP L 330mm rotation direction left capacitor 31.5 $\mu$ F FIR		
<b>For models:</b>	GM170, GM85, GS10, GS10-2, GS12, GS22, GS32, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS7, GS9		
<b>spare parts for</b>	501459		
	<b>GEV No.</b>	365016	<b>Ref. No.</b> —
	operating capacitor capacity 31.5 $\mu$ F 400V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 45mm L 95mm M8 plastic connection male faston 6.3mm protection		
	<b>GEV No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>GEV No.</b>	510612	<b>Ref. No.</b> —
	impellor $\varnothing$ 110mm H 34mm M8R		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ring ext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		
	<b>GEV No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		



<b>GEV No.</b>	501462	<b>Ref. No.</b>	3102090 3102091 3102277
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 2204/D 230V 50Hz 1 phase 0.73kW 1HP L 260mm rotation direction left capacitor 20 $\mu$ F FIR		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS501, GS502, GS515, GS8		
<b>spare parts for</b>	501462		
	<b>GEV No.</b>	365019	<b>Ref. No.</b> —
	operating capacitor capacity 20 $\mu$ F 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		
	<b>GEV No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ring ext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		
	<b>GEV No.</b>	521219	<b>Ref. No.</b> 3102231
	impellor $\varnothing$ 106mm H 27mm thread M8R shaft $\varnothing$ 28mm shaft length 10mm seat $\varnothing$ 12mm blades 6		
	<b>GEV No.</b>	524416	<b>Ref. No.</b> 3102209
	pump cover gasket thickness 4x4mm Qty 1 pcs		






Зип-Общепит

vsezip.ru

+7(812)987-08-81





1





<b>GEV No.</b>	499108	<b>Ref. No.</b>	3102392 3102573
<b>description</b>	pump inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm type 4205.2703 230/400V 50Hz 3 phase 1.38kW 1.85HP L 330mm rotation direction left FIR		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, MTF, MTR, WKTS		
<b>spare parts for</b>	499108		
	<b>GEV No.</b>	502013	<b>Ref. No.</b> 3102204
	pump cover FIR inlet $\varnothing$ 63mm outlet $\varnothing$ 53mm supporting pressure 1/2" turn direction left $\varnothing$ 185mm ID $\varnothing$ 150mm inner height 37mm		
	<b>GEV No.</b>	502122	<b>Ref. No.</b> 3102407
	impellor $\varnothing$ 119mm H 33mm M8R		
	<b>GEV No.</b>	510693	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 12mm slide ring ext. $\varnothing$ 24mm slide ring H 15.5mm slide ring int. $\varnothing$ 11mm counter ring mounting $\varnothing$ 24mm height counter ring 8mm counter ring int. $\varnothing$ 13.5mm		



1

<b>GEV No.</b>	501460	<b>Ref. No.</b>	3102037 3102040 3102332
<b>description</b>	pump outlet $\varnothing$ 27mm type 4186.1500 230V 50Hz 1 phase 0.25kW 0.33HP L 170mm rotation direction right capacitor 12.5 $\mu$ F FIR outlet $\varnothing$ 27mm		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4, GS40, GS61, GS70		
<b>spare parts for</b>	501460		
	<b>GEV No.</b>	502012	<b>Ref. No.</b> 3102215
	pump cover bottom part for wash pump		
	<b>GEV No.</b>	502015	<b>Ref. No.</b> 3102217
	impellor $\varnothing$ 86mm H 22mm shaft intake $\varnothing$ 9/8mm		

spare parts for 501460





	<b>GEV No.</b>	503147	<b>Ref. No.</b>	3102216
	pump cover gasket thickness 3.53mm ID $\varnothing$ 148.8mm Qty 1 pcs			
	<b>GEV No.</b>	510695	<b>Ref. No.</b>	—
	mechanical shaft seal height counter ring 5.5mm ID $\varnothing$ 11mm			
<b>accessories for</b>	501460			
	<b>GEV No.</b>	365014	<b>Ref. No.</b>	—
	operating capacitor capacity 12.5 $\mu$ F 450V tolerance 5%Hz ambient temperature max. -25 to +85°C $\varnothing$ 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection			
	<b>GEV No.</b>	521730	<b>Ref. No.</b>	2707024
	flange gasket EPDM thickness 5mm ID $\varnothing$ 155mm Qty 1 pcs			

HANNING

pumps



1

<b>GEV No.</b>	500279	<b>Ref. No.</b>	3102051 3102288 3102444 3102477
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-357 220/240V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5 $\mu$ F HANNING		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		
<b>spare parts for</b>	500279		
	<b>GEV No.</b>	365017	<b>Ref. No.</b> —
	operating capacitor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	<b>GEV No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 7mm height counter ring 5mm ID $\varnothing$ 6.75mm ED $\varnothing$ 20mm mounting $\varnothing$ counter ring 18.5/slide ring 20mm		
	<b>GEV No.</b>	524695	<b>Ref. No.</b> 3102466
	impellor $\varnothing$ 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		
	<b>GEV No.</b>	532644	<b>Ref. No.</b> 4004023
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		





electric components

Зип Общепит

vsezip.ru



+7(812)987-08-81





<b>GEV No.</b>	500571	<b>Ref. No.</b>	3102461 3102539 3102561 3102589
<b>description</b>	pump inlet $\varnothing$ 28mm outlet $\varnothing$ 26mm type UP60-442 200/240V 50/60Hz 1 phase 0.2/0.3kW 0.19HP L 190mm rotation direction left capacitor 5 $\mu$ F auxiliary pressure connection 12mm supporting pressure closed HANNING p max 1 bar Qmax. 160l/min		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	500571		
	<b>GEV No.</b>	365131	<b>Ref. No.</b> —
	capacitor capacity 5 $\mu$ F 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C $\varnothing$ 30mm L 60mm M8 aluminium connection male faston 6.3mm protection		
	<b>GEV No.</b>	507558	<b>Ref. No.</b> —
	mechanical shaft seal for shaft $\varnothing$ 7mm height counter ring 5mm ID $\varnothing$ 6.75mm ED $\varnothing$ 20mm mounting $\varnothing$ counter ring 18.5/slide ring 20mm		
	<b>GEV No.</b>	524695	<b>Ref. No.</b> 3102466
	impellor $\varnothing$ 72mm H 24mm rotation direction left thread M6L suitable for HANNING blades 6		
	<b>GEV No.</b>	532644	<b>Ref. No.</b> 4004023
	O-ring EPDM thickness 3mm ID $\varnothing$ 78mm Qty 1 pcs		

wash pump motors



<b>GEV No.</b>	499278	<b>Ref. No.</b>	30000167 WP60-149 + Zubeh÷r
<b>description</b>	pump kit 620W 200V 50Hz 3 phase connection coded plug WINTERHALTER L 155mm type WP60-149 shaft $\varnothing$ 12mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	499278		
	<b>GEV No.</b>	502060	<b>Ref. No.</b> 60003591
	gasket set for drain unit		
	<b>GEV No.</b>	502065	<b>Ref. No.</b> 60003593
	impellor set $\varnothing$ 95mm		




<b>GEV No.</b>	500975	<b>Ref. No.</b>	3102481 60003595
<b>description</b>	pump motor type WP60-122 670/730W 220/240V 50/60Hz 1 phase capacitor 10 $\mu$ F		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	500975		
	<b>GEV No.</b>	502065	<b>Ref. No.</b> 60003593
	impellor set $\varnothing$ 95mm		
	<b>GEV No.</b>	502083	<b>Ref. No.</b> 60003592
	impellor set $\varnothing$ 92mm		

booster pumps I



<b>GEV No.</b>	499274	<b>Ref. No.</b>	3102385
<b>description</b>	pump inlet $\varnothing$ 11.5 outlet $\varnothing$ 11.5 type PMP45DX 230V 50Hz 1 phase 0.4kW L 235mm rotation direction right LGB		
<b>For models:</b>	WKTS		



<b>GEV No.</b>	501520	<b>Ref. No.</b>	30000836
<b>description</b>	pump inlet $\varnothing$ 6mm outlet $\varnothing$ 6mm type C042206 220/240V 50/60Hz 1 phase 0.33kW L 130mm capacitor 7 $\mu$ F RPM		





drain pumps

Зип Ощепит

vsezip.ru

+7(812)987-08-81

HANNING



1

<b>GEV No.</b>	500547	<b>Ref. No.</b>	30012591 3102480
<b>description</b>	drain pump 65W 230V inlet ømm outlet ømm 50Hz type BE20B2-095 HANNING without lid		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	499275	<b>Ref. No.</b>	5528111
<b>description</b>	drain pump 70W 220-240V inlet ø 24mm outlet ø 24mm 50Hz type BE22B3-725 HANNING kit		
<b>For models:</b>	GS8		



1

<b>GEV No.</b>	499276	<b>Ref. No.</b>	5528159
<b>description</b>	drain pump 70W 220-240V inlet ø 24mm outlet ø 24mm 50Hz type BE22B3-725 HANNING kit		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		



1

<b>GEV No.</b>	501466	<b>Ref. No.</b>	3102010 3102050
<b>description</b>	drain pump 70W 230V inlet ø 24mm outlet ø 24mm 50Hz type BE22B3-725 HANNING		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23S, GS24, GS25, GS29, GS29B, GS4, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

miscellaneous



1

<b>GEV No.</b>	501588	<b>Ref. No.</b>	3102410
<b>description</b>	drain pump inlet ø 24mm outlet ø 24mm 230V 170W 50/60Hz		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

accessories



1

<b>GEV No.</b>	521015	<b>Ref. No.</b>	3102431
<b>description</b>	fan wheel shaft intake ø 7.7mm ø 78mm H 14mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

accessories

pump covers



1

<b>GEV No.</b>	521021	<b>Ref. No.</b>	3102243
<b>description</b>	pump cover inlet ø 62mm outlet ø 61mm suitable for FIR pump type 4276		
<b>For models:</b>	GR62-2, GR62-3, GR66, GR66-1, GS660, GS72, KTS1900, KTS2400, WBA, WKT1000		

pump cover gaskets



<b>GEV No.</b>	698509	<b>Ref. No.</b>	3102203
<b>description</b>	pump cover gasket thickness 4mm		
<b>For models:</b>	GS10, GS22, GS23, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS4, GS7, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

filters

interference suppression filters



<b>GEV No.</b>	365163	<b>Ref. No.</b>	3113072
<b>description</b>			
<b>For models:</b>	GR1221, GR1231, GR1321, GR62-2, GR62-3, GR66, GS100-1, GS41-5, GS42, GS72, WKT1000, WKT1200, WKTS		

condensators & interference suppression filters

operating capacitors

plastic



<b>GEV No.</b>	365202	<b>Ref. No.</b>	3113099
<b>description</b>	operating capacitor capacity 5µF 450V with plastic sheathing		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL...(Other models you can see in the webshop)		



<b>GEV No.</b>	365136	<b>Ref. No.</b>	3113112
<b>description</b>	interference suppression filter 250V 16A		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29B		



<b>GEV No.</b>	365164	<b>Ref. No.</b>	3113073
<b>description</b>	interference suppression filter type 56057000060 250VHz conductor 1 with E connection cable 100mm L 42mm ø 14mm Hmm Wmm plastic Qty 1 pcs 31.13.073		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS100-1, GS41-5, GS42, GS72, WKT1000, WKT1200, WKTS		


metal



<b>GEV No.</b>	365201	<b>Ref. No.</b>	3113120
<b>description</b>	operating capacitor capacity 10µF 450V with metal case tolerance 5% 50/60Hz ambient temperature max. 46°C ø 35mm L 77mm M8x1.25 aluminium connection male faston 6.3mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



<b>GEV No.</b>	365149	<b>Ref. No.</b>	3113114
<b>description</b>	interference suppression filter type K.0526015-3.3k 250V connection male faston 6.3mm cable length 100mm capacity 0.15µF 3.3KOhm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1200		



<b>GEV No.</b>	365162	<b>Ref. No.</b>	3113071
<b>description</b>	interference suppression filter type K0201020 250V 50Hz conductor 2 with E connection cable 150mm L 35mm ø 20mm Hmm Wmm plastic Qty 1 pcs		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS235, GS24, GS41-1, GS41-4, GS41-4S, GS8		






Зип Общежит

vsezip.ru


+7(812)987-08-81


			
<b>GEV No.</b>	365144	<b>Ref. No.</b>	3113077 3113078
<b>description</b>	interference suppression filter type K042202754 275V 50-60Hz conductor 2 with E connection cable 150mm L 35mm ø 25mm Hmm Wmm plastic Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR		


			
<b>GEV No.</b>	698511	<b>Ref. No.</b>	3111048
<b>description</b>	screw cap suitable fuse ø 15.2mm mounting ømm thread M9x1 6.3A rated 250V connection		
<b>For models:</b>	GM170, GM85, GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, H52		

fuses

fine fuses

			
<b>GEV No.</b>	358696	<b>Ref. No.</b>	3111123
<b>description</b>	fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


			
<b>GEV No.</b>	550468	<b>Ref. No.</b>	3109063
<b>description</b>	fuse holder suitable fuse ø5x20mm 6.3A rated 600V		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1221, GR1231, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23, GS23H, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS34, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515...(Other models you can see in the webshop)		


			
<b>GEV No.</b>	358697	<b>Ref. No.</b>	3111043
<b>description</b>	fine fuse size ø5x20mm 6.3A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	AirCon, BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40...(Other models you can see in the webshop)		


electric accessories

cables


cable harnesses

			
<b>GEV No.</b>	699222	<b>Ref. No.</b>	70007782
<b>description</b>	cable harness 6-pole L 1700mm		
<b>For models:</b>	MTF, MTR		

			
<b>GEV No.</b>	358608	<b>Ref. No.</b>	3111093
<b>description</b>	fine fuse size ø5x20mm 10A slow-acting rated 250V Qty 10 pcs		
<b>For models:</b>	GR1210, GR1220, GR1230, GR1410, GR1420, GR1430, GS10, GS100, GS22, GS32, GS405, GS41, GS62, GS63, GS64, GS65, GS7, GS71, GS80, GS9, GS90		

			
<b>GEV No.</b>	551059	<b>Ref. No.</b>	60003185
<b>description</b>	cable harness for softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		


miscellaneous


			
<b>GEV No.</b>	403267	<b>Ref. No.</b>	60003178
<b>description</b>	connecting cable L 1530m connection coded plug		
<b>For models:</b>	GS202, GS402		

electric components

Зип.Общепит

support for filter holder


1 			
<b>GEV No.</b>	403055	<b>Ref. No.</b>	60003355 61005025 65005010 70300408 82000120
<b>description</b>	connection cable for differential pressure transmitter L 0.38 m		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

1 			
<b>GEV No.</b>	527727	<b>Ref. No.</b>	2101310
<b>description</b>	nut thread M5 H 5mm SS WS 8 Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS		

## terminals and connectors


## not insulated

## female fastons with piggyback

1 			
<b>GEV No.</b>	550047	<b>Ref. No.</b>	3112018
<b>description</b>	double male faston size 6.3x0.8mmmm <sup>2</sup> brass t.max. 110°C Qty 100 pcs		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1200		

## terminals

## connection terminals with screw connection


1 			
<b>GEV No.</b>	347166	<b>Ref. No.</b>	3109227
<b>description</b>	connection terminal 4-pole max. 65A max 600V cross section 10mm <sup>2</sup>		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR, WKT1200		


## for dishwashers


## drain and intake components


## WINTERHALTER


## drain /intake bodies

1 			
<b>GEV No.</b>	502170	<b>Ref. No.</b>	62001497
<b>description</b>	adapter thread 1 1/2" ø 50mm L 100mm for drain assembly		
<b>For models:</b>	GS24, GS29, GS29B, STR		

1 			
<b>GEV No.</b>	504394	<b>Ref. No.</b>	61004974
<b>description</b>	cap for drain unit thread 3/4" H 24mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR		

1 			
<b>GEV No.</b>	517763	<b>Ref. No.</b>	2904247
<b>description</b>	connection angle L 63mm thread 1 1/4" brass		
<b>For models:</b>	GS25, GS28, GS4, GS42		


1 			
<b>GEV No.</b>	502128	<b>Ref. No.</b>	61004905 61006178
<b>description</b>	drain fitting ED ø 41mm H 69mm ID ø 71mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

1 			
<b>GEV No.</b>	517689	<b>Ref. No.</b>	60001604 62001805
<b>description</b>	drain fitting ED ø 87mm ID ø 35mm hose ø 40mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

## equipmentspecific units

## grinding burrs

## screws


1 			
<b>GEV No.</b>	560365	<b>Ref. No.</b>	2010010 2010310
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS29, GS29B, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS630-McDonalds, GS7, GS72, GS8, GS9, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1000, WKTS		





Зип Общепит


vsezip.ru


+7(812)98708888


			
1			
<b>GEV No.</b>	502124	<b>Ref. No.</b>	62001146 62003153
<b>description</b>	drain fitting hose $\varnothing$ DN40mm with gasket		
<b>For models:</b>	GS24		


			
1			
<b>GEV No.</b>	517536	<b>Ref. No.</b>	2904270
<b>description</b>	drain fitting kit ED $\varnothing$ 121mm H 92mm		
<b>For models:</b>	Drain-set		


			
1			
<b>GEV No.</b>	517540	<b>Ref. No.</b>	2904201 2904202
<b>description</b>	drain fitting thread 1 1/4" ED $\varnothing$ 55mm ID $\varnothing$ 34mm		
<b>For models:</b>	GS10, GS100, GS100-1, GS22, GS23, GS25, GS27, GS27B, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9		


			
1			
<b>GEV No.</b>	517539	<b>Ref. No.</b>	2904228
<b>description</b>	drain fitting thread 1 1/4" ED $\varnothing$ 64mm ID $\varnothing$ 34mm L 62mm WS 45		
<b>For models:</b>	GS28, GS42		


			
1			
<b>GEV No.</b>	517538	<b>Ref. No.</b>	2904223 2904224
<b>description</b>	drain fitting thread 1 1/2" ED $\varnothing$ 70mm ID $\varnothing$ 39mm		
<b>For models:</b>	GR1200, GR1400, GS90, WKT1200		


			
1			
<b>GEV No.</b>	524541	<b>Ref. No.</b>	2904212
<b>description</b>	drain fitting with gasket and nut thread 1 1/2" ED $\varnothing$ 70mm ID $\varnothing$ 37mm L 43mm WS 60		
<b>For models:</b>	GS62, GS63, GS64, GS65, KTS1900, KTS2400, WBA, WKTS		


			
1			
<b>GEV No.</b>	524844	<b>Ref. No.</b>	61005185
<b>description</b>	drain unit complete ED $\varnothing$ 49mm H 120mm ID $\varnothing$ 41mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR		

			
1			
<b>GEV No.</b>	502162	<b>Ref. No.</b>	61005186
<b>description</b>	drain unit H 88mm hose $\varnothing$ 16/24mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

			
1			
<b>GEV No.</b>	502195	<b>Ref. No.</b>	3501080
<b>description</b>	drain unit thread 1 1/2" ED $\varnothing$ 40mm ID $\varnothing$ 33mm hose $\varnothing$ 21mm		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23S, GS24, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS81, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	502164	<b>Ref. No.</b>	2701027
<b>description</b>	gasket ED $\varnothing$ 45mm ID $\varnothing$ 23mm for drain assembly		
<b>For models:</b>	GS24, GS29, GS29B		

			
1			
<b>GEV No.</b>	504416	<b>Ref. No.</b>	62001749
<b>description</b>	gasket ED $\varnothing$ 83.5mm ID $\varnothing$ 52mm rubber hole distance 34mm thickness 2mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		

			
1			
<b>GEV No.</b>	502060	<b>Ref. No.</b>	60003591
<b>description</b>	gasket set for drain unit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


mechanical components, equipment accessories





Зип Общепит


vsezip.ru


+7(812)98570831


			
1			
<b>GEV No.</b>	502127	<b>Ref. No.</b>	3501155 5531001
<b>description</b>	inlet tap complete		
<b>For models:</b>	GKTS2600, GR1200, GR1221, GR1231, GR1321, GR1400, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS81, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds...(Other models you can see in the webshop)		


			
1			
<b>GEV No.</b>	502136	<b>Ref. No.</b>	61002211 61006592
<b>description</b>	inlet valve thread 1 1/4" ED ø 55mm H 43mm hose ø 38mm		
<b>For models:</b>	BAVARIA2000, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		

			
1			
<b>GEV No.</b>	517807	<b>Ref. No.</b>	60004467
<b>description</b>	intake body ED ø 95mm H 22mm ID ø 89mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	524473	<b>Ref. No.</b>	61005268
<b>description</b>	nut with gasket H 16mm for drain assembly		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		

			
1			
<b>GEV No.</b>	532604	<b>Ref. No.</b>	2707075
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 91.67mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		


			
1			
<b>GEV No.</b>	532542	<b>Ref. No.</b>	2707008
<b>description</b>	O-ring EPDM thickness 4.5mm ID ø 29.5mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		


			
1			
<b>GEV No.</b>	502243	<b>Ref. No.</b>	62003437
<b>description</b>	pipe clamp for drain unit ø 175mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	511964	<b>Ref. No.</b>	30000169
<b>description</b>	pump sump		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	502059	<b>Ref. No.</b>	60003597
<b>description</b>	pump sump lower		
<b>For models:</b>	GS202, GS215, GS402		

			
1			
<b>GEV No.</b>	502082	<b>Ref. No.</b>	60003620
<b>description</b>	pump sump lower/upper		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		

			
1			
<b>GEV No.</b>	502160	<b>Ref. No.</b>	60003259
<b>description</b>	screen ED ø 137mm H 49mm for drain unit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

			
1			
<b>GEV No.</b>	517413	<b>Ref. No.</b>	62003346
<b>description</b>	water inlet kit ED ø 70mm upper ID ø 41mm H 50mm		
<b>For models:</b>	GS202, GS215, GS402		




Зип Общепит

vsezip.ru


+7(812)987-08-81

filters



1

<b>GEV No.</b>	519468	<b>Ref. No.</b>	60003039
<b>description</b>	filter H 110mm L 135mm W 65mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	502231	<b>Ref. No.</b>	61005181 61006262
<b>description</b>	filter with handle H 105mm L 280mm W 100mm plastic rectangular		
<b>For models:</b>	GR64, GR65, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, WKTS		



1

<b>GEV No.</b>	517529	<b>Ref. No.</b>	61003085
<b>description</b>	flat filter for dishwasher H 19mm L 510mm W 225mm SS		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS42, WKT1000		




1

<b>GEV No.</b>	517530	<b>Ref. No.</b>	61004703
<b>description</b>	flat filter for dishwasher H 29mm L 545mm W 293mm SS		
<b>For models:</b>	GR64, GR65, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds		




1

<b>GEV No.</b>	502121	<b>Ref. No.</b>	62001881 620018812 62001943
<b>description</b>	flat filter H 11mm L 300mm W 110mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		




1

<b>GEV No.</b>	502126	<b>Ref. No.</b>	62001882 620018882
<b>description</b>	flat filter H 18mm L 300mm W 127mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		




1

<b>GEV No.</b>	502173	<b>Ref. No.</b>	62003282 62003614
<b>description</b>	flat filter H 18mm L 437mm W 201mm		
<b>For models:</b>	GS202, GS402		




1

<b>GEV No.</b>	502210	<b>Ref. No.</b>	62001214
<b>description</b>	flat filter H 31mm L 334mm W 300mm		
<b>For models:</b>	GS24		



1

<b>GEV No.</b>	502108	<b>Ref. No.</b>	61004907
<b>description</b>	flat filter H 45mm L 273mm W 291mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502066	<b>Ref. No.</b>	60003414 60003435 60004142
<b>description</b>	flat filter L 550mm W 240mm		
<b>For models:</b>	GS215, GS302, GS310, GS315		

mechanical components, equipment accessories





Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	517827	<b>Ref. No.</b>	61007009
<b>description</b>	intake filter for dishwasher		



1

<b>GEV No.</b>	517541	<b>Ref. No.</b>	5513004
<b>description</b>	intake filter for dishwasher ø 226mm H 113mm SS		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GR62-2, GR62-3, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS72, GS80, GS81		



1

<b>GEV No.</b>	502151	<b>Ref. No.</b>	62001956
<b>description</b>	intake filter ø 72mm for dishwasher		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, STR, WKT1200		



1

<b>GEV No.</b>	524910	<b>Ref. No.</b>	60004466
<b>description</b>	round filters ø 138mm H 63.5mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




1

<b>GEV No.</b>	524646	<b>Ref. No.</b>	61004701 65005555
<b>description</b>	screen for drain unit ø 70mm H 24mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		



1

<b>GEV No.</b>	507573	<b>Ref. No.</b>	60004463
<b>description</b>	screen ø 100mm H 151mm overall height 172mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	517806	<b>Ref. No.</b>	61006875
<b>description</b>	strainer insert ø 180mm H 95mm		

## overflow pipes



1

<b>GEV No.</b>	517755	<b>Ref. No.</b>	70004632
<b>description</b>	base part kit ø 87mm ID ø 35mm H 34mm for overflow pipe		
<b>For models:</b>	WKTS		

<b>spare parts for</b>	517755		
	<b>GEV No.</b>	<b>Ref. No.</b>	
	517754	70003386	
	base part ø 87mm ID ø 35mm H 34mm for overflow pipe		



1

<b>GEV No.</b>	517754	<b>Ref. No.</b>	70003386
<b>description</b>	base part ø 87mm ID ø 35mm H 34mm for overflow pipe		
<b>For models:</b>	WKTS		



1


<b>GEV No.</b>	517741	<b>Ref. No.</b>	2904215 2904231
<b>description</b>	overflow pipe L 113mm ø 37mm plastic ID ø 32mm		
<b>For models:</b>	GS10, GS22, GS23, GS23H, GS23S, GS25, GS27, GS32, GS4, GS7, GS9		





Зип Общепит


vsezip.ru


+7(812)987-08-81


			
1			
<b>GEV No.</b>	507452	<b>Ref. No.</b>	62001147
<b>description</b>	overflow pipe L 131mm ø 25mm		
<b>For models:</b>	GS24		


			
1			
<b>GEV No.</b>	517687	<b>Ref. No.</b>	2904251 65003719
<b>description</b>	overflow pipe L 258mm ø 37mm plastic ID ø 31mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS12, GS34		


			
1			
<b>GEV No.</b>	502152	<b>Ref. No.</b>	2904232 62002648
<b>description</b>	overflow pipe L 165mm ø 37mm		
<b>For models:</b>	GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS4, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


			
1			
<b>GEV No.</b>	502207	<b>Ref. No.</b>	61002517
<b>description</b>	overflow pipe L 290mm ø 37mm total length 320mm		
<b>For models:</b>	GS72		

			
1			
<b>GEV No.</b>	517688	<b>Ref. No.</b>	62002768
<b>description</b>	overflow pipe L 165mm ø 37mm plastic ID ø 31mm		
<b>For models:</b>	GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>GEV No.</b>	502159	<b>Ref. No.</b>	61004900
<b>description</b>	overflow pipe L 390mm ø 37mm		
<b>For models:</b>	GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	502235	<b>Ref. No.</b>	2904203 2904250
<b>description</b>	overflow pipe L 185mm ø 37mm total length 225mm		
<b>For models:</b>	GS10, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS7, GS9		

			
1			
<b>GEV No.</b>	502192	<b>Ref. No.</b>	2904229 2904506
<b>description</b>	screen L 185mm ø 59mm ID ø 54mm for overflow pipe		
<b>For models:</b>	GR62-2, GR62-3, GS10-2, GS12, GS23H, GS23S, GS28, GS34, GS42, GS8		

			
1			
<b>GEV No.</b>	517740	<b>Ref. No.</b>	2904204 2904258
<b>description</b>	overflow pipe L 240mm ø 37mm		
<b>For models:</b>	GS100, GS100-1, GS40, GS40S, GS41, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS80		



Зип Общепит

vsezip.ru

+7(812)987-08-81

## containers

## container lids



1

<b>GEV No.</b>	502138	<b>Ref. No.</b>	60004894 83000407 83000496
<b>description</b>	lid for salt tank suitable for WINTERHALTER with gasket		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	502080	<b>Ref. No.</b>	60003646 60003747
<b>description</b>	container for detergent and rinse aid		
<b>For models:</b>	GS215, GS302, GS310, GS315		

## dosing containers



1

<b>GEV No.</b>	502156	<b>Ref. No.</b>	62001212 62001292
<b>description</b>	cleaner container L 300mm W 47mm H 190mm 1.8l		
<b>For models:</b>	GS235, GS24, GS29, GS29B		



1

<b>GEV No.</b>	524633	<b>Ref. No.</b>	30000117
<b>description</b>	dosing container L 525mm W 170mm H 44mm detergent/rinse aid		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

## accessories



1

<b>GEV No.</b>	504415	<b>Ref. No.</b>	60003330
<b>description</b>	sticker detergent white L 65mm W 28mm		
<b>For models:</b>	ESP166, GS202, GS215, GS302, GS310, GS315, GS402, KSP16, SP166L, SP166Z		



1

<b>GEV No.</b>	502176	<b>Ref. No.</b>	60003647 60003746
<b>description</b>	cleaner container suitable for WINTERHALTER		
<b>For models:</b>	GS202, GS402		



1

<b>GEV No.</b>	504414	<b>Ref. No.</b>	60003310
<b>description</b>	sticker rinse aid blue L 65mm W 28mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, KSP16, SP166L, SP166Z		



Зип Общепит

vsezip.ru

+7(812)987-08-81

boilers

boilers for dishwashers



1

<b>GEV No.</b>	502052	<b>Ref. No.</b>	5512031 5512032
<b>description</b>	boiler		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WKT1000, WKTS		



1

<b>GEV No.</b>	502194	<b>Ref. No.</b>	61006113
<b>description</b>	boiler ø 199mm L 376mm flange 3 hole flange		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502096	<b>Ref. No.</b>	61005193
<b>description</b>	boiler ø 200mm L 375mm		
<b>For models:</b>	GS501, GS502, GS515		

accessories



1

<b>GEV No.</b>	502117	<b>Ref. No.</b>	5509054
<b>description</b>	connecting fitting for boiler U-shape ø 12mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS71, GS72, GS80, GS81, GS9, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		

<b>GEV No.</b>	517828	<b>Ref. No.</b>	30000116
<b>description</b>	connecting fitting for boiler with gasket and nut hose ø DN13mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	502129	<b>Ref. No.</b>	5509055
<b>description</b>	supply tube for boiler L-shape ø 12mm		
<b>For models:</b>	GR62-2, GR62-3, GR66, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS34, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

gaskets



1

<b>GEV No.</b>	517829	<b>Ref. No.</b>	2710022
<b>description</b>	shaft sealing 9.7 ED ø 18mm H 6mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

flow controllers



1

<b>GEV No.</b>	521043	<b>Ref. No.</b>	30013323 3205006 3205035 70001753 70010787 70011176
<b>description</b>	flow controller flow rate 2-8l/min brass hose ø 14mm operation p max 10bar t.max. 100°C L 180mm EPDM		
<b>For models:</b>	BAVARIA2000, MTF, MTR, STR, WBA, WKT1200, WKTS		



1

<b>GEV No.</b>	503172	<b>Ref. No.</b>	30000272
<b>description</b>	flow controller flow rate up to 3.5l/min brass hose ø 3/4"mm t.max. 100°C L 80mm		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81



1



<b>GEV No.</b>	521050	<b>Ref. No.</b>	30000213 3205015 3205034
<b>description</b>	flow controller kit flow rate 1-3.5l/min brass hose ø 14mm operation p max 10bar t.max. 100°C L 180mm EPDM hose length 2000mm		
<b>For models:</b>	MTF, MTR		

## softener cartridges

## complete



1

<b>GEV No.</b>	502067	<b>Ref. No.</b>	83000420
<b>description</b>	softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>accessories for</b>	502067		
	<b>GEV No.</b>	502138	<b>Ref. No.</b>
			60004894 83000407 83000496
	lid for salt tank suitable for WINTERHALTER with gasket		
	<b>GEV No.</b>	524637	<b>Ref. No.</b>
			60003376
	ring spanner for softener lid WS 61 L 195mm		

## accessories



1

<b>GEV No.</b>	551059	<b>Ref. No.</b>	60003185
<b>description</b>	cable harness for softener		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



<b>GEV No.</b>	524637	<b>Ref. No.</b>	60003376
<b>description</b>	ring spanner for softener lid WS 61 L 195mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


## housing and bezels

## fastening angles



1

<b>GEV No.</b>	524689	<b>Ref. No.</b>	60003351 60003660
<b>description</b>	fixing plate for electronics plastic L 356mm W 280mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, STR		



1

<b>GEV No.</b>	502198	<b>Ref. No.</b>	60003688
<b>description</b>	fixing plate plastic L 170mm W 110mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

## fascias



1

<b>GEV No.</b>	504417	<b>Ref. No.</b>	60001695
<b>description</b>	bezel dishwasher GS 41/4 silver/blue suitable for WINTERHALTER L 521mm W 25mm		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S		






Зип-Общепит



housing

vsezip.ru

(812)987-08-81

			
1			
<b>GEV No.</b>	697989	<b>Ref. No.</b>	61002069 61002160
<b>description</b>	front panel for dishwasher W 530mm H 112mm suitable for WINTERHALTER plastic		
<b>For models:</b>	BAVARIA2000, GS41-1, GS41-4, GS41-4S, WKT1000		


			
1			
<b>GEV No.</b>	502234	<b>Ref. No.</b>	60001720
<b>description</b>	housing for switch box plastic L 350mm W 180mm H 58mm		
<b>For models:</b>	GS10-2, GS14, GS14E, GS15, GS15E, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


			
1			
<b>GEV No.</b>	502185	<b>Ref. No.</b>	5519100 60001802
<b>description</b>	switch panel GS14/15 L 598mm W 30mm H 57mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		

			
1			
<b>GEV No.</b>	502233	<b>Ref. No.</b>	62001659
<b>description</b>	lid for switch box plastic L 355mm W 180mm H 50mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS28, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>GEV No.</b>	502153	<b>Ref. No.</b>	5519101
<b>description</b>	switch panel GS24 L 455mm H 60mm		
<b>For models:</b>	GS23S, GS24		

			
1			
<b>GEV No.</b>	502154	<b>Ref. No.</b>	5519078 62001803
<b>description</b>	switch panel GS29 L 600mm H 60mm		
<b>For models:</b>	GS29, GS29B		

<p>miscellaneous</p> 			
1			
<b>GEV No.</b>	502147	<b>Ref. No.</b>	62001802
<b>description</b>	bezel		
<b>For models:</b>	GS29, GS29B		


			
1			
<b>GEV No.</b>	502186	<b>Ref. No.</b>	61004233
<b>description</b>	switch panel L 253mm W 14mm H 73mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS41-5, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



Зип Общепит


vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502148	<b>Ref. No.</b>	62001381 62001761
<b>description</b>	cover for dishwasher L 428mm W 185mm		
<b>For models:</b>	GS23S, GS24		




1

<b>GEV No.</b>	502180	<b>Ref. No.</b>	2208502
<b>description</b>	gasket ID ø 4.3mm ED ø 9mm thickness 2.7mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS28, GS29, GS29B, ZU22		




1

<b>GEV No.</b>	504419	<b>Ref. No.</b>	65004668
<b>description</b>	guide bar plastic L 745mm W 33.75mm ID ø 39mm		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds		




1

<b>GEV No.</b>	502088	<b>Ref. No.</b>	60003778
<b>description</b>	lever with screw for front panel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		





1

<b>GEV No.</b>	502068	<b>Ref. No.</b>	60003643
<b>description</b>	magnet holder		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	502090	<b>Ref. No.</b>	60003952
<b>description</b>	magnet holder with magnet for front panel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	502090		
	<b>GEV No.</b>	524519	<b>Ref. No.</b>
			60003658
	screw for magnet holder plastic L 37mm W 28mm thread M12x1.75		




1

<b>GEV No.</b>	502174	<b>Ref. No.</b>	2113006
<b>description</b>	nut for magnet holder thread M8		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		




1

<b>GEV No.</b>	502094	<b>Ref. No.</b>	61005849
<b>description</b>	pipe for cable L 650mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	524519	<b>Ref. No.</b>	60003658
<b>description</b>	screw for magnet holder plastic L 37mm W 28mm thread M12x1.75		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		
<b>accessories for</b>	524519		
	<b>GEV No.</b>	502090	<b>Ref. No.</b>
			60003952
	magnet holder with magnet for front panel		

mechanical components, equipment accessories



Зип Общежит

hood handles


vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502092	<b>Ref. No.</b>	60003350
<b>description</b>	support for display		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		



1

<b>GEV No.</b>	502061	<b>Ref. No.</b>	61005204 61008983
<b>description</b>	hood handle		
<b>For models:</b>	GS501, GS502, GS515		

model name plates



1


<b>GEV No.</b>	502244	<b>Ref. No.</b>	2803410 62003678
<b>description</b>	sign for dishwasher „winterhalter GS 215“ L 127mm W 35mm thickness 0.18mm		
<b>For models:</b>	GS215		

rollers



1

<b>GEV No.</b>	502107	<b>Ref. No.</b>	61005202
<b>description</b>	roller kit hood mechanics ø 40mm hole ø 14mm W 19mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502245	<b>Ref. No.</b>	2803399 60004381
<b>description</b>	sign for dishwasher „winterhalter GS 302“ L 127mm W 35mm thickness 0.18mm		
<b>For models:</b>	GS215, GS302, GS310, GS315		




1

<b>GEV No.</b>	524474	<b>Ref. No.</b>	61005206
<b>description</b>	roller set ø 40mm H 19mm for hood guide hole ø 14mm		
<b>For models:</b>	GS501, GS502, GS515		

hood mechanics for dishwashers

springs



1

<b>GEV No.</b>	502199	<b>Ref. No.</b>	61005514 61006636
<b>description</b>	tension spring set ø 37mm total length 745mm wire gauge ø 6.2mm L1 1001mm L2 1570mm Qty 2 pcs		
<b>For models:</b>	GS502, GS515		



1

<b>GEV No.</b>	502071	<b>Ref. No.</b>	61005333
<b>description</b>	roller set ø 40mm H 19mm for hood linkage		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502072	<b>Ref. No.</b>	61005203
<b>description</b>	roller set ø 43mm H 21mm for hood linkage		
<b>For models:</b>	GS501, GS502, GS515		



Зип-Общепит

vsezip.ru

+7(812)987-08-81

## miscellaneous



1

<b>GEV No.</b>	698555	<b>Ref. No.</b>	4006004
<b>description</b>	buffer ED ø 20mm L 25mm thread M6x18 for GS72		
<b>For models:</b>	GS100, GS100-1, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS70, GS71, GS72, GS80, GS81		



1

<b>GEV No.</b>	524537	<b>Ref. No.</b>	61004866
<b>description</b>	plug for hood mechanics plastic		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	524542	<b>Ref. No.</b>	61005256
<b>description</b>	rubber pad for basket holder L 40mm W 40mm H 4.5mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502091	<b>Ref. No.</b>	61005559
<b>description</b>	rubber pad L 63mm H 17.5mm W 63mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502179	<b>Ref. No.</b>	5528192 62001246 62002546
<b>description</b>	set for hood mechanics		
<b>For models:</b>	GS24, GS29, GS29B		



1

<b>GEV No.</b>	524521	<b>Ref. No.</b>	61005048 61009030
<b>description</b>	snap-in brake for hood mechanics L 121mm H 14mm W 15mm		
<b>For models:</b>	GS501, GS502, GS515		

## basket guides

## basket holders



1

<b>GEV No.</b>	971145	<b>Ref. No.</b>	61005519 61006030
<b>description</b>	basket support L 610m W 576mm H 72mm mounted		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	699223	<b>Ref. No.</b>	70300162
<b>description</b>	profile L 115m W 20mm H 9mm		
<b>For models:</b>	STR		

## actuators



1

<b>GEV No.</b>	698556	<b>Ref. No.</b>	70010601
<b>description</b>	mixer coupling for basket transport L 64mm W 35mm H 4mm		
<b>For models:</b>	MTR, STR		

## miscellaneous



1

<b>GEV No.</b>	524542	<b>Ref. No.</b>	61005256
<b>description</b>	rubber pad for basket holder L 40mm W 40mm H 4.5mm		
<b>For models:</b>	GS501, GS502, GS515		






Зип Общепит

vsezip.ru

+7(812)987-08-81

air traps


air traps



<b>GEV No.</b>	511442	<b>Ref. No.</b>	3501073 5504024
<b>description</b>	air trap		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		



<b>GEV No.</b>	511443	<b>Ref. No.</b>	3501152 5504030
<b>description</b>	air trap		
<b>For models:</b>	GS10-2, GS12, GS24, GS29, GS34, GS8, KTS1900, KTS2400, WKT1200, WKTS		




<b>GEV No.</b>	698508	<b>Ref. No.</b>	4007024
<b>description</b>	air trap L 140mm ø 33mm plastic		
<b>For models:</b>	GM170, GM85		



<b>GEV No.</b>	502062	<b>Ref. No.</b>	30000114 60003525
<b>description</b>	air trap L 75mm thread 3/4" hose ø 6mm		
<b>For models:</b>	GR62-2, GR62-3, GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

mechanics for flight type dishwashers



<b>GEV No.</b>	524543	<b>Ref. No.</b>	70200382
<b>description</b>	connector single DIN/ISO splitting links 1 L 57mm internal width 17mm rollerømm plastic		
<b>For models:</b>	KTS1900, KTS2400, WKT1000		

<b>GEV No.</b>	521849	<b>Ref. No.</b>	70006550
<b>description</b>	guide for transport system L 100mm W 20mm H 9mm hole ø 3.5mm suitable for WINTERHALTER		
<b>For models:</b>	MTR		

backflow preventers

backflow preventers



<b>GEV No.</b>	502196	<b>Ref. No.</b>	3501194 62001221
<b>description</b>	backflow preventer connection 3/8" hose ø 13mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		



<b>GEV No.</b>	502123	<b>Ref. No.</b>	3501193
<b>description</b>	backflow preventer hose ø 13mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR63, GR63-1, GR64, GR65, GR66-1, GS100-1, GS10-2, GS12, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS71, GS72, GS8, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKTS		



<b>GEV No.</b>	502104	<b>Ref. No.</b>	60003514
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	502104		

<b>GEV No.</b>	532058	<b>Ref. No.</b>	2707005 2707026 2707066 2707067 2707087
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 23.81mm Qty 10 pcs		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502120	<b>Ref. No.</b>	60003846
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		



1

<b>GEV No.</b>	524874	<b>Ref. No.</b>	60004391
<b>description</b>	backflow preventer kit		
<b>For models:</b>	GS215, GS302, GS310, GS315		



1

<b>GEV No.</b>	502183	<b>Ref. No.</b>	60003511 62003680
<b>description</b>	conversion kit for back flow restrictor		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		

## accessories



1

<b>GEV No.</b>	524639	<b>Ref. No.</b>	61005911
<b>description</b>	extension for back flow restrictor H 21mm WS 36 plastic		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		



<b>GEV No.</b>	502181	<b>Ref. No.</b>	61004545 70000188
<b>description</b>	set for back flow restrictor		
<b>For models:</b>	BAVARIA2000, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		

## miscellaneous



1

<b>GEV No.</b>	524523	<b>Ref. No.</b>	70200383
<b>description</b>	bolt for dishwasher L 30mm D1 ø 6mm D2 ø 8mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR, WKT1000		



1

<b>GEV No.</b>	504411	<b>Ref. No.</b>	3126036
<b>description</b>	gasket H 14mm D1 ø 26mm D2 ø 19mm ID ø 16mm		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS650, GS660, GS72, GSR36, GSR36E, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	524545	<b>Ref. No.</b>	2907220 2907300
<b>description</b>	olive for boiler L 10mm D1 ø 15mm D2 ø 12mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS27B, GS29, GS32, GS40, GS40S, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, GSR36...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	524647	<b>Ref. No.</b>	61004430 61005339
<b>description</b>	water inlet for tank kit plastic for WINTERHALTER		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR63, GR63-1, GS10-2, GS41-3, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS8, GS81, MTF, MTR, STR, WKT1000, WKT1200, WKTS		



Зип Общепит

vsezip.ru

+7(812)987-08381

door mechanics

bolts



1

<b>GEV No.</b>	502206	<b>Ref. No.</b>	60003147
<b>description</b>	door bolt ø 7mm L 17mm thread M5 stainless steel		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

bushes



1

<b>GEV No.</b>	699221	<b>Ref. No.</b>	70006549
<b>description</b>	bush ED ø 15mm ID ø 5mm L 9.5mm		
<b>For models:</b>	MTR		


springs

sheet springs



1

<b>GEV No.</b>	518137	<b>Ref. No.</b>	60003216 60003743
<b>description</b>	sheet spring repair set mounting pos. left/right L 73mm W 9mm		
<b>For models:</b>	GS202, GS215, GS402		



1

<b>GEV No.</b>	518138	<b>Ref. No.</b>	62003595
<b>description</b>	sheet spring repair set mounting pos. right/left L 77mm W 9mm		
<b>For models:</b>	GS202, GS215, GS402		

torsion springs



1

<b>GEV No.</b>	502166	<b>Ref. No.</b>	62001189
<b>description</b>	torsion spring ø 18mm L2 65mm wire gauge ø 3mm mounting pos. right L1 18mm L3 65mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>GEV No.</b>	502133	<b>Ref. No.</b>	62001190
<b>description</b>	torsion spring ø 18mm L2 70mm wire gauge ø 3mm mounting pos. left L1 10mm L3 70mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

sliding plates



1

<b>GEV No.</b>	524694	<b>Ref. No.</b>	60003569
<b>description</b>	sliding plate mounting pos. left/right plastic for container L 50mm W 28mm H 12.5mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

rollers



1

<b>GEV No.</b>	502130	<b>Ref. No.</b>	5528193
<b>description</b>	roller set with spring mounting pos. left/right		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

hinges



1

<b>GEV No.</b>	502172	<b>Ref. No.</b>	62001433
<b>description</b>	bush for door spring ø 20/11.5mm L 8mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>GEV No.</b>	518135	<b>Ref. No.</b>	60003994
<b>description</b>	door hinge mounting pos. left kit for dishwasher L 160mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



Зип.Общепит

door seals

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	519581	<b>Ref. No.</b>	62001618
<b>description</b>	door seal L 1000mm W 10mm silicone		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		

1

<b>GEV No.</b>	901498	<b>Ref. No.</b>	30000316 62003065
<b>description</b>	door seal L 433mm W 368mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	GS202, GS402		

1

<b>GEV No.</b>	901497	<b>Ref. No.</b>	30000318 62003754
<b>description</b>	door seal L 435mm W 370mm for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-S		

<b>GEV No.</b>	518136	<b>Ref. No.</b>	60003995
<b>description</b>	door hinge mounting pos. right kit for dishwasher L 100mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		

<b>GEV No.</b>	501439	<b>Ref. No.</b>	62003596
<b>description</b>	door hinge set		
<b>For models:</b>	GS202, GS402		

<b>GEV No.</b>	519526	<b>Ref. No.</b>	3501151
<b>description</b>	door hinge WINTERHALTER		
<b>For models:</b>	GS10-2, GS12, GS34, GS8		

<b>GEV No.</b>	502208	<b>Ref. No.</b>	62001837
<b>description</b>	hinge mounting pos. left complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

<b>GEV No.</b>	502197	<b>Ref. No.</b>	62001836
<b>description</b>	hinge mounting pos. right complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		





Зип Общежит

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	519476	<b>Ref. No.</b>	30008733 60002704
<b>description</b>	door seal L 550mm W 445mm silicone long side open		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

1

<b>GEV No.</b>	901151	<b>Ref. No.</b>	30000317 60003066 62003066
<b>description</b>	door seal L 565mm W 480mm H 6mm suitable for WINTERHALTER		
<b>For models:</b>	GS215, GS302, GS310, GS315		

1

<b>GEV No.</b>	504368	<b>Ref. No.</b>	30000319 60004475
<b>description</b>	door seal L 576mm W 463mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

locks

1

<b>GEV No.</b>	511693	<b>Ref. No.</b>	70003998
<b>description</b>	snap lock L 65mm W 29.5mm H 32mm mounting distance 47mm for dishwasher plastic		
<b>For models:</b>	WKTS		

1

<b>GEV No.</b>	502171	<b>Ref. No.</b>	62001191
<b>description</b>	bearing for door spring plastic $\phi$ 20/11.5mm L 14mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

1

<b>GEV No.</b>	502251	<b>Ref. No.</b>	5528222
<b>description</b>	conversion kit for door mechanism		
<b>For models:</b>	GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

1

<b>GEV No.</b>	502212	<b>Ref. No.</b>	60003998
<b>description</b>	repair kit for door mechanism ED $\phi$ 9mm H 12mm L 75mm W 42mm thread M5 wire gauge $\phi$ 1.5mm shaft diameter 6mm		
<b>For models:</b>	GS302, GS310, GS315, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

1

<b>GEV No.</b>	502165	<b>Ref. No.</b>	5528168
<b>description</b>	repair kit for door mechanism GS24		
<b>For models:</b>	GS24		

1

<b>GEV No.</b>	694608	<b>Ref. No.</b>	2019303
<b>description</b>	spigot for door latch L 36mm thread M5		
<b>For models:</b>	GS10, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS7, GS8, GS9		



Зип Общепит

vsezip.ru

+7(812)987-08-81

## screw connections



1

<b>GEV No.</b>	524475	<b>Ref. No.</b>	70005097
<b>description</b>	bolt thread M5 H 15mm WS 3 Qty 1 pcs with internal thread with retaining ring		
<b>For models:</b>	GS302, GS310, GS315, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR		



1

<b>GEV No.</b>	699224	<b>Ref. No.</b>	60004612
<b>description</b>	nut H 8.5mm WS 32 ø 26.2mm		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

## curtains

## curtains




1

<b>GEV No.</b>	533189	<b>Ref. No.</b>	72000667
<b>description</b>	curtain W 566mm H 515mm warewashing for inlet		
<b>For models:</b>	BAVARIA2000		



1

<b>GEV No.</b>	533186	<b>Ref. No.</b>	70200291 70200430
<b>description</b>	curtain W 566mm H 555mm warewashing for inlet		
<b>For models:</b>	WKT1000		




1

<b>GEV No.</b>	533180	<b>Ref. No.</b>	70003557 70003561
<b>description</b>	curtain W 610mm H 480mm warewashing		
<b>For models:</b>	WKTS		



1

<b>GEV No.</b>	533188	<b>Ref. No.</b>	70200343 70200431
<b>description</b>	curtain W 640mm H 486mm warewashing for wash area		
<b>For models:</b>	WKT1000		



1

<b>GEV No.</b>	524843	<b>Ref. No.</b>	70008043 70008044
<b>description</b>	curtain W 645mm H 360mm complete with rod ABS plastic thickness 1.3mm warewashing		
<b>For models:</b>	MTF, MTR, STR		



Зип Общепит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	502229	<b>Ref. No.</b>	70002272 70002277
<b>description</b>	curtain W 650mm H 335mm thickness 1.5mm WKT 1200/WKTS		
<b>For models:</b>	WKT1200, WKTS		




<b>GEV No.</b>	533190	<b>Ref. No.</b>	72001068
<b>description</b>	curtain W 650mm H 413mm warewashing for wash area		
<b>For models:</b>	BAVARIA2000		




1

<b>GEV No.</b>	502249	<b>Ref. No.</b>	71002010
<b>description</b>	curtain W 650mm H 420mm WINTERHALTER model MTF		
<b>For models:</b>	MTF		




1

<b>GEV No.</b>	533181	<b>Ref. No.</b>	70003097 70003098
<b>description</b>	curtain W 650mm H 350mm warewashing		
<b>For models:</b>	WKTS		



1

<b>GEV No.</b>	533183	<b>Ref. No.</b>	70004395 70004396
<b>description</b>	curtain W 650mm H 440mm warewashing		
<b>For models:</b>	WKTS		



1

<b>GEV No.</b>	533182	<b>Ref. No.</b>	70003990 70003991
<b>description</b>	curtain W 650mm H 360mm warewashing for wash area		
<b>For models:</b>	WKTS		



1

<b>GEV No.</b>	533184	<b>Ref. No.</b>	70003083 70003084
<b>description</b>	curtain W 650mm H 480mm warewashing for inlet		
<b>For models:</b>	WKTS		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81



<b>GEV No.</b>	524690	<b>Ref. No.</b>	70007239 70007240
<b>description</b>	curtain W 650mm H 520mm complete with rod thickness 1.5mm for inlet area		
<b>For models:</b>	MTR, STR		



<b>GEV No.</b>	533191	<b>Ref. No.</b>	72000671
<b>description</b>	curtain W 650mm H 535mm warewashing for wash area/outlet		
<b>For models:</b>	BAVARIA2000		

## washing and rinsing systems



<b>GEV No.</b>	502106	<b>Ref. No.</b>	60002785
<b>description</b>	adapter for wash arm complete		
<b>For models:</b>	GR66-1, GS501, GS502, GS515, GS640, GS650, GS660, GSR36, GSR36E, MTF, MTR, STR, WKTS		



<b>GEV No.</b>	524846	<b>Ref. No.</b>	62001155
<b>description</b>	adjusting ring for wash distributor thickness 20mm ED ø 58mm ID ø 34mm		
<b>For models:</b>	GS24		



<b>GEV No.</b>	502064	<b>Ref. No.</b>	2805501
<b>description</b>	ball socket left		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

<b>GEV No.</b>	502063	<b>Ref. No.</b>	2805500
<b>description</b>	ball socket right		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

<b>GEV No.</b>	502209	<b>Ref. No.</b>	30000112 60000401 60004438
<b>description</b>	bearing for wash arm mounting pos. lower ø 18mm H 87mm		

<b>GEV No.</b>	502254	<b>Ref. No.</b>	60004437 60005360
<b>description</b>	bearing for wash arm mounting pos. upper ø 18mm H 65mm		

<b>GEV No.</b>	502241	<b>Ref. No.</b>	2907500
<b>description</b>	bush for rinse arm ID ø 10.4mm ED ø 14.5mm		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS22, GS32, GS40, GS40S, GS41, GS41-3, GS42, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, WBA, WKTS		

<b>GEV No.</b>	504396	<b>Ref. No.</b>	61004880
<b>description</b>	bush for wash arm H 39mm D1 ø 49mm D2 ø 43mm ID ø 35mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		








Зип Общепит


vsezip.ru


+7(812)987-08-81


 <p>1</p>			
<b>GEV No.</b>	502146	<b>Ref. No.</b>	3501199 61002023
<b>description</b>	bush for wash arm support ø 49mm H 29mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, KTS1900, KTS2400, WKT1000		

 <p>1</p>			
<b>GEV No.</b>	502116	<b>Ref. No.</b>	65004835
<b>description</b>	bushing ID ø 12mm thread 3/4"		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		


 <p>1</p>			
<b>GEV No.</b>	502236	<b>Ref. No.</b>	61002024 70002095
<b>description</b>	connecting piece for wash arm mounting pos. upper ø 48mm H 70mm plastic		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1200		


 <p>1</p>			
<b>GEV No.</b>	524693	<b>Ref. No.</b>	61002391
<b>description</b>	connecting piece for wash arm ø 49mm ID ø 34mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS72, WKT1000		

 <p>1</p>			
<b>GEV No.</b>	517550	<b>Ref. No.</b>	61006076
<b>description</b>	disc for wash arm support ED ø 28mm H 2mm WS 22 hole ø 4mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515		


 <p>1</p>			
<b>GEV No.</b>	524470	<b>Ref. No.</b>	3501150
<b>description</b>	elbow for wash distributor thread 3/4" ø 30mm L 90mm		
<b>For models:</b>	GS10-2, GS12, GS34, GS42, GS8, KTS1900, KTS2400, WKT1200		

 <p>1</p>			
<b>GEV No.</b>	502102	<b>Ref. No.</b>	60002534 60002786
<b>description</b>	elbow ø 40mm L 154mm complete		
<b>For models:</b>	MTF, MTR, WKTS		

 <p>1</p>			
<b>GEV No.</b>	502101	<b>Ref. No.</b>	3501149
<b>description</b>	elbow thread 3/4" L 140mm long W 51mm		
<b>For models:</b>	GS10-2, GS12, GS34, GS42, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		

 <p>1</p>			
<b>GEV No.</b>	502049	<b>Ref. No.</b>	60001555
<b>description</b>	end cap		
<b>For models:</b>	GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

 <p>1</p>			
<b>GEV No.</b>	502238	<b>Ref. No.</b>	65002080
<b>description</b>	end cap for wash arm L 48mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, WKT1000, WKT1200		

 <p>1</p>			
<b>GEV No.</b>	517758	<b>Ref. No.</b>	62001156
<b>description</b>	end cap for wash distributor thickness 20mm ED ø 58mm ID ø 40.5mm		
<b>For models:</b>	GS24		



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	524540	<b>Ref. No.</b>	70003085
<b>description</b>	extension for wash arm support ø 31mm L 96mm WS 32		
<b>For models:</b>	MTR, STR, WKTS		



1

<b>GEV No.</b>	502125	<b>Ref. No.</b>	3501003 5506012
<b>description</b>	extension thread 1 1/4" L 131mm		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS9, GS90, WBA, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	524648	<b>Ref. No.</b>	3501019 5506041
<b>description</b>	extension thread 3/4" IT - 3/4" ET WS 32 for wash distributor		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS90, WBA, WKT1000, WKTS		



1

<b>GEV No.</b>	502119	<b>Ref. No.</b>	2906227 60002474
<b>description</b>	hose connector angled thread 3/4" L 47mm connection 14mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR66, GS14, GS14E, GS15, GS15E, GS23, GS23S, GS25, GS27, GS27B, GS28, GS4, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	502131	<b>Ref. No.</b>	2906222 60002453 70010393
<b>description</b>	hose connector straight thread 3/4"		
<b>For models:</b>	GR62-2, GR62-3, GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1200, WKTS		



1

<b>GEV No.</b>	502086	<b>Ref. No.</b>	62003345
<b>description</b>	manifold kit		
<b>For models:</b>	GS202, GS215, GS402		



1

<b>GEV No.</b>	507455	<b>Ref. No.</b>	62001391
<b>description</b>	manifold plastic L 72mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		



1

<b>GEV No.</b>	502193	<b>Ref. No.</b>	3501035
<b>description</b>	mediamat		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71...(Other models you can see in the webshop)		



1


<b>GEV No.</b>	502081	<b>Ref. No.</b>	5527040
<b>description</b>	mediamat complete		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS7, GS71, GS72, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		






Зип Общепит

vsezip.ru


+7(812)987-08-81


			
1			
<b>GEV No.</b>	524471	<b>Ref. No.</b>	61005184
<b>description</b>	mediamat H 230mm warewashing plastic hole ø 5mm		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, WKT1000, WKT1200, WKTS		


			
1			
<b>GEV No.</b>	502118	<b>Ref. No.</b>	60003518
<b>description</b>	opposite support for wash arm support mounting pos. lower		
<b>For models:</b>	GS502, GS510, GS315		


			
1			
<b>GEV No.</b>	502282	<b>Ref. No.</b>	30000113
<b>description</b>	mediamat thread 3/4" ET		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		
<b>spare parts for</b>	502282		
			
	<b>GEV No.</b>	699224	<b>Ref. No.</b>
			60004612
	nut H 8.5mm WS 32 ø 26.2mm		

			
1			
<b>GEV No.</b>	502069	<b>Ref. No.</b>	2707058
<b>description</b>	retaining ring ø 49mm		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR, STR, WKTS		


			
1			
<b>GEV No.</b>	502054	<b>Ref. No.</b>	60003513
<b>description</b>	mediamat kit		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		

			
1			
<b>GEV No.</b>	502069	<b>Ref. No.</b>	70003122
<b>description</b>	ring for wash arm ø 32mm ID ø 26mm thickness 5mm		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		

			
1			
<b>GEV No.</b>	502137	<b>Ref. No.</b>	60001810
<b>description</b>	nozzle holder for wash arm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		

			
1			
<b>GEV No.</b>	502257	<b>Ref. No.</b>	60004872
<b>description</b>	ring nut for wash arm mounting pos. lower H 33.5mm D1 ø 51mm D2 ø 60.5mm ID ø 46mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	524641	<b>Ref. No.</b>	65005484
<b>description</b>	nut for wash arm mounting pos. upper/lower ø 31mm H 32.5mm plastic with ring		
<b>For models:</b>	GR64, GR65, GR66-1, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>GEV No.</b>	502296	<b>Ref. No.</b>	61007025
<b>description</b>	ring nut for wash arm mounting pos. lower ID ø 18.8mm		

mechanical components, equipment accessories



Зип Общежит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502255	<b>Ref. No.</b>	60004870
<b>description</b>	ring nut for wash arm mounting pos. upper ø 62mm H 21mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	502741	<b>Ref. No.</b>	61005681 62002813
<b>description</b>	screw cap for wash arm ø 24mm H 12mm thread M10		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>GEV No.</b>	523078	<b>Ref. No.</b>	70009068
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 2 complete with nozzle thread 1/2" ø 12mm		
<b>For models:</b>	MTF, MTR		



1

<b>GEV No.</b>	524472	<b>Ref. No.</b>	61005191
<b>description</b>	screw connection for wash arm ø 32mm L 54mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502103	<b>Ref. No.</b>	61006067
<b>description</b>	rinse arm support mounting pos. lower kit L 320mm hose ø 13mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	524696	<b>Ref. No.</b>	61002392 61004061
<b>description</b>	screw connection for wash arm ø 33mm thread 3/4" plastic L 53mm		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS72, WKT1000, WKT1200		



1

<b>GEV No.</b>	524634	<b>Ref. No.</b>	61005287 61006333
<b>description</b>	rinse hose ø 19/20mm L 1100mm EPDM		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	524911	<b>Ref. No.</b>	60003043 60003517
<b>description</b>	screw connection wash arm support thread M12x1.75 ø 16mm L 44.5mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		



1

<b>GEV No.</b>	502039	<b>Ref. No.</b>	62001176
<b>description</b>	rinse jet holder		
<b>For models:</b>	GS24, GS29, GS29B		



1

<b>GEV No.</b>	507454	<b>Ref. No.</b>	60003021
<b>description</b>	sealing ring for wash arm ø 57.8mm ID ø 53.4mm thickness 2mm		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		



<b>GEV No.</b>	502029	<b>Ref. No.</b>	62001174
----------------	--------	-----------------	----------

union nut



<b>GEV No.</b>	502040	<b>Ref. No.</b>	2910307 65002755
----------------	--------	-----------------	---------------------

swirl H 16mm ø 6.5mm H1 4.5mm



<b>GEV No.</b>	502041	<b>Ref. No.</b>	2910308 65002754
----------------	--------	-----------------	---------------------

rinse jet



1

<b>GEV No.</b>	502237	<b>Ref. No.</b>	61006066
<b>description</b>	rinse pipe mounting pos. upper ø 12mm L 375mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	524873	<b>Ref. No.</b>	60004276
<b>description</b>	sealing ring for wash distributor ø 33mm ID ø 29mm thickness 2.4mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		







Зип Общепит


vsezip.ru


+7(812)987-08-81


			
1			
<b>GEV No.</b>	524640	<b>Ref. No.</b>	60002540
<b>description</b>	setting disc for wash arm ID ø 32mm ED ø 40mm thickness 5mm plastic		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

			
1			
<b>GEV No.</b>	502205	<b>Ref. No.</b>	62001159
<b>description</b>	wash arm boss bottom part mounting pos. lower ø 10mm L 30mm W 26.5mm H 35mm		
<b>For models:</b>	GS235, GS24		


			
1			
<b>GEV No.</b>	512515	<b>Ref. No.</b>	61008019
<b>description</b>	slide ring ED ø 22.5mm ID ø 18mm thickness 0.5mm		


			
1			
<b>GEV No.</b>	502133	<b>Ref. No.</b>	60002999
<b>description</b>	wash arm support		
<b>For models:</b>	GS215, GS302, GS310, GS315		


			
1			
<b>GEV No.</b>	502070	<b>Ref. No.</b>	61004885
<b>description</b>	spring for wash arm support		
<b>For models:</b>	GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	524539	<b>Ref. No.</b>	65002079
<b>description</b>	wash arm support mounting pos. upper/lower ø 38mm L 70mm		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, KTS1900, KTS2400, WKT1000, WKT1200		

			
1			
<b>GEV No.</b>	502145	<b>Ref. No.</b>	3501004 5506013
<b>description</b>	union nut thread 1 1/4"		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		

			
1			
<b>GEV No.</b>	524476	<b>Ref. No.</b>	61004969
<b>description</b>	wash arm support ø 36mm L 45mm		
<b>For models:</b>	GS501, GS502, GS515, MTF, MTR		

			
1			
<b>GEV No.</b>	517697	<b>Ref. No.</b>	60003616
<b>description</b>	wash arm bearing mounting pos. upper hole ø 8mm ø 16mm H 42mm thread M12x1.75		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	502111	<b>Ref. No.</b>	60001845 60002855
<b>description</b>	wash distributor complete		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502113	<b>Ref. No.</b>	60001848 60002856
----------------	--------	-----------------	----------------------

**description** wash distributor complete

**For models:** GS14, GS14E, GS15, GS15E



1

<b>GEV No.</b>	502112	<b>Ref. No.</b>	62001810 62002887
----------------	--------	-----------------	----------------------

**description** wash distributor mounting pos. lower L 175mm

**For models:** GR64, GR65, GR66-1, GS29, GS41-5, GS42, GS501, GS502, GS515, GS72, WKT1200



1

<b>GEV No.</b>	502184	<b>Ref. No.</b>	61005187
----------------	--------	-----------------	----------

**description** wash distributor mounting pos. lower ø 49.5mm L 506mm plastic

**For models:** GS501, GS502, GS515



1

<b>GEV No.</b>	502182	<b>Ref. No.</b>	3501018 3501106
----------------	--------	-----------------	--------------------

**description** wash distributor mounting pos. lower ø 50mm L 205mm

**For models:** GR62, GR62-1, GR62-2, GR62-3, GS10-2, GS12, GS34, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS62, GS63, GS64, GS65, GS71, GS8, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKT5



1

<b>GEV No.</b>	524909	<b>Ref. No.</b>	65004095 65004825
----------------	--------	-----------------	----------------------

**description** wash distributor mounting pos. lower ø 50mm L 535mm plastic

**For models:** GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds



<b>GEV No.</b>	502261	<b>Ref. No.</b>	70004625
----------------	--------	-----------------	----------

**description** wash distributor mounting pos. upper L 455mm

**For models:** WkTS



1

<b>GEV No.</b>	524691	<b>Ref. No.</b>	65004824
----------------	--------	-----------------	----------

**description** wash distributor mounting pos. upper ø 49mm L 534mm plastic

**For models:** GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds



1

<b>GEV No.</b>	517749	<b>Ref. No.</b>	3501017 5506045
----------------	--------	-----------------	--------------------

**description** wash distributor mounting pos. upper ø 50mm L 345mm plastic thread 1 1/4"

**For models:** GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS405, GS41, GS62, GS63, GS64, GS65, GS71, GS90, WBA, WKT1000, WKT1200, WKT5



1

<b>GEV No.</b>	502232	<b>Ref. No.</b>	61004837 61005189
----------------	--------	-----------------	----------------------

**description** wash distributor mounting pos. upper ø 50mm plastic

**For models:** GS501, GS502, GS515



1

<b>GEV No.</b>	524520	<b>Ref. No.</b>	61003694
----------------	--------	-----------------	----------

**description** wash distributor mounting pos. upper ø 51mm L 294mm plastic

**For models:** GS42



1

<b>GEV No.</b>	519474	<b>Ref. No.</b>	62001172
----------------	--------	-----------------	----------

**description** wash distributor mounting pos. upper suitable for WINTERHALTER model GS24


**For models:** GS24



Зип Общепит


vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	524841	<b>Ref. No.</b>	65004822
<b>description</b>	wash distributor ø 49mm L 468mm plastic		
<b>For models:</b>	GR66-1, GS660		



1

<b>GEV No.</b>	502167	<b>Ref. No.</b>	61005278
<b>description</b>	wash jet for dishwasher		
<b>For models:</b>	GS501, GS502, GS515		




1

<b>GEV No.</b>	519473	<b>Ref. No.</b>	60003519
<b>description</b>	wash pipe suitable for WINTERHALTER model GS 310		
<b>For models:</b>	GS302, GS310, GS315		


washing and rinsing systems (sorted by producer)

WINTERHALTER




1

<b>GEV No.</b>	502157	<b>Ref. No.</b>	61005052
<b>description</b>	wash arm L 565mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	GS501, GS502, GS515		




1

<b>GEV No.</b>	502097	<b>Ref. No.</b>	30002022 71001453
<b>description</b>	wash arm L 570mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	MTF, MTR, STR		




1

<b>GEV No.</b>	502098	<b>Ref. No.</b>	61005611
<b>description</b>	wash arm L 580mm nozzles 6 mounting pos. lower		
<b>For models:</b>	GS501, GS502, GS515		




1

<b>GEV No.</b>	502053	<b>Ref. No.</b>	65004997
<b>description</b>	wash arm L 635mm nozzles 7 mounting pos. upper/lower		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>GEV No.</b>	517748	<b>Ref. No.</b>	62003531
<b>description</b>	wash arm mounting pos. upper L 385mm nozzles 6		
<b>For models:</b>	GS202, GS402		



1

<b>GEV No.</b>	502077	<b>Ref. No.</b>	60003520
<b>description</b>	wash arm nozzles 6		
<b>For models:</b>	GS302, GS310, GS315, GS501, GS502, GS515		



Зип Общепит

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	502248	<b>Ref. No.</b>	30002021 70003000 70005762
<b>description</b>	wash arm stationary L 472mm W 40mm H 40mm nozzles 5		
<b>For models:</b>	MTF, MTR, STR, WKTS		

1

<b>GEV No.</b>	502055	<b>Ref. No.</b>	5507032 5507035
<b>description</b>	wash arm L 630mm nozzles 4 mounting pos. lower		
<b>For models:</b>	GR1410, GR1420, GR1430, GR63, GR63-1		

1

<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

1

<b>GEV No.</b>	502187	<b>Ref. No.</b>	2910532
<b>description</b>	union nut for wash jet H 18mm thread 1/2" WS 24		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS62, GS63, GS64, GS65, H52, WBA		

1

<b>GEV No.</b>	502211	<b>Ref. No.</b>	2910509
<b>description</b>	wash jet mounting pos. lower H 24mm ø 12/18mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1		

1

<b>GEV No.</b>	502078	<b>Ref. No.</b>	62001807 620018072
<b>description</b>	wash arm L 470mm nozzles 5 mounting pos. right/left mounting ø 35mm		
<b>For models:</b>	GS29, GS29B		
<b>spare parts for</b>	502078		
<b>GEV No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>GEV No.</b>	502024	<b>Ref. No.</b>	62001809
<b>description</b>	wash jet		
<b>accessories for</b>	502078		
<b>GEV No.</b>	502036	<b>Ref. No.</b>	2707049 2707053 5101286
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 28.25mm Qty 1 pcs		

1

<b>GEV No.</b>	502139	<b>Ref. No.</b>	3501210
<b>description</b>	end piece for wash arm thread 1/2" L 37mm		
<b>For models:</b>	GS100-1, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		

1

<b>GEV No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		
<b>accessories for</b>	502023		
<b>GEV No.</b>	502024	<b>Ref. No.</b>	62001809
<b>description</b>	wash jet		

1

<b>GEV No.</b>	502024	<b>Ref. No.</b>	62001809
<b>description</b>	wash jet		
<b>For models:</b>	GS29, GS29B		






Зип Общепит


vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502105	<b>Ref. No.</b>	60001846
<b>description</b>	wash arm L 470mm nozzles 5 mounting pos. upper/lower		
<b>For models:</b>	GS14, GS14E, GS15, GS15E		




1

<b>GEV No.</b>	502095	<b>Ref. No.</b>	3501196 5005244 61001965
<b>description</b>	wash arm L 594mm nozzles 7 mounting pos. lower complete		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, WKT1000		




1

<b>GEV No.</b>	502190	<b>Ref. No.</b>	5507052 5507057
<b>description</b>	wash arm L 470mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	GS10-2, GS12, GS8, GS81		




1

<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		




1

<b>GEV No.</b>	502110	<b>Ref. No.</b>	61002795
<b>description</b>	wash arm L 540mm nozzles 6 mounting pos. lower		
<b>For models:</b>	GS72		




1

<b>GEV No.</b>	502035	<b>Ref. No.</b>	2804042
<b>description</b>	D-lock		
<b>For models:</b>	GS10-2, GS12, GS34, GS8, GS81, WKTS		




1

<b>GEV No.</b>	502099	<b>Ref. No.</b>	61002557
<b>description</b>	wash arm L 550mm nozzles 6 mounting pos. upper		
<b>For models:</b>	GS100-1, GS41-1, GS41-4, GS41-4S, GS41-5, GS42		



1

<b>GEV No.</b>	502139	<b>Ref. No.</b>	3501210
<b>description</b>	end piece for wash arm thread 1/2" L 37mm		
<b>For models:</b>	GS100-1, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1000		



1

<b>GEV No.</b>	502025	<b>Ref. No.</b>	2910504 2910505 60002465 61003031 61003032
<b>description</b>	wash jet complete		
<b>For models:</b>	GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, WKT1000		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502109	<b>Ref. No.</b>	5507002
<b>description</b>	wash arm L 570mm nozzles 6 mounting pos. intermediate rinsing, Mediamat		
<b>For models:</b>	WKTS		



1

<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	502035	<b>Ref. No.</b>	2804042
<b>description</b>	D-lock		
<b>For models:</b>	GS10-2, GS12, GS34, GS8, GS81, WKTS		



1

<b>GEV No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		



1

<b>GEV No.</b>	502191	<b>Ref. No.</b>	70002382
<b>description</b>	wash arm L 550mm nozzles 6 mounting pos. upper/lower		
<b>For models:</b>	WKT1200		



1

<b>GEV No.</b>	502201	<b>Ref. No.</b>	70002104
<b>description</b>	nozzle H 14mm ø 20mm slotted		
<b>For models:</b>	WKT1200		



1

<b>GEV No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		



1

<b>accessories for</b>	502023	<b>GEV No.</b>	502024	<b>Ref. No.</b>	62001809



1

<b>GEV No.</b>	517742	<b>Ref. No.</b>	65003911
<b>description</b>	wash arm mounting pos. upper/lower L 650mm nozzles 7		
<b>For models:</b>	GR64, GR65, GR66-1		



1

<b>GEV No.</b>	502023	<b>Ref. No.</b>	62001808
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		



1

<b>accessories for</b>	502023	<b>GEV No.</b>	502024	<b>Ref. No.</b>	62001809



1


<b>GEV No.</b>	517764	<b>Ref. No.</b>	65003150
<b>description</b>	wash jet mounting pos. upper/lower H 16mm ø 20mm inclined		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS41-1, GS41-4, GS41-4S		





Зип Общепит


vsezip.ru


+7(812)987-08-81



			
1			
<b>GEV No.</b>	517745	<b>Ref. No.</b>	61002251
<b>description</b>	wash arm mounting pos. centre L 570mm nozzles 6		
<b>For models:</b>	GS72		


			
1			
<b>GEV No.</b>	517743	<b>Ref. No.</b>	5507051 5507054
<b>description</b>	wash arm mounting pos. lower L 540mm nozzles 6		
<b>For models:</b>	GS81		


			
1			
<b>GEV No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		


			
1			
<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		


			
1			
<b>GEV No.</b>	502025	<b>Ref. No.</b>	2910504 2910505 60002465 61003031 61003032
<b>description</b>	wash jet complete		
<b>For models:</b>	GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, WKT1000		

			
1			
<b>GEV No.</b>	517744	<b>Ref. No.</b>	5507008
<b>description</b>	wash arm mounting pos. lower L 565mm nozzles 6		
<b>For models:</b>	WBA, WKTS		
<b>spare parts for</b>	517744		
	<b>GEV No.</b>	517759	<b>Ref. No.</b>
			2910530
	wash jet mounting pos. upper/lower thread 1/2" H 56mm ø 24mm		

			
1			
<b>GEV No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		

			
1			
<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	517759	<b>Ref. No.</b>	2910530
<b>description</b>	wash jet mounting pos. upper/lower thread 1/2" H 56mm ø 24mm		
<b>For models:</b>	GS62, GS63, GS64, GS65, WBA, WKTS		

			
1			
<b>GEV No.</b>	517746	<b>Ref. No.</b>	62001150 62001151
<b>description</b>	wash arm mounting pos. lower L 335mm nozzles 4		
<b>For models:</b>	GS24		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502027	<b>Ref. No.</b>	62001153
<b>description</b>	wash jet		
<b>For models:</b>	GS24		



1

<b>GEV No.</b>	517747	<b>Ref. No.</b>	5507006 5507050 5507056
<b>description</b>	wash arm mounting pos. lower L 355mm nozzles 4		
<b>For models:</b>	GS23, GS23H, GS25, GS27, GS4		



1

<b>GEV No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		



1

<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		



1

<b>GEV No.</b>	502018	<b>Ref. No.</b>	2910538
<b>description</b>	wash jet black/white hole ø 7mm thread 1/2"		
<b>For models:</b>	GR1200, GR1400, GS10, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS4, GS7, GS9		



<b>GEV No.</b>	524650	<b>Ref. No.</b>	5507016 61000945
<b>description</b>	wash arm L 537mm nozzles 6 mounting pos. upper/lower H 50mm W 44mm complete with nozzle		
<b>For models:</b>	GS100, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS80, GS90		



1

<b>GEV No.</b>	502032	<b>Ref. No.</b>	2804040
<b>description</b>	D-lock		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, WBA, WKTS		



1

<b>GEV No.</b>	502034	<b>Ref. No.</b>	2804041
<b>description</b>	D-lock		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	510203	<b>Ref. No.</b>	2910527
<b>description</b>	wash jet black/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, WBA, WKTS		



1

<b>GEV No.</b>	502016	<b>Ref. No.</b>	2910528
<b>description</b>	wash jet black/grey hole ø 6mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS405, GS41, GS41-3, GS61, GS7, GS70, GS71, GS80, GS9		



1


<b>GEV No.</b>	502017	<b>Ref. No.</b>	2910522
<b>description</b>	wash jet grey/black hole ø 5mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, GS90		





Зип Общежит


vsezip.ru


7(812)987-08-81


			
1			
<b>GEV No.</b>	510202	<b>Ref. No.</b>	2910520
<b>description</b>	wash jet grey/grey hole ø 6mm thread 1/2"		
<b>For models:</b>	GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS413, GS61, GS7, GS70, GS71, GS80, GS9		


			
1			
<b>GEV No.</b>	502132	<b>Ref. No.</b>	60003802
<b>description</b>	end piece for wash arm mounting pos. left/right		
<b>For models:</b>	GS215, GS302, GS310, GS315		


			
1			
<b>GEV No.</b>	524630	<b>Ref. No.</b>	30002770 60004427
<b>description</b>	wash and rinse arm mounting pos. upper/lower w. jets 12 r. jets 8 H 38mm L 518mm W 184mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	524912	<b>Ref. No.</b>	62003538
<b>description</b>	end piece for wash arm mounting pos. right/left L 129mm H 30mm		
<b>For models:</b>	GS202, GS402		


			
1			
<b>GEV No.</b>	502142	<b>Ref. No.</b>	62003015 62003539
<b>description</b>	wash arm L 385mm W 130mm nozzles 8 mounting pos. lower		
<b>For models:</b>	GS202, GS402		


			
1			
<b>GEV No.</b>	502189	<b>Ref. No.</b>	62003347
<b>description</b>	rinse arm L 386mm nozzles 6 mounting ø 14mm mounting pos. upper/lower with 2 rinse arm shafts W 30mm		
<b>For models:</b>	GS202, GS402, MTF, MTR		

			
1			
<b>GEV No.</b>	502000	<b>Ref. No.</b>	60002994 60003803
<b>description</b>	wash arm L 458mm W 150mm nozzles 10 mounting pos. right/left		
<b>For models:</b>	GS215, GS302, GS310, GS315		

			
1			
<b>GEV No.</b>	507453	<b>Ref. No.</b>	61006244
<b>description</b>	rinse arm L 495mm nozzles 7 mounting ø 14mm mounting pos. lower stainless steel		
<b>For models:</b>	GR66-1, GS501, GS502, GS515, GS660		

			
1			
<b>GEV No.</b>	502271	<b>Ref. No.</b>	30002197
<b>description</b>	wash arm L 555mm W 185mm H 40mm nozzles 26		

			
1			
<b>GEV No.</b>	519446	<b>Ref. No.</b>	60003515
<b>description</b>	rinse arm L 500mm nozzles 7 mounting ø 13.5mm mounting pos. lower		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515, MTF, MTR		

			
1			
<b>GEV No.</b>	524638	<b>Ref. No.</b>	60004854
<b>description</b>	end cap for wash arm ED ø 31mm thickness 7mm plastic		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		





Зип Общепит

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	502230	<b>Ref. No.</b>	61004529 61005327 65005499
<b>description</b>	rinse arm L 560mm nozzles 9		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

1

<b>GEV No.</b>	517534	<b>Ref. No.</b>	2910233 5510078
<b>description</b>	rinse arm L 460mm nozzles 6 thread 3/4"		
<b>For models:</b>	GR62, GR62-1, GS10-2, GS12, GS29, GS34, GS8		

1

<b>GEV No.</b>	517701	<b>Ref. No.</b>	61006619
<b>description</b>	rinse arm mounting pos. lower L 495mm nozzles 7 with rinse arm shaft thread M12x1.75		
<b>For models:</b>	GS502, GS515		

1

<b>GEV No.</b>	502158	<b>Ref. No.</b>	62002822 62002891
<b>description</b>	rinse arm L 460mm nozzles 7 mounting ø 14mm mounting pos. lower complete with nozzle		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29		

1

<b>GEV No.</b>	524632	<b>Ref. No.</b>	61006612
<b>description</b>	rinse arm mounting pos. upper/lower L 495mm nozzles 7 mounting ø 14mm with 2 rinse arm shafts		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS502, GS515		

1

<b>GEV No.</b>	517535	<b>Ref. No.</b>	5510114
<b>description</b>	rinse arm L 460mm nozzles 7 mounting ø 14mm with holder		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29		

1

<b>GEV No.</b>	524631	<b>Ref. No.</b>	65005462
<b>description</b>	rinse arm mounting pos. upper/lower L 560mm nozzles 9 mounting ø 14mm with rinse arm shaft		
<b>For models:</b>	GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

1


<b>GEV No.</b>	517514	<b>Ref. No.</b>	2910235 5510091
<b>description</b>	rinse arm L 530mm nozzles 8 thread M26x1.75		
<b>For models:</b>	GR62-2, GR62-3, GS100-1, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81		




Зип Общепит


vsezip.ru


+7(812)987-08-81


			
1			
<b>GEV No.</b>	517515	<b>Ref. No.</b>	62001958
<b>description</b>	rinse arm mounting pos. lower L 465mm nozzles 8 thread M26x1.75		
<b>For models:</b>	GR66, GS14, GS14E, GS15, GS15E, GS29		



			
1			
<b>GEV No.</b>	517520	<b>Ref. No.</b>	5510112
<b>description</b>	rinse arm mounting pos. lower L 480mm W 410mm nozzles 4		
<b>For models:</b>	GS28		


			
1			
<b>GEV No.</b>	502175	<b>Ref. No.</b>	2910240
<b>description</b>	end cap for rinse arm with O-ring thread M11x1 ø 9.5mm suitable for WINTERHALTER		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GS10-2, GS29, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8		



			
1			
<b>GEV No.</b>	517516	<b>Ref. No.</b>	70200118 70200415
<b>description</b>	rinse arm mounting pos. lower L 610mm nozzles 3		
<b>For models:</b>	WKT1000		

			
1			
<b>GEV No.</b>	502046	<b>Ref. No.</b>	2910312
<b>description</b>	rinse jet		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, MTF, MTR, STR, WBA, WKT1000, WKTS		

			
1			
<b>GEV No.</b>	517519	<b>Ref. No.</b>	61002099 61004421
<b>description</b>	rinse arm mounting pos. upper L 580mm nozzles 4		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5		

			
1			
<b>GEV No.</b>	502047	<b>Ref. No.</b>	62002811 62002820
<b>description</b>	rinse jet		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		
<b>accessories for</b>	502047		
	<b>GEV No.</b>	502048	<b>Ref. No.</b> 62002812
	union nut		

			
1			
<b>GEV No.</b>	524649	<b>Ref. No.</b>	5510015
<b>description</b>	rinse arm mounting pos. upper L 610mm nozzles 4 complete with nozzle thread M9x1.25		
<b>For models:</b>	GS40, GS40S, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71		

			
1			
<b>GEV No.</b>	502048	<b>Ref. No.</b>	62002812
<b>description</b>	union nut		
<b>For models:</b>	GR64, GR65, GR66-1, GS14, GS14E, GS15, GS15E, GS29, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		
<b>accessories for</b>	502048		
	<b>GEV No.</b>	502047	<b>Ref. No.</b> 62002811 62002820
	rinse jet		

mechanical components, equipment accessories



Зип Общепит

vsezip.ru

+7(812)987-08-81


1

<b>GEV No.</b>	517518	<b>Ref. No.</b>	61002301
<b>description</b>	rinse arm mounting pos. upper L 625mm nozzles 5		
<b>For models:</b>	GS72		

1

<b>GEV No.</b>	524671	<b>Ref. No.</b>	70009067
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 3 complete with nozzle thread 1/2" ø 12mm		
<b>For models:</b>	MTF, MTR		

1

<b>GEV No.</b>	524538	<b>Ref. No.</b>	70004644
<b>description</b>	rinse arm mounting pos. upper/lower L 590mm nozzles 4 complete with nozzle thread 1/2" ø 12mm		
<b>For models:</b>	WKTS		
<b>spare parts for</b>	524538		
	<b>GEV No.</b>	524546	<b>Ref. No.</b> 2910314
	rinse jet H 10mm thread 1/16" NPT WS 10		

1

<b>GEV No.</b>	517517	<b>Ref. No.</b>	65002776
<b>description</b>	rinse arm mounting pos. upper/lower L 695mm nozzles 3		
<b>For models:</b>	GR63, GS62, GS63, GS64, GS65		

1

<b>GEV No.</b>	502046	<b>Ref. No.</b>	2910312
<b>description</b>	rinse jet		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, MTF, MTR, STR, WBA, WKT1000, WKTS		

1


<b>GEV No.</b>	524546	<b>Ref. No.</b>	2910314
<b>description</b>	rinse jet H 10mm thread 1/16" NPT WS 10		
<b>For models:</b>	WKTS		

## miscellaneous

1

<b>GEV No.</b>	502041	<b>Ref. No.</b>	2910308 65002754
<b>description</b>	rinse jet		
<b>For models:</b>	GS12, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS24, GS27, GS27B, GS28, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		

1

<b>GEV No.</b>	510204	<b>Ref. No.</b>	2910201 2910231 65002765
<b>description</b>	rinse jet		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS23, GS23S, GS25, GS27, GS32, GS34, GS4, GS40, GS40S, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63...(Other models you can see in the webshop)		
<b>accessories for</b>	510204		
	<b>GEV No.</b>	510205	<b>Ref. No.</b> 2910200 2910230 65002764
	swirl H 19mm ø 8mm H1 7mm		

1


<b>GEV No.</b>	517525	<b>Ref. No.</b>	2910313
<b>description</b>	rinse jet H 9.6mm thread 1/16" NPT WS 10 code 5		
<b>For models:</b>	GKTS2600, KTS1900, KTS2400, WKT1200, WKTS		





Зип Общепит

vsezip.ru


8 (495) 12)987-0881


			
1			
<b>GEV No.</b>	510206	<b>Ref. No.</b>	5510008
<b>description</b>	rinse jet holder		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS27B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS81, GS9, GS90, WBA		


			
1			
<b>GEV No.</b>	502040	<b>Ref. No.</b>	2910307 65002755
<b>description</b>	swirl H 16mm ø 6.5mm H1 4.5mm		
<b>For models:</b>	GS12, GS14, GS14E, GS15, GS15E, GS23, GS23H, GS24, GS27, GS27B, GS28, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000		


			
1			
<b>GEV No.</b>	510205	<b>Ref. No.</b>	2910200 2910230 65002764
<b>description</b>	swirl H 19mm ø 8mm H1 7mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS23, GS23S, GS25, GS27, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63...(Other models you can see in the webshop)		


			
1			
<b>GEV No.</b>	502029	<b>Ref. No.</b>	62001174
<b>description</b>	union nut		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		
<b>accessories for</b>	502029		
	<b>GEV No.</b>	502027	<b>Ref. No.</b> 62001153
	<b>description</b>	wash jet	
	<b>GEV No.</b>	502028	<b>Ref. No.</b> 62001173
	<b>description</b>	wash jet complete	
	<b>GEV No.</b>	502030	<b>Ref. No.</b> 2910515
	<b>description</b>	wash jet	
	<b>GEV No.</b>	502040	<b>Ref. No.</b> 2910307 65002755
	<b>description</b>	swirl H 16mm ø 6.5mm H1 4.5mm	
	<b>GEV No.</b>	502041	<b>Ref. No.</b> 2910308 65002754
	<b>description</b>	rinse jet	


			
1			
<b>GEV No.</b>	502026	<b>Ref. No.</b>	2910514
<b>description</b>	wash jet		
<b>For models:</b>	B, WADA 2000, GKTS2600, GR62, GR62-1, GS23H, WKTS		


			
1			
<b>GEV No.</b>	502030	<b>Ref. No.</b>	2910515
<b>description</b>	wash jet		
<b>For models:</b>	GS28		

			
1			
<b>GEV No.</b>	502028	<b>Ref. No.</b>	62001173
<b>description</b>	wash jet complete		
<b>For models:</b>	GS24		

			
1			
<b>GEV No.</b>	517526	<b>Ref. No.</b>	70006984
<b>description</b>	wash jet for pre-rinsing H 104mm ø 14mm		
<b>For models:</b>	MTF, MTR		

			
1			
<b>GEV No.</b>	524522	<b>Ref. No.</b>	70003003
<b>description</b>	wash jet H 13mm ø 21mm		
<b>For models:</b>	WKTS		

			
1			
<b>GEV No.</b>	517695	<b>Ref. No.</b>	60001519
<b>description</b>	wash jet mounting pos. upper/lower H 13mm ø 20mm		
<b>For models:</b>	GR66, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400		

			
1			
<b>GEV No.</b>	501521	<b>Ref. No.</b>	62001154
<b>description</b>	wash arm mounting pos. lower thread ø 50mm L1 420mm		
<b>For models:</b>	GS24		



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	517805	<b>Ref. No.</b>	30000199
<b>description</b>	wash arm support D1 ø 52mm D2 ø 15mm D3 ø 12mm		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	517756	<b>Ref. No.</b>	70004633
<b>description</b>	wash arm support mounting pos. lower ø 40mm H 140mm ID ø 33mm		
<b>For models:</b>	MTF, MTR, WKTS		



1

<b>GEV No.</b>	502037	<b>Ref. No.</b>	3501198 61004059
<b>description</b>	wash arm support dimensions 38x34mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS81, KTS1900, KTS2400, WKT1000		



1

<b>GEV No.</b>	517757	<b>Ref. No.</b>	62003406
<b>description</b>	wash arm support mounting pos. lower ø 77mm H 62mm ID ø 39mm		
<b>For models:</b>	GS202, GS402		



1

<b>GEV No.</b>	517809	<b>Ref. No.</b>	62003020
<b>description</b>	wash arm support H 22mm L1 33mm W 36mm		
<b>For models:</b>	GS202, GS402		



1

<b>GEV No.</b>	502058	<b>Ref. No.</b>	61005909 61006065
<b>description</b>	wash arm support mounting pos. upper set		
<b>For models:</b>	GS501, GS502, GS515		
<b>spare parts for</b>	502058		



1

<b>GEV No.</b>	101503	<b>Ref. No.</b>	2707074
----------------	--------	-----------------	---------

O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs



1

<b>GEV No.</b>	507454	<b>Ref. No.</b>	60003021
----------------	--------	-----------------	----------

sealing ring for wash arm ø 57.8mm ID ø 53.4mm thickness 2mm



1

<b>GEV No.</b>	532605	<b>Ref. No.</b>	2707072
----------------	--------	-----------------	---------

O-ring EPDM thickness 1.5mm ID ø 12mm Qty 1 pcs



1

<b>GEV No.</b>	518667	<b>Ref. No.</b>	70011035
<b>description</b>	wash arm support H 30mm L1 105mm		



1

<b>GEV No.</b>	517808	<b>Ref. No.</b>	62003287
<b>description</b>	wash arm support H 48mm L1 70mm W 58mm		
<b>For models:</b>	GS202, GS402		



1

<b>GEV No.</b>	502150	<b>Ref. No.</b>	3501006 5506018
<b>description</b>	wash arm support mounting pos. upper thread 3/4"		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS10-2, GS12, GS22, GS23, GS25, GS27, GS27B, GS32, GS34, GS4, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS9, GS90, WBA, WKTS		



1


<b>GEV No.</b>	502161	<b>Ref. No.</b>	60003516
<b>description</b>	wash arm support mounting pos. lower		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402		








Зип Общепит handles and hand wheels


WINTERHALTER


			
1			
<b>GEV No.</b>	502149	<b>Ref. No.</b>	61002263
<b>description</b>	wash arm support ø 25mm L 30mm		
<b>For models:</b>	BAVARIA2000, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS72, WKT1000		

			
1			
<b>GEV No.</b>	502038	<b>Ref. No.</b>	61002270 61004060
<b>description</b>	wash arm support ø 38mm H 69.5mm thread 3/4"		
<b>For models:</b>	GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, WKT1200		


			
1			
<b>GEV No.</b>	524847	<b>Ref. No.</b>	61002269
<b>description</b>	wash arm support ø 45mm H 28mm thread 3/4"		
<b>For models:</b>	GS72		


			
1			
<b>GEV No.</b>	502204	<b>Ref. No.</b>	3501161
<b>description</b>	wash arm bearing hole ø 16mm H 24.5mm		
<b>For models:</b>	GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS34, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81		


<b>rinse arm shafts</b>			
			
1			
<b>GEV No.</b>	502295	<b>Ref. No.</b>	61007023
<b>description</b>	rinse arm shaft for wash arm mounting pos. lower ø 18mm		

<b>handle rails</b>			
			
1			
<b>GEV No.</b>	502155	<b>Ref. No.</b>	5515164 62001365
<b>description</b>	handle rail L 460mm W 52mm H 30mm suitable for GS24 blue hole distance 125mm Qty 1 pcs		
<b>For models:</b>	GS24		

			
1			
<b>GEV No.</b>	502079	<b>Ref. No.</b>	5515163 62001804 620018041
<b>description</b>	handle rail L 600mm W 40mm H 30mm blue hole distance 155mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		


<b>handle rails</b>			
			
1			
<b>GEV No.</b>	502155	<b>Ref. No.</b>	5515164 62001365
<b>description</b>	handle rail L 460mm W 52mm H 30mm suitable for GS24 blue hole distance 125mm Qty 1 pcs		
<b>For models:</b>	GS24		

			
1			
<b>GEV No.</b>	502079	<b>Ref. No.</b>	5515163 62001804 620018041
<b>description</b>	handle rail L 600mm W 40mm H 30mm blue hole distance 155mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

<b>accessories</b>			
			
1			
<b>GEV No.</b>	502057	<b>Ref. No.</b>	62001948 62001953
<b>description</b>	gasket for handle rail L 595mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		


mechanical components, equipment accessories

bracket handles



1


<b>GEV No.</b>	701049	<b>Ref. No.</b>	30000129
<b>description</b>	pull handle L 564mm H 55mm mounting distance 480mm thread M5 for dishwasher W 38mm kit		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	502216	<b>Ref. No.</b>	60003522
<b>description</b>	pull handle L 590mm H 29mm mounting distance 510mm thread M5 with screws		
<b>For models:</b>	BAVARIA2000, GS215, GS302, GS310, GS315		

miscellaneous



1

<b>GEV No.</b>	502061	<b>Ref. No.</b>	61005204 61008983
<b>description</b>	hood handle		
<b>For models:</b>	GS501, GS502, GS515		

locks

snap locks

producer-specific

WINTERHALTER




1

<b>GEV No.</b>	511693	<b>Ref. No.</b>	70003998
<b>description</b>	snap lock L 65mm W 29.5mm H 32mm mounting distance 47mm for dishwasher plastic		
<b>For models:</b>	WKTS		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1


<b>GEV No.</b>	701408	<b>Ref. No.</b>	70008012
<b>description</b>	snap lock L 68mm W 84mm complete		
<b>For models:</b>	MTF, MTR		

pullouts

rollers

rollers

accessories




1

<b>GEV No.</b>	560133	<b>Ref. No.</b>	2101304
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS61, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS70, GS72, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, STR, WKT1200, WKTS, ZU22		

equipment feet and end caps

screw-in feet




1

<b>GEV No.</b>	696477	<b>Ref. No.</b>	60003097 60004274
<b>description</b>	equipment foot thread M8 thread L 67mm ø 24mm H 129mm WS 24 Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

end caps and plugs

housing plugs



1


<b>GEV No.</b>	692444	<b>Ref. No.</b>	2509322
<b>description</b>	plug ø 9mm H 16mm plastic Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		

mechanical components, equipment accessories



baskets

warewashing baskets



1


<b>GEV No.</b>	970903	<b>Ref. No.</b>	5501007
<b>description</b>	cutlery basket L 440mm W 50mm H 105mm number of rows 7		

gaskets

O-rings


EPDM

ø1.50mm




1

<b>GEV No.</b>	532605	<b>Ref. No.</b>	2707072
<b>description</b>	O-ring EPDM thickness 1.5mm ID ø 12mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	502033	<b>Ref. No.</b>	2707039
<b>description</b>	O-ring EPDM thickness 1.5mm ID ø 18mm Qty 1 pcs		
<b>For models:</b>	GR62, GR62-1, GS10, GS10-2, GS12, GS22, GS24, GS27B, GS28, GS32, GS34, GS40, GS405, GS41, GS41-3, GS61, GS7, GS70, GS71, GS72, GS8, GS81, GS9, WKTS		



1


<b>GEV No.</b>	502168	<b>Ref. No.</b>	2707014
<b>description</b>	O-ring EPDM thickness 1.5mm ID ø 7mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GS23, GS25, GS27, GS4, GS41-1, GS41-4, GS41-4S, GS41-5, GS72, KTS1900, KTS2400, WKT1000, WKT1200, WKTS		

Зип Общепит

vsezip.ru


+7(812)987-08-81

ø11.11mm



1


<b>GEV No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		



1


<b>GEV No.</b>	528243	<b>Ref. No.</b>	5101278
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 15.6mm Qty 1 pcs		
<b>For models:</b>	DuoMatik		

ø2.00mm




1

<b>GEV No.</b>	527158	<b>Ref. No.</b>	2707080
<b>description</b>	O-ring EPDM thickness 2mm ID ø 10mm Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		



1

<b>GEV No.</b>	510901	<b>Ref. No.</b>	30000251
<b>description</b>	O-ring EPDM thickness 2mm ID ø 13mm Qty 1 pcs		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	532642	<b>Ref. No.</b>	2707052
<b>description</b>	O-ring EPDM thickness 2mm ID ø 36mm Qty 1 pcs		
<b>For models:</b>	GS24		

mechanical components, equipment accessories

Зип Общепит

vsezip.ru

+7(812)987-08-81

mechanical components, equipment accessories

<b>GEV No.</b>	361311	<b>Ref. No.</b>	2707012
<b>description</b>	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

<b>GEV No.</b>	504_90	<b>Ref. No.</b>	2707077
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 18.72mm Qty 1 pcs		
<b>For models:</b>	MTF, MTR, STR, WKT1200, WKTS		

ø2.50mm

<b>GEV No.</b>	532661	<b>Ref. No.</b>	30000723
<b>description</b>	O-ring EPDM thickness 2.5mm ID ø 10mm Qty 1 pcs		

<b>GEV No.</b>	532058	<b>Ref. No.</b>	2707005 2707026 2707066 2707067 2707087
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 23.81mm Qty 10 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS28, GS29, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		

<b>GEV No.</b>	502134	<b>Ref. No.</b>	2707062
<b>description</b>	O-ring EPDM thickness 2.5mm ID ø 26mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66, GR66-1, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		

<b>GEV No.</b>	502036	<b>Ref. No.</b>	2707049 2707053 5101286
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 28.25mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS72, GS81, KTS1900, KTS2400, WKT1000, WKT1200		

<b>GEV No.</b>	532641	<b>Ref. No.</b>	2707006 2707035
<b>description</b>	O-ring EPDM thickness 2.5mm ID ø 42mm Qty 1 pcs		
<b>For models:</b>	GS24		

<b>GEV No.</b>	532047	<b>Ref. No.</b>	2707013
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 7.59mm Qty 10 pcs		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS100-1, GS23S, GS24, GS40, GS42, GS61, GS62, GS63, GS64, GS65, GS70, KTS1900, KTS2400, WKT1000, WKT1200		

ø2.62mm

<b>GEV No.</b>	528333	<b>Ref. No.</b>	2707010 2707019
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 13.1mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, ELT10, ELT10GS, GS42, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, H52, Mixing-battery, ZU22		



Зип Общепит

vsezip.ru

+7(812)987-08-81

**ø3.00mm**

1

<b>GEV No.</b>	528492	<b>Ref. No.</b>	2707068
<b>description</b>	O-ring EPDM thickness 3mm ID ø 17mm Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402		

1

<b>GEV No.</b>	510427	<b>Ref. No.</b>	5101427
<b>description</b>	O-ring EPDM thickness 3mm ID ø 83mm Qty 1 pcs		
<b>For models:</b>	RoMatik, RoMatik150		

1

<b>GEV No.</b>	510563	<b>Ref. No.</b>	2707078
<b>description</b>	O-ring EPDM thickness 3mm ID ø 28mm Qty 1 pcs		
<b>For models:</b>	MTF, MTR, WKT1200, WKTS		

**ø3.53mm**

1

<b>GEV No.</b>	511322	<b>Ref. No.</b>	2707040
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 20.22mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1231, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS24, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS8, GS81, GS9, GS90, H52...(Other models you can see in the webshop)		

1

<b>GEV No.</b>	502203	<b>Ref. No.</b>	2707007 2707043
<b>description</b>	O-ring EPDM thickness 3mm ID ø 51mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71...(Other models you can see in the webshop)		

1

<b>GEV No.</b>	532604	<b>Ref. No.</b>	2707075
<b>description</b>	O-ring EPDM thickness 3.53mm ID ø 91.67mm Qty 1 pcs		
<b>For models:</b>	GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR		

1

<b>GEV No.</b>	528192	<b>Ref. No.</b>	2707064 2707086
<b>description</b>	O-ring EPDM thickness 3mm ID ø 56mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

1

<b>GEV No.</b>	503147	<b>Ref. No.</b>	3102216
<b>description</b>	pump cover gasket thickness 3.53mm ID ø 148.8mm Qty 1 pcs		
<b>For models:</b>	GS23, GS23H, GS23S, GS25, GS27, GS4		

1

<b>GEV No.</b>	532644	<b>Ref. No.</b>	4004023
<b>description</b>	O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

**ø4.00mm**

1

<b>GEV No.</b>	502031	<b>Ref. No.</b>	2707016
<b>description</b>	O-ring EPDM thickness 4mm ID ø 28mm Qty 1 pcs		
<b>For models:</b>	GR1200, GR1400, GR62, GR62-1, GS10, GS100, GS10-2, GS12, GS22, GS23, GS23H, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS8, GS80, GS81, GS9, GS90, H52, WBA, WKTS		

mechanical components, equipment accessories




Зип-Общепит

vsezip.ru

+7(812)987-08-81


mechanical components, equipment accessories

ø4.50mm




<b>GEV No.</b>	532542	<b>Ref. No.</b>	2707008
<b>description</b>	O-ring EPDM thickness 4.5mm ID ø 29.5mm Qty 1 pcs		
<b>For models:</b>	GR64, GR65, GR66-1, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKTS		

ø5mm




<b>GEV No.</b>	511695	<b>Ref. No.</b>	2707070
<b>description</b>	O-ring EPDM thickness 1.2mm ID ø 5mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

ø5,00mm




<b>GEV No.</b>	532643	<b>Ref. No.</b>	2707065
<b>description</b>	O-ring EPDM thickness 5mm ID ø 54mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>GEV No.</b>	696735	<b>Ref. No.</b>	2707054
<b>description</b>	O-ring EPDM thickness 1mm ID ø 10mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, STR		

ø6,00mm



<b>GEV No.</b>	532626	<b>Ref. No.</b>	2707092
<b>description</b>	O-ring EPDM thickness 6mm ID ø 34mm Qty 1 pcs		
<b>For models:</b>	GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>GEV No.</b>	532662	<b>Ref. No.</b>	2707048
<b>description</b>	O-ring EPDM thickness 1mm ID ø 8mm Qty 1 pcs		
<b>For models:</b>	GS235, GS24		


ø7,00mm



<b>GEV No.</b>	532495	<b>Ref. No.</b>	2707015 2707037 2707069 2707088
<b>description</b>	O-ring EPDM thickness 7mm ID ø 43mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41...(Other models you can see in the webshop)		

**silicone**

ø5.34mm



<b>GEV No.</b>	510562	<b>Ref. No.</b>	2707071 2707085
<b>description</b>	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



sealing washers

fibre gaskets



<b>GEV No.</b>	519125	<b>Ref. No.</b>	2703003
<b>description</b>	flat gasket FIBER ED ø 18mm ID ø 10mm thickness 1.5mm Qty 1 pcs equiv. no. 903400		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		



<b>GEV No.</b>	502252	<b>Ref. No.</b>	2709033
<b>description</b>	flat gasket FIBER ED ø 18mm ID ø 11mm thickness 2mm Qty 1 pcs		



<b>GEV No.</b>	508017	<b>Ref. No.</b>	2709009
<b>description</b>	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS28, GS29, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, WKT1000...(Other models you can see in the webshop)		



<b>GEV No.</b>	510417	<b>Ref. No.</b>	2704002 2709036
<b>description</b>	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23S, GS24, GS27, GS27B, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		



<b>GEV No.</b>	521122	<b>Ref. No.</b>	2702011 2709011
<b>description</b>	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS32, GS34, GS4, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42...(Other models you can see in the webshop)		

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b>	528134	<b>Ref. No.</b>	2702027 2709025
<b>description</b>	flat gasket fibre ED ø 34mm ID ø 27mm thickness 2mm for thread 3/4" Qty 1 pcs		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS29, GS29B, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS72, GS8, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, WKT1000		

<b>GEV No.</b>	506072	<b>Ref. No.</b>	2702023 2709021
<b>description</b>	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1 1/4" Qty 1 pcs		
<b>For models:</b>	GS12, GS34		

<b>GEV No.</b>	502169	<b>Ref. No.</b>	2702010 2709010
<b>description</b>	gasket fibre ED ø 24mm ID ø 19.5mm thickness 1.5mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS24, GS25, GS27, GS27B, GS28, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5...(Other models you can see in the webshop)		

rubber gaskets



<b>GEV No.</b>	501001	<b>Ref. No.</b>	62001366
<b>description</b>	flat gasket rubber ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS		


mechanical components, equipment accessories

Зип Общепит

vsezip.ru


7(8-2)9870881

mechanical components, equipment accessories



1

<b>GEV No.</b>	502144	<b>Ref. No.</b>	2701003
<b>description</b>	flat gasket rubber ED ø 36mm ID ø 26mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1322, GR1323, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS24, GS28, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61...(Other models you can see in the webshop)		




1


<b>GEV No.</b>	511694	<b>Ref. No.</b>	60004430
<b>description</b>	gasket plastic ED ø 52.2mm ID ø 48.4mm thickness 1.6mm for wash arm support Qty 1 pcs		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		


shaft gaskets

v-rings



2

<b>GEV No.</b>	504448	<b>Ref. No.</b>	2702001 2709002
<b>description</b>	flat gasket rubber ED ø 39mm ID ø 30mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GS10, GS100, GS10-2, GS12, GS22, GS27B, GS28, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS8, GS80, GS9, GS90, KTS1900, KTS2400, WBA, WKT1000, WKT1200, WKTS		
<b>spare parts for</b>	504448		
	<b>GEV No.</b>	517539	<b>Ref. No.</b> 2904228
	drain fitting thread 1¼" ED ø 64mm ID ø 34mm L 62mm WS 45		




1

<b>GEV No.</b>	697941	<b>Ref. No.</b>	2708003
<b>description</b>	V-ring ID ø 44mm ED ø 54mm thickness 9mm		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1		


special gaskets

door seals for dishwashers



1


<b>GEV No.</b>	510878	<b>Ref. No.</b>	2701028
<b>description</b>	gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 1 pcs size 3/4"		
<b>For models:</b>	GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS23S, GS29, GS41-1, GS41-4, GS41-4S, GS41-5, GS640, GS650, GS72, GSR36, GSR36E, MTF, MTR, STR, WKT1200, WKTS		



1


<b>GEV No.</b>	901498	<b>Ref. No.</b>	30000316 62003065
<b>description</b>	door seal L 433mm W 368mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	GS202, GS402		

plastic gaskets



1

<b>GEV No.</b>	511659	<b>Ref. No.</b>	2704006
<b>description</b>	gasket plastic ED ø 27mm ID ø 21mm thickness 2mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR1200, GR1400, GS10, GS100, GS22, GS23, GS25, GS27, GS32, GS4, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, KTS1900, KTS2400, MTF, MTR, STR, WBA, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	901497	<b>Ref. No.</b>	30000318 62003754
<b>description</b>	door seal L 435mm W 370mm for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-S		



Зип Общежит

miscellaneous

vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	519476	<b>Ref. No.</b>	30008733 60002704
<b>description</b>	door seal L 550mm W 445mm silicone long side open		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		

1

<b>GEV No.</b>	901151	<b>Ref. No.</b>	30000317 60003066 62003066
<b>description</b>	door seal L 565mm W 480mm H 6mm suitable for WINTERHALTER		
<b>For models:</b>	GS215, GS302, GS310, GS315		

1

<b>GEV No.</b>	504368	<b>Ref. No.</b>	30000319 60004475
<b>description</b>	door seal L 576mm W 463mm Qty 1 for dishwasher suitable for WINTERHALTER silicone		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

1

<b>GEV No.</b>	504408	<b>Ref. No.</b>	80003571
<b>description</b>	gasket set foam rubber		
<b>For models:</b>	GS502, GS515		

1

<b>GEV No.</b>	524915	<b>Ref. No.</b>	4007014
<b>description</b>	gasket suitable for WINTERHALTER for drain hose ED ø 60mm ID ø 35mm thickness 10mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23, GS24, GS25, GS27, GS28, GS29, GS29B, GS4		

## evaporators

### accessories

#### miscellaneous

1

<b>GEV No.</b>	801661	<b>Ref. No.</b>	3106221
<b>description</b>	fin comb for condensor/evaporator size inch 8"/9"/10"/12"/14"/15" seat ø 13mm thread M6x1.25 L 107mm WS 12		

## transmission technology and ball bearings

### ball bearings

#### flange bearings

1

<b>GEV No.</b>	694274	<b>Ref. No.</b>	2801026 2801027 70011769
<b>description</b>	flange bearing type SSUC204 shaft ø 20mm W 65mm plastic/SS kit hole distance 90mm H 34mm L 114mm		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

## springs

### torsion springs

1

<b>GEV No.</b>	502166	<b>Ref. No.</b>	62001189
<b>description</b>	torsion spring ø 18mm L2 65mm wire gauge ø 3mm mounting pos. right L1 18mm L3 65mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

mechanical components, equipment accessories



Зип Общепит


vsezip.ru

+7(812)98008080



<b>GEV No.</b>	502163	<b>Ref. No.</b>	62001190
<b>description</b>	torsion spring $\varnothing$ 18mm L2 70mm wire gauge $\varnothing$ 3mm mounting pos. left L1 10mm L3 70mm Qty 1 pcs		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

### compression springs



<b>GEV No.</b>	361649	<b>Ref. No.</b>	2804006
<b>description</b>	compression spring $\varnothing$ 7.6mm L 33mm wire gauge $\varnothing$ 0.75mm		
<b>For models:</b>	ELT10, ELT10GS, GS24, GS81		

### miscellaneous




<b>GEV No.</b>	502212	<b>Ref. No.</b>	60003998
<b>description</b>	repair kit for door mechanism ED $\varnothing$ 9mm H 12mm L 75mm W 42mm thread M5 wire gauge $\varnothing$ 1.5mm shaft diameter 6mm		
<b>For models:</b>	GS302, GS310, GS315, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>GEV No.</b>	502242	<b>Ref. No.</b>	62001458 62002187
<b>description</b>	spring for catch shaft diameterrmm $\varnothing$ mm L 76mm W 10mm Hmm wire gauge $\varnothing$ 0.5mm thickness 0.5mm aperture 5x15mm		
<b>For models:</b>	GS24, GS29, GS29B		

### tension springs



<b>GEV No.</b>	701127	<b>Ref. No.</b>	61004859 61006635
<b>description</b>	tension spring kit $\varnothing$ 32mm total length 565mm for hood		
<b>For models:</b>	GS501, GS502, GS515		



<b>GEV No.</b>	502087	<b>Ref. No.</b>	60002782 60003697
<b>description</b>	tension spring $\varnothing$ 15mm total length 193mm wire gauge $\varnothing$ 1.6mm L1 14mm L2 165mm L3 14mm door mechanism		
<b>For models:</b>	GS502, GS515, GS302, GS310, GS315, GS402, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>GEV No.</b>	502199	<b>Ref. No.</b>	61005514 61006636
<b>description</b>	tension spring set $\varnothing$ 37mm total length 745mm wire gauge $\varnothing$ 6.2mm L1 1001mm L2 1570mm Qty 2 pcs		
<b>For models:</b>	GS502, GS515		

### dosing pumps

#### peristaltic dosing pumps

#### ASF/THOMAS

#### spare parts



<b>GEV No.</b>	361469	<b>Ref. No.</b>	3102157
<b>description</b>	roller assembly type SR25 2/4/6l/h		
<b>For models:</b>	SP80		

#### SAIER

#### built-in version

#### without control



<b>GEV No.</b>	361830 <sup>1</sup>	<b>Ref. No.</b>	30000027 3102430 80002619
<b>description</b>	dosing pump without control 10l/h 230VAC detergent hose $\varnothing$ 6.3mm hose type PVC type DSP9911/10-E 65W intake lancette inclusive		
<b>For models:</b>	ESP166, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

<sup>1</sup>with accessories

#### spare parts



<b>GEV No.</b>	698513	<b>Ref. No.</b>	3102459
<b>description</b>	pump hose detergent hose $\varnothing$ 4,8x8mm L 140mm 4,8x8		
<b>For models:</b>	ESP166, ESP166C, SP166L, SP166Z, SP16K, SP70R		






Зип Общепит

vsezip.ru


+7(812)987-08-81


accessories


			
1			
<b>GEV No.</b>	361813	<b>Ref. No.</b>	3118069
<b>description</b>	housing for dosing pump		
<b>For models:</b>	KSP16		

piston pumps

dosing pumps

			
1			
<b>GEV No.</b>	361597	<b>Ref. No.</b>	3102598
<b>description</b>	dosing pump type DB 115-230V rinse aid inlet 6mm outlet 6mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	361596	<b>Ref. No.</b>	3102590 3102597
<b>description</b>	dosing pump type DT 115-230V detergent inlet 6mm outlet 6mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS502, GS515, GS630-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

			
1			
<b>GEV No.</b>	361235 <sup>1</sup>	<b>Ref. No.</b>	3107012 5525005 5528278 80000554 80000555
<b>description</b>	dosing pump type ELT 20 180-260V rinse aid/detergent inlet 6mm outlet 6mm WINTERHALTER		
<b>For models:</b>	ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502...(Other models you can see in the webshop)		


<sup>1</sup>with accessories

membrane dosing pumps

self-priming


LANG

spare parts

			
1			
<b>GEV No.</b>	361311	<b>Ref. No.</b>	2707012
<b>description</b>	O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6		
<b>For models:</b>	BAVARIA2000, GS202, GS215, GS302, GS310, GS315, GS402, MTF, MTR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

SEKO

spare parts

			
1			
<b>GEV No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		

water and beverage technology



Зип.Общепит

HOSES

supply hoses  
vsezip.ru

stainless steel flexi hoses

universal hoses

+7(812)987-08-81

self-priming with supporting pressure

SEKO



<b>GEV No.</b>	361304	<b>Ref. No.</b>	2707079
<b>description</b>	O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, WKT1000, WKT1200		

accessories


intake lances



<b>GEV No.</b>	361904	<b>Ref. No.</b>	30000011
<b>description</b>	intake lance kit L 425mm plastic tube ø 25mm hose ø 5/7mm cable length 3000mm rinse aid		
<b>For models:</b>	GS640-McDonalds, GS650-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



<b>GEV No.</b>	361889	<b>Ref. No.</b>	30000010
<b>description</b>	intake lance L 425mm tube ø 25mm hose ø 6x8mm cable length 3000mm for detergent		
<b>For models:</b>	UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		




<b>GEV No.</b>	520007	<b>Ref. No.</b>	2901303 2901316 2901321
<b>description</b>	flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar		
<b>For models:</b>	GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS72, KTS1900, KTS2400, MonoMatik		

drain hoses



<b>GEV No.</b>	530338	<b>Ref. No.</b>	4001039
<b>description</b>	drain hose DN19 L 1500mm A int. ø 19/23/40mm A ext. ø 45mm B int. ø 22mm B ext. ø 26mm outer hose ø 24mm		
<b>For models:</b>	GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS42		




<b>GEV No.</b>	530064	<b>Ref. No.</b>	4001045 60003738
<b>description</b>	drain hose DN19 L 1500mm straight ø inside 19/23/40mm straight ext. ø 24/28/46mm elbow ø inside 22mm elbow ext. ø 26mm outer hose ø 24mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



Зип Общепит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	502100	<b>Ref. No.</b>	61006446
<b>description</b>	drain hose DN32 L 1500mm straight $\phi$ inside 33mm straight ext. $\phi$ 39mm elbow $\phi$ inside 40mm elbow ext. $\phi$ 44mm outer hose $\phi$ 38mm		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	530465	<b>Ref. No.</b>	4002006
<b>description</b>	universal hose ID $\phi$ 50mm ED $\phi$ 64mm L 1m operating p. 10bar burst p. 30bar temp.-resist. -30 up to +80°C		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS22, GS32, GS40, GS405, GS41, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS9, GS90, KTS1900, KTS2400, MTF, MTR, STR...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	502143	<b>Ref. No.</b>	5528287 61005531
<b>description</b>	drain hose DN32 L 1600mm straight $\phi$ inside 33mm straight ext. $\phi$ 39mm elbow $\phi$ inside 40mm elbow ext. $\phi$ 43mm outer hose $\phi$ 40mm kit		
<b>For models:</b>	GS501, GS502, GS515		

formed hoses

straight




1

<b>GEV No.</b>	502247	<b>Ref. No.</b>	60003025 60004591
<b>description</b>	formed hose		
<b>For models:</b>	GS215, GS302, GS310, GS315, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-XL, UC-XL-McDonalds		

industrial hoses


PVC hoses

PVC braided hoses



1

<b>GEV No.</b>	570500	<b>Ref. No.</b>	4001015
<b>description</b>	PVC braided hose ID $\phi$ 16mm ED $\phi$ 23mm thickness 4mm operating p. 15bar		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GS10, GS22, GS32, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS7, GS9, GS90, MTF, MTR, WKT1000, WKT1200, WKTS		



1

<b>GEV No.</b>	503188	<b>Ref. No.</b>	60003155
<b>description</b>	formed hose hose ext. $\phi$ 20mm hose int. $\phi$ 13mm EPDM		
<b>For models:</b>	GS215, GS302, GS310, GS315		

extraction and pressure hoses



1

<b>GEV No.</b>	530466	<b>Ref. No.</b>	4002009
<b>description</b>	universal hose ID $\phi$ 40mm ED $\phi$ 53mm L 1m operating p. 10bar burst p. 30bar temp.-resist. -30 up to +80°C		
<b>For models:</b>	GR66, GS23H, MTF, MTR, WKTS		



1

<b>GEV No.</b>	502177	<b>Ref. No.</b>	61005530
<b>description</b>	formed hose hose ext. $\phi$ 57mm hose int. $\phi$ 49mm L 390mm black Qty 1		
<b>For models:</b>	GS501, GS502, GS515, STR		

water and beverage technology



Зип Общепит

vsezip.ru

+7(812)987-08-81

			
1			
<b>GEV No.</b>	518211	<b>Ref. No.</b>	4002007 5505026 5505032
<b>description</b>	formed hose straight Qty supplied by meter hose ext. ø 70mm hose int. ø 60mm dishwasher		
<b>For models:</b>	GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR66, GR66-1, GS100, GS100-1, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS660, GS70, GS71, GS72, GS80, GS81, GS90, KTS1900, KTS2400, WKT1000		

<b>form L</b>			
			
1			
<b>GEV No.</b>	517546	<b>Ref. No.</b>	70006835
<b>description</b>	formed hose end piece A ext. ø 25mm end piece A int. ø 22mm AD2 ø 17mm ø end piece B 13mm L 180mm EPDM warewashing L-shape		
<b>For models:</b>	MTF, MTR		

			
1			
<b>GEV No.</b>	502246	<b>Ref. No.</b>	80001902
<b>description</b>	formed hose end piece A ext. ø 32mm end piece A int. ø 24mm AD2 ø 32mm ø end piece B 24mm L 150mm Qty 1 L-shape		
<b>For models:</b>	GR66, GS41-5, GS42, GS501, GS502, GS515, GS72, KTS1900, KTS2400, WKT1200, WKTS		

			
1			
<b>GEV No.</b>	524840	<b>Ref. No.</b>	65005108
<b>description</b>	formed hose end piece A ext. ø 33mm end piece A int. ø 26mm AD2 ø 33mm ø end piece B 26mm L 620mm Qty 1 warewashing L-shape		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		

			
1			
<b>GEV No.</b>	524921	<b>Ref. No.</b>	61005994
<b>description</b>	formed hose end piece A ext. ø 47mm end piece A int. ø 36mm AD2 ø 47mm ø end piece B 36mm L 215mm Qty 1 warewashing L-shape		
<b>For models:</b>	GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	699220	<b>Ref. No.</b>	65004103
<b>description</b>	formed hose end piece A ext. ø 76mm end piece A int. ø 61mm AD2 ø 74mm ø end piece B 59mm L 175mm EPDM Qty 1		
<b>For models:</b>	GR64, GR65, GS640, GS640-McDonalds, GS650, GS650-McDonalds, STR		

			
1			
<b>GEV No.</b>	502085	<b>Ref. No.</b>	61005703
<b>description</b>	formed hose L 150mm L hose ext. ø 33mm hose int. ø 25mm		
<b>For models:</b>	GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	502084	<b>Ref. No.</b>	61004904
<b>description</b>	formed hose L 285mm L		
<b>For models:</b>	GS501, GS502, GS515		



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502089	<b>Ref. No.</b>	61004903
<b>description</b>	formed hose L-shape hose ext. ø 78mm hose int. ø 62mm		
<b>For models:</b>	GS501, GS502, GS515		



1


<b>GEV No.</b>	507456	<b>Ref. No.</b>	4003017
<b>description</b>	extraction hose hose ext. ø 80mm hose int. ø 60mm L 240mm rubber S-shape		
<b>For models:</b>	GS10, GS22, GS32, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS7, GS70, GS71, GS9		

with branch




1

<b>GEV No.</b>	502115	<b>Ref. No.</b>	5528221 62001811
<b>description</b>	conversion kit		
<b>For models:</b>	GS29, GS29B		




1

<b>GEV No.</b>	524913	<b>Ref. No.</b>	60003158
<b>description</b>	formed hose hose ext. ø 14/17mm hose int. ø 10/13mm L 460mm EPDM S-shape		
<b>For models:</b>	GS215, GS302, GS310, GS315, GS501, GS502, GS515		




1

<b>GEV No.</b>	524842	<b>Ref. No.</b>	60003831
<b>description</b>	formed hose ext. ø 20/31 with piggyback L 560mm warewashing black Qty 1		
<b>For models:</b>	GS215, GS302, GS310, GS315		




1

<b>GEV No.</b>	507457	<b>Ref. No.</b>	61003887
<b>description</b>	formed hose hose ext. ø 27mm hose int. ø 22mm S-shape		
<b>For models:</b>	GS42		



1

<b>GEV No.</b>	524634	<b>Ref. No.</b>	61005287 61006333
<b>description</b>	rinse hose ø 19/20mm L 1100mm EPDM		
<b>For models:</b>	GS501, GS502, GS515		



1

<b>GEV No.</b>	519495	<b>Ref. No.</b>	62002804
<b>description</b>	formed hose hose ext. ø 32/42mm hose int. ø 24/36mm L 100mm inlet hose		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS29, GS29B		




Зип.Общепит

miscellaneous

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	502178	<b>Ref. No.</b>	60002973
<b>description</b>	formed hose hose ext. $\phi$ 33.5mm hose int. $\phi$ 25.5mm L 131 mm EP D1 Qty 1 S-shape		
<b>For models:</b>	GS215, GS302, GS310, GS315		



1


<b>GEV No.</b>	699219	<b>Ref. No.</b>	62001573
<b>description</b>	formed hose ID $\phi$ 13.5mm hose ext. $\phi$ 20mm L 335mm Qty 1		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29		



1

<b>GEV No.</b>	524468	<b>Ref. No.</b>	65004450 65004664
<b>description</b>	formed hose ID $\phi$ 60mm ED $\phi$ 72mm L 375mm S-shape Qty 1 black		
<b>For models:</b>	GR66-1, GS660		

form U



1

<b>GEV No.</b>	524914	<b>Ref. No.</b>	4003031 4003050
<b>description</b>	formed hose ext. $\phi$ 20 L 1310mm for dishwasher		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GR62-2, GR62-3, GS100-1, GS12, GS23S, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS70, GS71, GS72, GS81, GS90, KTS1900, KTS2400, WKT1200, WKTS		



1

<b>GEV No.</b>	699218	<b>Ref. No.</b>	65004027 70300392
<b>description</b>	formed hose ext. $\phi$ 35.5 D1 $\phi$ 25mm D2 $\phi$ 25mm L 210mm Qty 1		
<b>For models:</b>	GR64, GR65, GR66-1, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, STR		



1

<b>GEV No.</b>	502213	<b>Ref. No.</b>	61005049
<b>description</b>	formed hose D1 $\phi$ 32mm D2 $\phi$ 24mm L 890mm dishwasher black Qty 1		
<b>For models:</b>	GS501, GS502, GS515, GS660		



1

<b>GEV No.</b>	524651	<b>Ref. No.</b>	62001413
<b>description</b>	formed hose ext. $\phi$ 50 ID $\phi$ 38mm L 370mm for drain		
<b>For models:</b>	GS24, GS29, GS29B		



1

<b>GEV No.</b>	524469	<b>Ref. No.</b>	4003040
<b>description</b>	formed hose ID $\phi$ 38mm ED $\phi$ 46mm L 360mm U-bend warewashing black		
<b>For models:</b>	GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS34, GS8		



Зип Общепит fittings, hose and pipe connectors

vsezip.ru hose connectors

without screw connection

+7(812)987-08-81



<b>GEV No.</b>	524467	<b>Ref. No.</b>	65005070 65005612
<b>description</b>	formed hose ID $\varnothing$ 50mm ED $\varnothing$ 58mm L 630mm for drain EPDM warewashing black		
<b>For models:</b>	GS640, GS640-McDonalds, GS650, GS650-McDonalds		

for dishwashers

miscellaneous



<b>GEV No.</b>	530518	<b>Ref. No.</b>	70006831
<b>description</b>	formed hose ED $\varnothing$ 64mm ID $\varnothing$ 52mm L 540mm		
<b>For models:</b>	MTF, MTR		



<b>GEV No.</b>	698507	<b>Ref. No.</b>	2906508 70010079 70010598
<b>description</b>	T-piece plastic hose $\varnothing$ 13-13-13mm ID $\varnothing$ 10mm L 67mm		
<b>For models:</b>	GR1200, GR1400, GR1410, GR1420, GR1430, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, KTS1900, KTS2400, MTF, MTR, STR, WKT1200, WKTS		

fittings

double nipples



<b>GEV No.</b>	520874	<b>Ref. No.</b>	3011206 61003430
<b>description</b>	reducer SS thread 1/2" - 3/4" Qty 1 pcs L1 27mm WS 27		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1320, GR1321, GR62-2, GR62-3, GR63, GR63-1, GS12, GS34, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS65, GS71, GS72, GS81, MTF, MTR, STR, WKT1000, WKT1200, WKTS		



<b>GEV No.</b>	520969	<b>Ref. No.</b>	80002167
<b>description</b>	double nipple		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds, UC-M...(Other models you can see in the webshop)		

water and beverage technology

hose connectors

producer-specific



<b>GEV No.</b>	511456	<b>Ref. No.</b>	2906200 2906500
<b>description</b>	hose connector angled		
<b>For models:</b>	GM170, GM85, GR62, GR62-1, GS10, GS100, GS22, GS32, GS40, GS405, GS41, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS71, GS80, GS9, GS90		



<b>GEV No.</b>	523076	<b>Ref. No.</b>	62001329
<b>description</b>	T-piece connection 25/14.5/14.5mm L 75mm		
<b>For models:</b>	BAVARIA2000, GR64, GR65, GR66, GR66-1, GS24, GS29B, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



<b>GEV No.</b>	502093	<b>Ref. No.</b>	3501156 5531007
<b>description</b>	water inlet 3-piece for tank		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS70, GS71, GS72, GS8, GS90, GSR36... (Other models you can see in the webshop)		

water cycle components

supply filters



<b>GEV No.</b>	520882	<b>Ref. No.</b>	80002153
<b>description</b>	supply filter thread 3/4" IT - 3/4" ET total length 175mm plastic type PA6.6 GV35		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS100-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds... (Other models you can see in the webshop)		
<b>spare parts for</b>	520882		

<b>GEV No.</b>	524652	<b>Ref. No.</b>	80002728
<b>description</b>	screen ø 27mm H 68mm suitable for supply filter Winterhalter 3/4"		

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>GEV No.</b>	524652	<b>Ref. No.</b>	80002728
<b>description</b>	screen ø 27mm H 68mm suitable for supply filter Winterhalter 3/4"		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, RoMatik, RoMatik150, STR, UC-L, UC-L-McDonalds, UC-M... (Other models you can see in the webshop)		

ancillary products

clamps

hose clamps

DIN 3017 - W2



<b>GEV No.</b>	520112	<b>Ref. No.</b>	2802011 2802108 30000711
<b>description</b>	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23H, GS23S, GS24, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS65, GS650, GS660... (Other models you can see in the webshop)		



<b>GEV No.</b>	520114	<b>Ref. No.</b>	2802109
<b>description</b>	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S... (Other models you can see in the webshop)		




Зип Общепит


double wire clamps

vsezip.ru

(812)987-08-81

			
1			
<b>GEV No.</b>	520116	<b>Ref. No.</b>	2802110
<b>description</b>	hose clamp ø 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GM170, GM85, GR1200, GR1221, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS34...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	69225	<b>Ref. No.</b>	2802348
<b>description</b>	wire clamp clamping range 7.5-8.6mm nominal-ø 8.6mm wire gauge ø 1mm zinc-coated steel Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS40, GS402, GS405, GS41, GS41-3, GS41-4...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	520119	<b>Ref. No.</b>	2802120 2802137 2802308
<b>description</b>	hose clamp ø 60-80mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501...(Other models you can see in the webshop)		

tools

hand tools

fin combs


			
1			
<b>GEV No.</b>	801661	<b>Ref. No.</b>	3106221
<b>description</b>	fin comb for condenser/evaporator size inch 8"/9"/10"/12"/14"/15" seat ø 13mm thread M6x1.25 L 107mm WS 12		


DIN 3017 - W4			
			
1			
<b>GEV No.</b>	520120	<b>Ref. No.</b>	2802105
<b>description</b>	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS302, GS310, GS315, GS402, GS41-4, GS41-4S, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, RoMatik150, Solidos, STR, WKT1000, WKT1200, WKTS		

measuring equipment

thermometers

built-in thermometers

			
1			
<b>GEV No.</b>	541058	<b>Ref. No.</b>	3201010 3201023 3201036
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +85°C		
<b>For models:</b>	GS100-1, GS12, GS34, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		


miscellaneous			
			
1			
<b>GEV No.</b>	504026	<b>Ref. No.</b>	2802115 2802117 30001243
<b>description</b>	hose clamp stainless steel ø 47-67mm width 12mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640...(Other models you can see in the webshop)		

water and beverage technology

Зип.Общепит  
fastening material

screws  
vsezip.ru  
sheet metal screws

+7(812)987-08-81



1


<b>GEV No.</b>	541057	<b>Ref. No.</b>	3201022 3201035
<b>description</b>	thermometer mounting measurements 58x25.5mm 0 up to +50°C capillary pipe 2500mm probe ø 8.4mm probe L 58mm		
<b>For models:</b>	GS100-1, GS12, GS34, GS41-1, GS41-4, GS41-4S, GS72, WKT1000, WKT1200, WKTS		




1

<b>GEV No.</b>	560096	<b>Ref. No.</b>	2020302
<b>description</b>	sheet metal screws ø 2.9mm L 13mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		
<b>For models:</b>	GR1200, GR1400, GR64, GR65, GR66, GR66-1, GS23S, GS24, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660		


ø60mm



1




<b>GEV No.</b>	541055	<b>Ref. No.</b>	3201009 3201016
<b>description</b>	thermometer mounting ø 60mm t.max. 55°C 0 up to +55°C probe ø 6mm probe L 13mm capillary pipe 2500mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS12, GS34, GS40, GS40S, GS41, GS41-3, GS61, GS62, GS63, GS64, GS65, GS70, GS71, GS81, GS90		




1

<b>GEV No.</b>	560249	<b>Ref. No.</b>	2021302
<b>description</b>	sheet metal screws ø 3.9mm L 13mm SS Qty 20 pcs DIN 7982/ISO 7050 intake Phillips head ø 7.5mm		
<b>For models:</b>	GM170, GM85, GS14, GS14E, GS15, GS15E, GS202, GS215, GS29, GS29B, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR		




1



<b>GEV No.</b>	541056	<b>Ref. No.</b>	3201017
<b>description</b>	thermometer mounting ø 60mm t.max. 85°C 0 up to +85°C probe ø 6mm probe L 13mm capillary pipe 2500mm		
<b>For models:</b>	GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR63, GR63-1, GS100, GS12, GS34, GS40S, GS41, GS41-3, GS62, GS63, GS64, GS65, GS71, GS80, GS81, GS90		

flat-headed bolts



1

<b>GEV No.</b>	560365	<b>Ref. No.</b>	2010010 2010310
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	BAVARIA2000, DuoMatik, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS29, GS29B, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS630-McDonalds, GS7, GS72, GS8, GS9, KTS1900, KTS2400, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKT1000, WKTS		





Зип Общежит

vsezip.ru

+7(812)987-08-81

hexagonal screws



1

<b>GEV No.</b>	560309	<b>Ref. No.</b>	2001352 3008200
<b>description</b>	hexagonal screw thread M10 thread L 16mm SS WS 17 Qty 1 pcs DIN 933 / ISO 4017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS4, GS40, GS40S, GS41, GS41-1...(Other models you can see in the webshop)		



2

<b>GEV No.</b>	560087	<b>Ref. No.</b>	2001306
<b>description</b>	hexagonal screw thread M6 thread L 16mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GS80, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900...(Other models you can see in the webshop)		

cylinder head bolts

DIN 912/ISO 4762



1

<b>GEV No.</b>	560315	<b>Ref. No.</b>	2003307
<b>description</b>	cylinder head bolt thread M5 thread L 12mm WS 4 SS Qty 20 pcs DIN 912/ISO 4762		
<b>For models:</b>	GS215, GS302, GS310, GS315		

side bolts



1

<b>GEV No.</b>	560473	<b>Ref. No.</b>	2010308 30000373
<b>description</b>	side bolts thread M5 L 33mm brass Qty 1 pcs intake torx head ø 12mm		
<b>For models:</b>	Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GS202, GS215, GS302, GS310, GS315, GS402, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS		

grub screws

miscellaneous



1

<b>GEV No.</b>	560469	<b>Ref. No.</b>	2030304
<b>description</b>	grub screw thread M6 L 8mm stainless steel intake internal hexagon Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, KTS1900, KTS2400, MTF, MTR, STR, WKT1000, WKT1200, WKTS		

nuts

plate nuts



1

<b>GEV No.</b>	560472	<b>Ref. No.</b>	2117303
<b>description</b>	plate nut hole ø 3.1mm L 13mm W 8mm		
<b>For models:</b>	GS14, GS14E, GS15, GS15E, GS24		

hexagonal nuts

DIN 934 / ISO 4032/8673



1

<b>GEV No.</b>	560131	<b>Ref. No.</b>	2101302 2102302
<b>description</b>	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23H, GS23S, GS24, GS28, GS32, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS7, GS72, GS9, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, Solidos, STR, WKT1000, WKTS, ZU22		

Зип-Общепит

DIN 934



1

<b>GEV No.</b>	560132	<b>Ref. No.</b>	2101203 2101303
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1231, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS630-McDonalds...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	560140	<b>Ref. No.</b>	2105300
<b>description</b>	hexagonal nut thread M4 H 4.3mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, ELT10, ELT10GS, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72...(Other models you can see in the webshop)		



2

<b>GEV No.</b>	511212	<b>Ref. No.</b>	2101309
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
<b>For models:</b>	GS24, GS28, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds		

DIN 6923 / ISO 4161



1

<b>GEV No.</b>	560471	<b>Ref. No.</b>	2101313
<b>description</b>	nut thread M4 H 4.5mm SS WS 7 Qty 1 pcs DIN/ISO DIN 6923		
<b>For models:</b>	GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660		



1

<b>GEV No.</b>	560133	<b>Ref. No.</b>	2101304
<b>description</b>	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS40, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS61, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS70, GS72, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, STR, WKT1200, WKTS, ZU22		



1

<b>GEV No.</b>	527727	<b>Ref. No.</b>	2101310
<b>description</b>	nut thread M5 H 5mm SS WS 8 Qty 1 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds, WKTS		

hexagonal nuts metric (without norm)



1

<b>GEV No.</b>	521145	<b>Ref. No.</b>	3125002 3201013
<b>description</b>	nut thread M12x0.75 H 3.4mm WS 17 Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40, GS405, GS41...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	560134	<b>Ref. No.</b>	2301005 2303301
<b>description</b>	hexagonal nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS24, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS8, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, WKT1000...(Other models you can see in the webshop)		



3ип Общепит

vsezip.ru

+7(812)987-08-81

hexagonal nuts inch thread



1

<b>GEV No.</b>	506024	<b>Ref. No.</b>	3009200
<b>description</b>	nut thread 3/8" H 6mm SS WS 22 Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66-1, GS10, GS100, GS100-1, GS14, GS14E, GS15, GS15E, GS22, GS23S, GS24, GS28, GS29, GS29B, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS630-McDonalds, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS81, GS9, GS90, GSR36...(Other models you can see in the webshop)		

union nuts



1

<b>GEV No.</b>	503159	<b>Ref. No.</b>	2907201
<b>description</b>	union nut thread 1/2" brass WS 24 Qty 1 pcs for pipe ø 12mm		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS100, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS32, GS40, GS405, GS41, GS41-1, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS61, GS62, GS63, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660, GS7, GS70, GS71, GS72, GS80, GS9, GS90, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900...(Other models you can see in the webshop)		



1

<b>GEV No.</b>	524544	<b>Ref. No.</b>	2907301
<b>description</b>	union nut thread 1/2" H 15.5mm SS WS 24 Qty 1 pcs for pipe ø 12mm		
<b>For models:</b>	BAVARIA2000, GR63, GR63-1, GS24, GS27B, GS501, GS502, GS515, KTS1900, KTS2400, MTF, MTR, STR, TE15, TE20, VE15, VE20, WKT1000, WKT1200, WKT5		



1

<b>GEV No.</b>	502240	<b>Ref. No.</b>	2907200
<b>description</b>	union nut thread 3/8" H 14mm zinc-coated steel WS 22 Qty 1 pcs ID ø 10.4mm		
<b>For models:</b>	BAVARIA2000, GM170, GM85, GR1200, GR1210, GR1220, GR1230, GR1320, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS22, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS61, GS62, GS63, GS630-McDonalds, GS64, GS640, GS640-McDonalds, GS65, GS650, GS650-McDonalds, GS660...(Other models you can see in the webshop)		

Washers

spring rings



1

<b>GEV No.</b>	560123	<b>Ref. No.</b>	2301004 2303300
<b>description</b>	lock washer ID ø 6.3mm ED ø 11mm SS DIN127 Qty 20 pcs for thread M6		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100, GS14, GS14E, GS15, GS15E, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-4, GS41-4S, GS41-5, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GS80, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900, KTS2400...(Other models you can see in the webshop)		

spring washers



1

<b>GEV No.</b>	696605	<b>Ref. No.</b>	2210301
<b>description</b>	spring washer ID ø 20.5mm ED ø 40mm thickness 1.5mm steel Qty 1 pcs		
<b>For models:</b>	MTF, MTR, STR, WKT1000		

washers

DIN 125A




1

<b>GEV No.</b>	560112	<b>Ref. No.</b>	2201300
<b>description</b>	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS23H, GS23S, GS24, GS28, GS29, GS29B, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS72, GS81, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, KTS1900, KTS2400, MTF, MTR, STR, UC-L...(Other models you can see in the webshop)		

Зип Общепит


vsezip.ru


+7(812)987-0881


			
1			
<b>GEV No.</b>	560333	<b>Ref. No.</b>	2201302
<b>description</b>	plain washer ID $\varnothing$ 6.4mm ED $\varnothing$ 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS12, GS23S, GS24, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GS72, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, Hydromat18, Hydromat25, KTS1900, KTS2400, MTF, MTR, WKT1000, WKT1200, WKTS, ZU22		


			
1			
<b>GEV No.</b>	520114	<b>Ref. No.</b>	2802109
<b>description</b>	hose clamp $\varnothing$ 20-32mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS40, GS402, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S...(Other models you can see in the webshop)		

## miscellaneous

			
1			
<b>GEV No.</b>	698554	<b>Ref. No.</b>	60003487
<b>description</b>	disc ID $\varnothing$ 14.1mm ED $\varnothing$ 20mm thickness 1mm SS Qty 1 pcs		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		

			
1			
<b>GEV No.</b>	520116	<b>Ref. No.</b>	2802110
<b>description</b>	hose clamp $\varnothing$ 32-50mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-MTR-STR-180, Eckfoerderer-MTR-STR-90, GKTS2600, GM170, GM85, GR1200, GR1221, GR1231, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS32, GS34...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	698512	<b>Ref. No.</b>	2202314 2203203
<b>description</b>	plain washer ID $\varnothing$ 5.2mm ED $\varnothing$ 20mm thickness 2mm SS		
<b>For models:</b>	GS10-2, GS12, GS34, GS8		

			
1			
<b>GEV No.</b>	520119	<b>Ref. No.</b>	2802120 2802137 2802308
<b>description</b>	hose clamp $\varnothing$ 60-80mm width 9mm Qty 5 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS29, GS29B, GS32, GS34, GS40, GS405, GS41, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501...(Other models you can see in the webshop)		

## fasteners

## clamps

## hose clamps

## DIN 3017 - W2

			
1			
<b>GEV No.</b>	520112	<b>Ref. No.</b>	2802011 2802108 30000711
<b>description</b>	hose clamp $\varnothing$ 12-20mm width 9mm Qty 10 pcs DIN 3017		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS100-1, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23H, GS23S, GS24, GS27B, GS28, GS29, GS29B, GS302, GS310, GS315, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS62, GS63, GS64, GS640, GS65, GS650, GS660...(Other models you can see in the webshop)		

			
1			
<b>GEV No.</b>	520120	<b>Ref. No.</b>	2802105
<b>description</b>	hose clamp SS W4 $\varnothing$ 12-20mm width 9mm Qty 1 pcs DIN 3017		
<b>For models:</b>	BAVARIA2000, GR62-2, GR62-3, GS14, GS14E, GS15, GS15E, GS202, GS215, GS23S, GS24, GS29, GS302, GS310, GS315, GS402, GS41-4, GS41-4S, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, MTR, RoMatik150, Solidos, STR, WKT1000, WKT1200, WKTS		





Зип Общежит  
cleaning agents


vsezip.ru

Notice: Articles labelled 'DANGEROUS GOODS' are delivered by road through a forwarder for reasons of safety and are charged separately!

+7(812)987-08-81

miscellaneous			
			
1			
<b>GEV No.</b>	504026	<b>Ref. No.</b>	2802115 2802117 30001243
<b>description</b>	hose clamp stainless steel ø 47-67mm width 12mm Qty 1 pcs		
<b>For models:</b>	BAVARIA2000, Eckfoerderer-WKT(S)-90-180, GKTS2600, GM170, GM85, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR64, GR65, GR66, GR66-1, GS10, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS202, GS215, GS22, GS24, GS29, GS29B, GS302, GS310, GS315, GS32, GS34, GS402, GS41-1, GS41-3, GS41-4, GS41-4S, GS41-5, GS42, GS501, GS502, GS515, GS630-McDonalds, GS640...(Other models you can see in the webshop)		

retaining rings			
DIN 6799			
			
1			
<b>GEV No.</b>	516198	<b>Ref. No.</b>	2310304 2310305
<b>description</b>	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
<b>For models:</b>	GKTS2600, GR1221, GR1231, GR1320, GR1321, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GS14, GS14E, GS15, GS15E, GS24, GS29, GS29B, GSR36, GSR36E, GSR36E-McDonalds, GSR36-McDonalds, MTF, WKTS		

miscellaneous			
			
1			
<b>GEV No.</b>	523024	<b>Ref. No.</b>	60003023
<b>description</b>	retaining ring bore ø 12mm thickness 0.8mm		
<b>For models:</b>	GS202, GS302, GS310, GS315, GS402, GS501, GS502, GS515		


consumables

sealants and adhesives

insulated tapes

miscellaneous

			
1			
<b>GEV No.</b>	551443	<b>Ref. No.</b>	30001091 4803015 4803022
<b>description</b>	insulating tape W 9mm L 10m black thickness 2mm		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS630-McDonalds, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		

dishwasher detergents/descalers			
			
1			
<b>GEV No.</b>	802058 <sup>1</sup>	<b>Ref. No.</b>	20000592 3301030
<b>description</b>	detergent Winterhalter P865 Plus for dishwashers powdered form content 25kg		

<b>description</b>	Winterhalter P65 - detergent - bucket 25kg Powder, defoaming, aluminium-compatible detergent for appliance washers - suitable for professional utensil washers in bakeries and butchers' shops as well as restaurants, hotels and kitchens in large-scale food service operations - effectively removes grease, starch and protein residues from all utensils used to prepare food - particularly suitable for cleaning heavily soiled utensils such as containers, bowls, baking sheets, counter display cases, trays, pots and pans - suitable for all types of aluminium, stainless steel, plastic and porcelain ware as well as cutlery - test prior to using on anodised aluminium For perfect results use in Winterhalter utensil washers with Winterhalter rinse aid N and suitable Winterhalter water treatment is recommended. From a water hardness of 10dGH the Winterhalter DuoMatik water softener yields optimal results. With the proper water treatment the detergent consumption can be reduced by up to 50%.		
--------------------	---	--	--

<sup>1</sup>DANGEROUS GOODS

			
1			
<b>GEV No.</b>	802057 <sup>1</sup>	<b>Ref. No.</b>	20000513 3301564
<b>description</b>	rinse aid Winterhalter B100N neutral for dishwashers 10l Qty 1 pcs		

<b>description</b>	Winterhalter B100N - rinse aid - canister 10l Neutral rinse aid for all application areas - suitable for professional glass, door-type, pass-through, rack conveyor and flight-type dishwashers as well as utensil washers in restaurants, hotels and kitchens in large-scale food service operations, bakeries and butchers' shops - suitable for drinking glasses as well as other ware made from glass, porcelain, plastic, stainless steel and aluminium as well as cutlery and utensils - particularly suitable for soft water For best results use in Winterhalter dishwashers with Winterhalter detergents and suitable Winterhalter water treatment is recommended. Use of upstream desalination equipment is necessary for achieving spot-free glasses.		
--------------------	---	--	--

<sup>1</sup>DANGEROUS GOODS



fuses

fine fuses



1

<b>GEV No.</b>	358696	<b>Ref. No.</b>	3111123
<b>description</b>	fine fuse size $\varnothing$ 5x20mm 4A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	GS202, GS215, GS302, GS310, GS315, GS402, GS501, GS502, GS515, GS630-McDonalds, GS640, GS640-McDonalds, GS650, GS650-McDonalds, GS660, MTF, MTR, STR, UC-L, UC-L-McDonalds, UC-M, UC-M-McDonalds, UC-S, UC-XL, UC-XL-McDonalds		



1

<b>GEV No.</b>	358697	<b>Ref. No.</b>	3111043
<b>description</b>	fine fuse size $\varnothing$ 5x20mm 6.3A medium lag rated 250V Qty 10 pcs		
<b>For models:</b>	AirCon, BAVARIA2000, GKTS2600, GM170, GM85, GR1200, GR1210, GR1220, GR1221, GR1230, GR1231, GR1320, GR1321, GR1400, GR1410, GR1420, GR1430, GR62, GR62-1, GR62-2, GR62-3, GR63, GR63-1, GR64, GR65, GR66, GR66-1, GS10, GS100, GS10-2, GS12, GS14, GS14E, GS15, GS15E, GS22, GS23, GS23H, GS23S, GS24, GS25, GS27, GS27B, GS28, GS29, GS29B, GS32, GS34, GS4, GS40...(Other models you can see in the webshop)		

Зип Общепит

vsezip.ru

+7(812)9874081



<b>GEV No.</b>	358608	<b>Ref. No.</b>	3111093
<b>description</b>	fine fuse size $\varnothing$ 5x20mm 10A slow-acting rated 250V Qty 10 pcs		
<b>For models:</b>	GR1210, GR1220, GR1230, GR1410, GR1420, GR1430, GS10, GS100, GS22, GS32, GS405, GS41, GS62, GS63, GS64, GS65, GS7, GS71, GS80, GS9, GS90		

fine fuse holders



1

<b>GEV No.</b>	698511	<b>Ref. No.</b>	3111048
<b>description</b>	screw cap suitable fuse $\varnothing$ 15.2mm mounting $\varnothing$ mm thread M9x1 6.3A rated 250V connection		
<b>For models:</b>	GM170, GM85, GS10, GS100, GS22, GS25, GS32, GS4, GS40, GS61, GS62, GS63, GS64, GS65, GS7, GS70, GS80, GS9, GS90, H52		

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>B</b>					
bi-metal thermostats	9		hexagonal nuts		95
booster pumps I	32		hexagonal screws		95
			hose clamps		92, 98
<b>C</b>			hose connectors		91, 92
cables	35		hoses		86
clamps	92, 98		<b>I</b>		
cleaning agents	99		immersion heating elements		2
condensators & interference suppression filters	34		indicator lights		17
consumables	99		indicator lights (complete)		17
contact heaters	2		industrial hoses		87
contactors	19		intake lances		86
control equipment	16		<b>L</b>		
control thermostats	9		lamps		17
cylinder head bolts	95		LED		18
			light bulbs		18
<b>D</b>			<b>M</b>		
dishwasher detergents/descalers	99		magnetic switches		14
door seals for dishwashers	82		measuring equipment		93
dosing pumps	84		microswitches		13
double nipples	91		motors		27
double wire clamps	93		<b>N</b>		
drain hoses	86		nuts		95
drain pumps	33		<b>O</b>		
			operating capacitors		34
<b>E</b>			O-rings		77
electric accessories	35		<b>P</b>		
end caps and plugs	76		plate nuts		95
evaporators	83		plunger sockets		11
extraction and pressure hoses	87		position switches		13
			pressure switches		26
<b>F</b>			probes		21
fasteners	98		programme timers		18
fastening material	94		pumps		27
filters	34		push/momentary push switches		11
fin combs	93		PVC hoses		87
fine fuses	100		<b>R</b>		
fittings	91		relays		20
flat-headed bolts	94		retaining rings		99
float switches	14		rocker/momentary rocker switches		11
flow meters	27		<b>S</b>		
foil heating elements	6		safety bi-metal thermostats		9
formed hoses	87		safety thermostats		10
fuses	35, 100		screws		94
			sealants and adhesives		99
<b>G</b>			sealing washers		81
grub screws	95				
<b>H</b>					
hand tools	93				
heating cartridges	2				
heating elements	2				

Зип Общепит

vsezip.ru

+7(812)987-08-81

shaft gaskets	82
sheet metal screws	94
side bolts	95
snap locks	76
solenoid valves	22
spring rings	57
spring washers	97
stainless steel flexi hoses	86
supply filters	92, 92
supply hoses	86
switches and momentary switches	11

**T**

terminals	36
terminals and connectors	36
thermostats	9
time relays	20
timers	18
tools	93
transformers	21

**U**

union nuts	97
universal hoses	86

**W**

wash and rinse pumps	27
wash pump motors	32
washers	97
water cycle components	92