



Зип Ощепит

vsezip.ru

Spare Parts for

+7(812)987-08781 **Combi Ovens**



Spare parts suitable for

**HOUNÖ**

2017



Find the complete and up-to-date range of products in our GEV Webshop




## heating elements


## immersion heating elements

with compression flange 50 x 26mm

			
1			
<b>GEV No.</b>	419129	<b>Ref. No.</b>	072406 20720278
<b>description</b>	heating element 1300W 230V heating circuits 1 flange 50x26mm L 380mm W 60mm L1 31mm L2 345mm W1 20mm W2 33mm compression flange cable length 1500mm tube ø 8.5mm fittings		
<b>accessories for</b>	419129		
	<b>GEV No.</b>	520562	<b>Ref. No.</b> 070101
	gasket L 44mm W 21mm D1 ø 9mm D2 ø 9mm hole ø 5.5mm thickness 4mm for heating element suitable for HOUNÖ		

with expansion flange 70 x 18mm

			
1			
<b>GEV No.</b>	419165	<b>Ref. No.</b>	072415
<b>description</b>	heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm connection male faston 6.3mm tube ø 8.5mm expansion flange		

			
1			
<b>GEV No.</b>	419131	<b>Ref. No.</b>	031917
<b>description</b>	heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm with probe K 1100 connection male faston 6.3mm tube ø 8.5mm expansion flange connection length 35mm		



miscellaneous


			
1			
<b>GEV No.</b>	511653	<b>Ref. No.</b>	20600007
<b>description</b>	gasket silicone L 82mm W 82mm thickness 3mm		


Зип Общепит



vsezip.ru

+7(812)987-08-81

			
1			
<b>GEV No.</b>	420371	<b>Ref. No.</b>	20700045 20700047 30720643
<b>description</b>	heating element 7500W 240-415V heating circuits 3 L 200mm W 40mm H 65mm number of thermostat sleeves 2 thermostat sleeves ø 5.6mm length thermostat sleeves 200mm thermostat sleeve upper hole distance 600mm hole ø 6.6mm cable length 590mm connection cable immersion heater flange width 820mm flange length 820mm SS included		
<b>accessories for</b>	420371		
	<b>GEV No.</b>	511653	<b>Ref. No.</b> 20600007
	gasket silicone L 82mm W 82mm thickness 3mm		

			
1			
<b>GEV No.</b>	420582	<b>Ref. No.</b>	30720642
<b>description</b>	heating element 9000W 208V heating circuits 3 L 205mm W 40mm H 74mm number of thermostat sleeves 2 thermostat sleeves ø 6mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.5mm hole distance 64mm hole ø 6mm cable length 600mm connection cable 4 hole flange steam generator flange width 82mm flange length 82mm with gasket		

			
1			
<b>GEV No.</b>	420575	<b>Ref. No.</b>	30720641
<b>description</b>	heating element 9000W 240/415V heating circuits 3 L 203mm W 38mm H 66mm number of thermostat sleeves 2 thermostat sleeves ø 6mm length thermostat sleeves 185mm thermostat sleeve eccentric, clinging tube ø 6.5mm hole distance 64mm hole ø 6.5mm cable length 620mm flange steam generator flange width 82mm flange length 82mm		

			
1			
<b>GEV No.</b>	420148	<b>Ref. No.</b>	20700028
<b>description</b>	heating element 9000W 240V heating circuits 3 L 202mm W 38mm H 66mm number of thermostat sleeves 2 thermostat sleeves ø 5.4mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 60/64mm hole ø 6.5mm cable length 590mm connection cable flange immersion heater flange width 82mm flange length 82mm		
<b>accessories for</b>	420148		
	<b>GEV No.</b>	511653	<b>Ref. No.</b> 20600007
	gasket silicone L 82mm W 82mm thickness 3mm		




heating elements for convection

Зип Общепит


vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	417767	<b>Ref. No.</b>	20700062
<b>description</b>	heating element 12000W 240V heating circuits 3 ID $\varnothing$ 390mm ED $\varnothing$ 400mm L 435mm H 120mm W1 140mm H1 35mm H2 80mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube $\varnothing$ 6.5mm dry heating element hole $\varnothing$ 6.5mm mounting pos. inner rectangular flange		




1

<b>GEV No.</b>	417768	<b>Ref. No.</b>	20700060
<b>description</b>	heating element 9000W 240V heating circuits 3 ID $\varnothing$ 460mm ED $\varnothing$ 470mm L 520mm H 135mm W1 145mm H1 50mm H2 85mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube $\varnothing$ 6.5mm dry heating element hole $\varnothing$ 6.5mm mounting pos. inner rectangular flange		




1

<b>GEV No.</b>	417762	<b>Ref. No.</b>	30700076
<b>description</b>	heating element 6900-9200W 208-240V heating circuits 2 ID $\varnothing$ 225mm ED $\varnothing$ 270mm L 295mm H 68mm L1 15mm W1 63mm H1 8mm H2 57mm flange length 142mm flange width 25mm connection male faston 6.3mm tube $\varnothing$ 8.5mm convection heating element mounting thread M5 hole $\varnothing$ 5mm rectangular flange with thread bolt		




1

<b>GEV No.</b>	417766	<b>Ref. No.</b>	20700061
<b>description</b>	heating element 9000W 240V heating circuits 3 ID $\varnothing$ 540mm ED $\varnothing$ 530mm L 580mm H 120mm W1 140mm H1 30mm H2 90mm flange length 155mm flange width 25mm hole distance 23mm connection male faston 6.3mm connection length 80mm tube $\varnothing$ 6.5mm dry heating element hole $\varnothing$ 6.5mm mounting pos. inner rectangular flange		




1

<b>GEV No.</b>	420419	<b>Ref. No.</b>	20700009 20700059
<b>description</b>	heating element 9000W 240V heating circuits 3 ID $\varnothing$ 395mm ED $\varnothing$ 405mm L 422mm H 120mm W1 148mm H1 50mm H2 87mm flange length 156mm flange width 25mm hole distance 25mm connection F6.3 hole $\varnothing$ 6.1mm		



1

<b>GEV No.</b>	420174	<b>Ref. No.</b>	072403
<b>description</b>	heating element 1650W 230V heating circuits 1 L 285mm W 100mm L1 32mm L2 250mm W2 83mm flange length 50mm flange width 26mm tube $\varnothing$ 8mm cable length 1500mm W1 23mm convection heating element		



1

<b>GEV No.</b>	420175	<b>Ref. No.</b>	072404
<b>description</b>	heating element 1650W 230V heating circuits 1 L 565mm W 55mm L1 32mm L2 530mm W2 30mm flange length 50mm flange width 26mm tube $\varnothing$ 8mm cable length 1500mm W1 23mm convection heating element		

1 electric components

## accessories

## flange gaskets



1

<b>GEV No.</b>	698523	<b>Ref. No.</b>	20700008
<b>description</b>	gasket L 155mm W 24.5mm D2 ø 7mm hole ø 9mm hole distance 12mm 13 holes graphite thickness 2.2mm		



1

<b>GEV No.</b>	520562	<b>Ref. No.</b>	070101
<b>description</b>	gasket L 44mm W 21mm D1 ø 9mm D2 ø 9mm hole ø 5.5mm thickness 4mm for heating element suitable for HOUNO		

## thermostats

## bi-metal thermostats

## bi-metal thermostats



1

<b>GEV No.</b>	390963	<b>Ref. No.</b>	20800087
<b>description</b>	bi-metal thermostat hole distancemm switch-off temp. 120°C 1NC 1-pole 10A 250V connection F6.3 M4		

## control and safety thermostats

## EGO

## safety thermostats

## 55.32\_series



1

<b>GEV No.</b>	375988	<b>Ref. No.</b>	062550
<b>description</b>	safety thermostat switch-off temp. 305°C 3-pole probe ø 6mm probe L 77mm capillary pipe isolatedmm gland nut starting temperature 20°C		

## safety thermostats



1

<b>GEV No.</b>	375969	<b>Ref. No.</b>	20800022
<b>description</b>	safety thermostat switch-off temp. 135°C 1-pole 1CO 16A probe ø 4mm probe L 150mm capillary pipe 1500mm capillary pipe isolated 580mm shaft ø 5.4mm		



1

<b>GEV No.</b>	370763	<b>Ref. No.</b>	20800011 20820011 30820046 602031/80
<b>description</b>	safety thermostat switch-off temp. 350°C 1-pole 1CO 2.5A probe ø 5mm probe L 48mm capillary pipe 950mm capillary pipe isolated 500mm gland nut probe SS copper screw connection M12 230V 602031/80		

## switches and momentary switches

## magnetic switches

## ø 4mm



1

<b>GEV No.</b>	381268	<b>Ref. No.</b>	20820012 20820014
<b>description</b>	magnetic switch probe L 57mm 1NO connection plug cable length 800mm Reed		



Зип Общежит

vsezip.ru

+7(812)987-08-81

miscellaneous



1

<b>GEV No.</b>	348039	<b>Ref. No.</b>	30800016
<b>description</b>	magnetic switch 1NO connection cable L 65mm L1 38mm L2 64mm mounting distance 50mm for door		

producer-specific oven lamps

1

<b>GEV No.</b>	699627	<b>Ref. No.</b>	20100107
<b>description</b>	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 65mm ID ø 53mm graphite thickness 0.6mm		

encoders and potentiometers



1

<b>GEV No.</b>	403484	<b>Ref. No.</b>	20900026 30900064
<b>description</b>	encoder shaft L 10mm cable length 90mm shaft 6mm		



1

<b>GEV No.</b>	699628	<b>Ref. No.</b>	20100106 30100147
<b>description</b>	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 83mm ID ø 52mm Viton thickness 3mm		

lamps

screw-on/push-on fit

light bulbs

for ovens



1

<b>GEV No.</b>	359610	<b>Ref. No.</b>	065010
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		



1

<b>GEV No.</b>	360762	<b>Ref. No.</b>	014576
<b>description</b>	glass panel ø 63mm thickness 3.5mm		



1

<b>GEV No.</b>	360618	<b>Ref. No.</b>	20120131
<b>description</b>	lamp glass with rubber gasket mounting ø 85mm		

halogen lamp

for socket G4 / G6.35 / G9



1

<b>GEV No.</b>	359596	<b>Ref. No.</b>	065016 065044
<b>description</b>	halogen lamp socket G4 12V 10W temp.-resist. 500°C		



1

<b>GEV No.</b>	357092	<b>Ref. No.</b>	066019 066020
<b>description</b>	lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm		



1

<b>GEV No.</b>	359599	<b>Ref. No.</b>	065012
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		



1

<b>GEV No.</b>	694503	<b>Ref. No.</b>	014575
<b>description</b>	gasket ø 82mm hole ø 51mm for lamp lenses		



Зип-Общепит

alarm devices

alarm units  
vsezip.ru

+7(812)987-08-81



1

**GEV No.** 694502 **Ref. No.** 037519**description** lamp glass metal glass with frame and gasket ø 85mm**accessories for** 694502**GEV No.** 694503 **Ref. No.** 014575**description** gasket ø 82mm hole ø 51mm for lamp lenses

1

**GEV No.** 357092 **Ref. No.** 066019  
066020**description** lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm

## lamps

## light bulbs



1

**GEV No.** 359610 **Ref. No.** 065010**description** light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips

## halogen lamps

## for socket G4 / G6.35 / G9



1

**GEV No.** 359596 **Ref. No.** 065016  
065044**description** halogen lamp socket G4 12V 10W temp.-resist. 500°C

1

**GEV No.** 359599 **Ref. No.** 065012**description** halogen lamp socket G4 12V 20W temp.-resist. 500°C**GEV No.** 353000 **Ref. No.** 30800047**description** alarm device 2 hole fixing

## contactors

## ABB

## power contactors



1

**GEV No.** 381262 **Ref. No.** 061625**description** power contactor resistive load 20A 24VAC (AC3/400V) 12A/4kW main contacts 2x3NO auxiliary contacts 2x1NO connection screw connection type VB6-30-10 / VB7-30-10

1

**GEV No.** 380107 **Ref. No.** 061624**description** power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type A9-30-01

1

**GEV No.** 381263 **Ref. No.** 061246**description** power contactor resistive load 30A 24VAC (AC3/400V) 17A/7.5kW main contacts 4NO auxiliary contacts connection screw connection type A16-40-00



Зип Общепит

solid state relays

vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	381264	<b>Ref. No.</b>	61248
<b>description</b>	power contactor resistive load 40A 24VAC (AC3/400V) 26A/11kW main contacts 4NO auxiliary contacts connection screw connection type A26-40-00		



1

<b>GEV No.</b>	381265	<b>Ref. No.</b>	61265
<b>description</b>	power contactor resistive load 55A 24VAC (AC3/400V) 30A/15kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A30-30-10		



1

<b>GEV No.</b>	381266	<b>Ref. No.</b>	61247
<b>description</b>	power contactor resistive load 70A 24VAC (AC3/400V) 45A/18.5kW main contacts 4NO auxiliary contacts connection screw connection type A45-40		

auxiliary contacts



1

<b>GEV No.</b>	380126	<b>Ref. No.</b>	61626
<b>description</b>	auxiliary contact contacts 1NC AC1 16A AC15 3A connection screw connection for contactors A9-A50		



1

<b>GEV No.</b>	402974	<b>Ref. No.</b>	20800086 30800037 30820013
<b>description</b>	solid state relay CELDUC 2 phase 50A 24-600V 10-30VDC L 58mm W 45mm plug screw type SOB965660		

transformers

encapsulated transformers

with plug connection



1

<b>GEV No.</b>	403661	<b>Ref. No.</b>	20800023
<b>description</b>	transformer primary 200-480V secondary 24V H 100mm L 105mm W 105mm 50/60Hz type 14458-7		

probes

producer-specific probes

probes



1

<b>GEV No.</b>	379777	<b>Ref. No.</b>	062500
<b>description</b>	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 2-wire thread 5/16 probe ø4x75mm cable length 1.2m		



1

<b>GEV No.</b>	381229	<b>Ref. No.</b>	20800174
<b>description</b>	temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable -50 up to +350°C connection 2-wire thread probe ø3.5x170mm cable length 0.4m -50 up to +350°C		



Зип Общепит

vsezip.ru

+7(812)987-08-81

core probes



1

<b>GEV No.</b>	381267 <sup>1</sup>	<b>Ref. No.</b>	30800053
<b>description</b>	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ømm handle length 50mm		

<sup>1</sup>multipoint probe



1

<b>GEV No.</b>	381228 <sup>1</sup>	<b>Ref. No.</b>	30800054
<b>description</b>	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection plug probe ø4x-128mm thread cable length 1.5m handle ømm handle length 50mm		

<sup>1</sup>multipoint probe



1

<b>GEV No.</b>	403482	<b>Ref. No.</b>	20800084
<b>description</b>	frequency converter with heat sink 200-240V 50/60Hz output frequency 0-250Hz 10.8A output current 4.3A		

PCBs



1

<b>GEV No.</b>	404020	<b>Ref. No.</b>	3090002 30900059
<b>description</b>	display combi-steamer Slim/Visual Cooking L 10.4mm W 144mm TFT		
<b>accessories for</b>	404020		
	<b>GEV No.</b>	<b>Ref. No.</b>	30900013
	ribbon cable L 120mm for display		



1

<b>GEV No.</b>	404022	<b>Ref. No.</b>	30900014
<b>description</b>	display PCB combi-steamer Visual Cooking L 133mm W 139mm		



1

<b>GEV No.</b>	403913	<b>Ref. No.</b>	30900054
<b>description</b>	display PCB L 140mm W 135mm suitable for HOUNO B/C/K Ver3.51		

electronics

frequency converters



1

<b>GEV No.</b>	403483	<b>Ref. No.</b>	20800211
<b>description</b>	frequency converter 200-240V 50/60Hz L 125mm W 43mm H 144mm output frequency 0-250Hz 6.9A output current 2.2A		






Зип Обществит


solenoid valves

vsezip.ru


+7(812)987-08-81

1 


<b>GEV No.</b>	403912	<b>Ref. No.</b>	30900069
<b>description</b>	display PCB L 140mm W 135mm suitable for HOUNO CombiSteamer C Ver9.14		

1 


<b>GEV No.</b>	404024	<b>Ref. No.</b>	20900002
<b>description</b>	main PCB combi-steamer Visual Cooking L 348mm W 100mm type 20 90 0002 Rev:2.2		

1 

<b>GEV No.</b>	404023	<b>Ref. No.</b>	30900006
<b>description</b>	PCB combi-steamer Visual Cooking for combi-steamer		


1 


<b>GEV No.</b>	404021	<b>Ref. No.</b>	30900008
<b>description</b>	PCB combi-steamer Visual Cooking W 140mm for combi-steamer H 140mm type Ver 1.67		


1 


<b>GEV No.</b>	403733	<b>Ref. No.</b>	033908
<b>description</b>	PCB L 340mm W 135mm		

solenoid valves (water)


1 

<b>GEV No.</b>	370760	<b>Ref. No.</b>	30520037	
<b>description</b>	solenoid valve double straight 24VAC inlet 3/4" outlet 10mm DN10 t.max. 90°C plastic output B yesl/min flow regulating valve outlet B white			
<b>spare parts for</b>	370760			
	<b>GEV No.</b>	370774	<b>Ref. No.</b>	—
	solenoid coil RPE 24VAC			


1 

<b>GEV No.</b>	370758	<b>Ref. No.</b>	30520192	
<b>description</b>	solenoid valve double straight 24VAC inlet 3/4" outlet 10mm input 10-12l/min DN10 t.max. 90°C plastic output B 1-1.25l/min flow regulating valve outlet B white			
<b>spare parts for</b>	370758			
	<b>GEV No.</b>	370774	<b>Ref. No.</b>	—
	solenoid coil RPE 24VAC			

special outlet

1 


<b>GEV No.</b>	371228	<b>Ref. No.</b>	20720230
<b>description</b>	solenoid valve double 24V outlet 6.5mm inlet 3/4"		


1 


<b>GEV No.</b>	371229	<b>Ref. No.</b>	20720228
<b>description</b>	solenoid valve single 24V inlet 3/4mm outlet 6.5mm input 10l/min RPE inlet 3/4"		


electric components


Зип Общепит  
vsezip.ru  
+7(812)987-0988

			
1			
<b>GEV No.</b>	371227	<b>Ref. No.</b>	20720254
<b>description</b>	solenoid valve triple 24V outlet 6.5mm DN10 RPE inlet 3/4"		


			
1			
<b>GEV No.</b>	370764	<b>Ref. No.</b>	30520180
<b>description</b>	solenoid valve triple straight 24V inlet 3/4" outlet 10mm DN10 t.max. 60°C TTP output C 1.2l/min flow regulating valve outlet C white		


solenoid valves with reducers			
single			
			
1			
<b>GEV No.</b>	370761	<b>Ref. No.</b>	30520034
<b>description</b>	solenoid valve single straight 24VAC inlet 3/4" outlet 11mm DN10 t.max. 90°C plastic output A yesl/min flow regulating valve outlet B white		


4-fold			
			
1			
<b>GEV No.</b>	370762	<b>Ref. No.</b>	30500054 30520181
<b>description</b>	solenoid valve 4-fold with sensor 24V inlet 3/4" outlet 10.5mm t.max. 90°C reducer output D 1.20l/min flow regulating valve outlet D white		


2-fold			
			
1			
<b>GEV No.</b>	374003	<b>Ref. No.</b>	032112
<b>description</b>	solenoid valve 2-fold, with reducer straight 24V inlet 3/4" outlet 14mm t.max. 60°C RPE plastic output A 1.2l/min flow regulating valve outlet A white		


### pressure switches for combi-steamers

			
1			
<b>GEV No.</b>	543032	<b>Ref. No.</b>	32720056
<b>description</b>	differential pressure switch pressure range 0.2-1.5mbar pressure connection ø 4.7mm DUNGS protection IP54 ambient temperature max. -10 up to +85°C		

			
1			
<b>GEV No.</b>	374008	<b>Ref. No.</b>	032110
<b>description</b>	solenoid valve double straight 24V inlet 3/4" outlet 14mm input 10-12l/min RPE plastic output A 1.2l/min output B 1.2l/min inlet 3/4"mm		

			
1			
<b>GEV No.</b>	348047	<b>Ref. No.</b>	071138 30220071
<b>description</b>	pressure control pressure range 0-3mbar complete connection 6mm p max 0.025bar pressure connection 6mm		

3-fold			
			
1			
<b>GEV No.</b>	374002	<b>Ref. No.</b>	032111
<b>description</b>	solenoid valve 3-fold, with reducer straight 24V inlet 3/4" outlet 14mm t.max. 60°C output A 1.2l/min output B 1.2l/min flow regulating valve outlet A white flow regulating valve outlet B white		

			
1			
<b>GEV No.</b>	543023	<b>Ref. No.</b>	308000145 62565
<b>description</b>	pressure control reset pressure 1.5bar connection 1/8" suitable for HOUNO 1NC		



fans

axial fans


import



1

<b>GEV No.</b>	601080 <sup>1</sup>	<b>Ref. No.</b>	60211
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
<b>accessories for</b>	601080		
	<b>GEV No.</b>	550898	<b>Ref. No.</b> —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	<b>GEV No.</b>	692519	<b>Ref. No.</b> —
	guard L 120mm W 120mm plastic		

<sup>1</sup>with ball bearings



1

<b>GEV No.</b>	601706 <sup>1</sup>	<b>Ref. No.</b>	N/A
<b>description</b>	axial fan L 172mm W 150mm H 51mm 230VAC 50/60Hz 69W bearing ball bearing connection male faston 3.2mm ADDA fan wheel ø 140mm		
<b>accessories for</b>	601706		
	<b>GEV No.</b>	550898	<b>Ref. No.</b> —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		

<sup>1</sup>with ball bearings

hot air motors

1

	<b>GEV No.</b>	696843	<b>Ref. No.</b>	30700022
	bush with spring ø 14mm ED ø 20mm H 12mm ID ø 8mm			

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

	<b>GEV No.</b>	601352	<b>Ref. No.</b>	60201
<b>description</b>	fan motor 380-400V 3 phase 50Hz 0.02/0.16kW 710/1390rpm speeds 2 L1 140mm L2 27mm L3 35mm M10R IT 0.2/0.5A power input 60/250W at 50Hz 710/1390rpm Y/YY type L7mw84D-148 no. T1 D1 ø 17mm D2 ø 13mm			

1

	<b>GEV No.</b>	602004	<b>Ref. No.</b>	60306
<b>description</b>	fan wheel blades 12 D1 ø 350mm D2 ø 13mm D3 ø 16mm H1 133mm H2 14mm H3 32mm			

motors

gear motors

for ovens

for flues

1

	<b>GEV No.</b>	501469	<b>Ref. No.</b>	20700012
<b>description</b>	ventilation valve FIBER type P255201B4T1 24V 50Hz 6rpm shaft ø 6mm L 88mm W 56mm H 55mm motor type M51B20R0000			

Зип-Общепит

terminals

vsezip.ru

+7(812)987-08-81

pumps

drain pumps

HANNING



1			
<b>GEV No.</b>	501441	<b>Ref. No.</b>	20520270 20700034
<b>description</b>	drain pump 38W 200-240V inlet ø 24mm outlet ø 24mm 50/60Hz HANNING max. 15min reinforced version break time 45min input current 0.4A		

fuses

fine fuses


fine fuse holders



1			
<b>GEV No.</b>	358192	<b>Ref. No.</b>	20800115
<b>description</b>	fuse holder suitable fuse 5x20/5x25mm 6.3A rated 250V		

line circuit breakers

miscellaneous



1			
<b>GEV No.</b>	358114	<b>Ref. No.</b>	061407
<b>description</b>	line circuit breaker 3-pole 6A tripping type C rated 400V connection screw		

electric accessories

cables


ribbon cables

group 10



1			
<b>GEV No.</b>	698525	<b>Ref. No.</b>	30900013
<b>description</b>	ribbon cable L 120mm for display		

rail-mounted terminals



1			
<b>GEV No.</b>	551281	<b>Ref. No.</b>	20800122
<b>description</b>	rail-mounted terminal max 400V connection plug-in connection 4-pole max. 10A cross section 4mm <sup>2</sup>		

miscellaneous


service kits



1			
<b>GEV No.</b>	698520	<b>Ref. No.</b>	033531 033608 066025 20120203
<b>description</b>	service kit for lighting for combi-steamer		

ignition parts

ignition units



1			
<b>GEV No.</b>	107895	<b>Ref. No.</b>	32700166
<b>description</b>	ignition unit outputs 1 220-240VAC dimensions 84x62x38mm mounting distance 58mm inlet F6.3x0.8 outlet 4 type TRK2-30PFVD 69VA 50/60Hz protection IP54		



gas burners

accessories

gaskets



1

<b>GEV No.</b>	514531	<b>Ref. No.</b>	32700045
<b>description</b>	gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		

accessories



1

<b>GEV No.</b>	107896	<b>Ref. No.</b>	32700090
<b>description</b>	manifold gas L 118mm brass thread conical suitable for HOUNO combi-steamer		

drain units

drip rails



1

<b>GEV No.</b>	696848	<b>Ref. No.</b>	30410005
<b>description</b>	drip rail L 500mm stainless steel W 26mm for combi-steamer		



1

<b>GEV No.</b>	696819	<b>Ref. No.</b>	20420022 30420152
<b>description</b>	drip rail L 553mm stainless steel W 26mm for combi-steamer		



1

<b>GEV No.</b>	696818	<b>Ref. No.</b>	30410026
<b>description</b>	drip rail L 760mm stainless steel W 26mm for combi-steamer		

Зип Общедит

injection nozzles



<b>GEV No.</b>	542437	<b>Ref. No.</b>	059216 30500400
<b>description</b>	injection nozzle bore ø 1.1mm D1 ø 11mm L 23mm WS 12 SS for combi-steamer thread 1/8" ET conical		



<b>GEV No.</b>	542436	<b>Ref. No.</b>	059257
<b>description</b>	injection nozzle L 20mm WS 12 stainless steel for combi-steamer thread 1/8" ET conical JAU 1310		

pipes



1

<b>GEV No.</b>	521199	<b>Ref. No.</b>	30500013
<b>description</b>	pipe L 360mm ø 25mm for combi-steamer stainless steel		

doors



1

<b>GEV No.</b>	698527	<b>Ref. No.</b>	2042008
<b>description</b>	door glass inner suitable for HOUNO 1.06 H 579mm W 518mm		

gas components

Зип.Общепит

vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	698528	<b>Ref. No.</b>	30420020
<b>description</b>	door glass suitable for HOUNO H 584mm W 692mm		


door mechanics

accessories



1

<b>GEV No.</b>	696816	<b>Ref. No.</b>	014043
<b>description</b>	buffer for glass plate ø 13mm rubber L 17mm		



1

<b>GEV No.</b>	696817	<b>Ref. No.</b>	30400048
<b>description</b>	cover W 25mm hole ø 6.2mm L 70mm		




1

<b>GEV No.</b>	701648	<b>Ref. No.</b>	064872
<b>description</b>	gas tension spring for combi-steamer 150N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 265mm		



1

<b>GEV No.</b>	701649	<b>Ref. No.</b>	064874
<b>description</b>	gas tension spring for combi-steamer 250N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 268mm		




1

<b>GEV No.</b>	542439	<b>Ref. No.</b>	30400027
<b>description</b>	torsion spring ø 13mm L2 12mm wire gauge ø 2mm L1 12mm L3 12mm Qty 1 pcs		



1

<b>GEV No.</b>	692213	<b>Ref. No.</b>	032400
<b>description</b>	mechanicsm for switch L 530mm thread 1/4" W 50mm ø 8mm hole ø 11.6mm		



1


<b>GEV No.</b>	698521	<b>Ref. No.</b>	20400238
<b>description</b>	plug L 35.4mm ø 13mm		

locks

handle latches

producer-specific

HOUNÖ




1

<b>GEV No.</b>	694607	<b>Ref. No.</b>	20400207 20410019 20420227 20420262 20420313 30400030 30400032 30410004 30420013 30420853 30420854 30421088
<b>description</b>	catch for combi-steamer mounting distance 50mm HOUNO		

**spare parts for** 694607

<b>GEV No.</b>	694848	<b>Ref. No.</b>	30420245 30420840
<b>description</b>	door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm		



<b>GEV No.</b>	694851	<b>Ref. No.</b>	069022 30400031 30400034 30420694 30420849 30420850 30420864 30421087
<b>description</b>	catch kit		



mechanical components, equipment accessories





Зип Общепит edge mount latches



handle latches  
produce specific


HOUNÖ (812)987-08-81

 <p>1</p>							
<b>GEV No.</b>	694851	<b>Ref. No.</b>	069022 30420034 30420694 30420849 30420850 30420864 30421087				
<b>description</b>	catch kit						
<b>spare parts for</b>	694851						
 <table border="1"> <tr> <td><b>GEV No.</b></td> <td>694848</td> <td><b>Ref. No.</b></td> <td>30420245 30420840</td> </tr> </table> <p>door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm</p>				<b>GEV No.</b>	694848	<b>Ref. No.</b>	30420245 30420840
<b>GEV No.</b>	694848	<b>Ref. No.</b>	30420245 30420840				


 <p>1</p>			
<b>GEV No.</b>	694066	<b>Ref. No.</b>	069020
<b>description</b>	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel		

 <p>1</p>			
<b>GEV No.</b>	694848	<b>Ref. No.</b>	30420245 30420840
<b>description</b>	door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm		


 <p>1</p>							
<b>GEV No.</b>	701415	<b>Ref. No.</b>	30420698				
<b>description</b>	door handle L 171mm W 40mm handle ø 25mm spring length 38mm SS mounting thread M5 flange ø 39mm						
<b>spare parts for</b>	701415						
 <table border="1"> <tr> <td><b>GEV No.</b></td> <td>514390</td> <td><b>Ref. No.</b></td> <td>069023</td> </tr> </table> <p>spring for door handle ø 6mm L 54mm W 27.5mm</p>				<b>GEV No.</b>	514390	<b>Ref. No.</b>	069023
<b>GEV No.</b>	514390	<b>Ref. No.</b>	069023				

 <p>1</p>			
<b>GEV No.</b>	514390	<b>Ref. No.</b>	069023
<b>description</b>	spring for door handle ø 6mm L 54mm W 27.5mm		

 <p>1</p>							
<b>GEV No.</b>	694784	<b>Ref. No.</b>	034317				
<b>description</b>	catch L 172mm mounting distance 124/133mm chrome-plated non lockable heated units 6200 H 65mm type DUPLO total length 248mm						
<b>accessories for</b>	694784						
 <table border="1"> <tr> <td><b>GEV No.</b></td> <td>690123</td> <td><b>Ref. No.</b></td> <td>037967 069012</td> </tr> </table> <p>door catch H 69mm D 37mm W 20mm mounting distance 43mm with roller</p>				<b>GEV No.</b>	690123	<b>Ref. No.</b>	037967 069012
<b>GEV No.</b>	690123	<b>Ref. No.</b>	037967 069012				

<p>door catches</p>  <p>1</p>			
<b>GEV No.</b>	690123	<b>Ref. No.</b>	037967 069012
<b>description</b>	door catch H 69mm D 37mm W 20mm mounting distance 43mm with roller		

**gaskets**  
gaskets for heated units

<p>door seals</p>  <p>1</p>			
<b>GEV No.</b>	902542	<b>Ref. No.</b>	037064
<b>description</b>	door seal profile 2073 W 484mm L 676mm outer plug size Qty 1		


mechanical components, equipment accessories



Зип Общепит

vsezip.ru


+7(812)987-08-81




<b>GEV No.</b>	901499	<b>Ref. No.</b>	037068
<b>description</b>	door seal profile 2073 W 490mm L 1465mm external size Qty 1 suitable for HOUNO 1.20-99		




<b>GEV No.</b>	901853	<b>Ref. No.</b>	32903
<b>description</b>	door seal profile 2073 W 530mm L 605mm outer plug size suitable for HOUNO		




<b>GEV No.</b>	901440	<b>Ref. No.</b>	037063
<b>description</b>	door seal profile 2073 W 490mm L 560mm external size Qty 1 suitable for HOUNO 1.06-99		




<b>GEV No.</b>	901670	<b>Ref. No.</b>	032904
<b>description</b>	door seal profile 2073 W 535mm L 835mm external size Qty 1		




<b>GEV No.</b>	901459	<b>Ref. No.</b>	037065
<b>description</b>	door seal profile 2073 W 490mm L 810mm external size Qty 1		



<b>GEV No.</b>	901387	<b>Ref. No.</b>	20300234 30300134
<b>description</b>	door seal profile 2735 W 490mm L 550mm external size Qty 1 dark grey		



<b>GEV No.</b>	901652	<b>Ref. No.</b>	037066
<b>description</b>	door seal profile 2073 W 495mm L 955mm external size Qty 1		



<b>GEV No.</b>	902106	<b>Ref. No.</b>	20300235 30300135
<b>description</b>	door seal profile 2735 W 490mm L 690mm external size Qty 1		






Зип Общепит

vsezip.ru


+7(812)987-08-81



<b>GEV No.</b>	901386	<b>Ref. No.</b>	20300236 30300136
<b>description</b>	door seal profile 2735 W 490mm L 820mm external size Qty 1		




<b>GEV No.</b>	901855	<b>Ref. No.</b>	30300108 30300142
<b>description</b>	door seal profile 2735 W 682mm L 1470mm Qty 1 suitable for HOUNO		




<b>GEV No.</b>	902540	<b>Ref. No.</b>	20300239 30300137
<b>description</b>	door seal profile 2735 W 491mm L 947mm outer plug size Qty 1		




<b>GEV No.</b>	902538	<b>Ref. No.</b>	30300141
<b>description</b>	door seal profile 2735 W 683mm L 1080mm outer plug size Qty 1		



<b>GEV No.</b>	901854	<b>Ref. No.</b>	20300241 30300139
<b>description</b>	door seal profile 2735 W 495mm L 1470mm outer plug size suitable for HOUNO		



<b>GEV No.</b>	902537	<b>Ref. No.</b>	20300237 30300140
<b>description</b>	door seal profile 2735 W 683mm L 819mm outer plug size Qty 1		



<b>GEV No.</b>	902536	<b>Ref. No.</b>	30300187
<b>description</b>	door seal profile 2735 W 558mm L 683mm outer plug size Qty 1		



<b>GEV No.</b>	902534	<b>Ref. No.</b>	30300182
<b>description</b>	door seal profile 2739 L 1464mm Qty 1 suitable for HOUNO		


mechanical components, equipment accessories

Зип-Общепит

O-rings


EPDM  
Ø 21.89mm

+7(812)987-08-81




<b>GEV No.</b>	902535	<b>Ref. No.</b>	30300183
<b>description</b>	door seal profile 2739 L 1845mm Qty 1 suitable for HOUNO		

## gaskets for tray rack trolleys



<b>GEV No.</b>	902529	<b>Ref. No.</b>	30400325
<b>description</b>	tray rack trolley gasket profile 4150 L 540mm suitable for 1.16/1.20 roll-in Qty 1		



<b>GEV No.</b>	902530	<b>Ref. No.</b>	30400281
<b>description</b>	tray rack trolley gasket profile 4150 L 760mm suitable for 2.20 roll-in Qty 1		



<b>GEV No.</b>	902521	<b>Ref. No.</b>	30420224 30420767
<b>description</b>	tray rack trolley gasket with front panel L 760mm Qty 1 suitable for combi-steamer HOUNO 2.20		



<b>GEV No.</b>	532453	<b>Ref. No.</b>	32700106
<b>description</b>	O-ring EPDM thickness 2.62mm ID ø 21.89mm Qty 1 pcs		

## sealing washers

## graphite gaskets



<b>GEV No.</b>	514531	<b>Ref. No.</b>	32700045
<b>description</b>	gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		

## foam rubber gaskets



<b>GEV No.</b>	505406	<b>Ref. No.</b>	30300363
<b>description</b>	foam rubber gasket W 10mm thickness 4mm self-adhesive Qty supplied by meter		

## special gaskets

## for combi-steamers



<b>GEV No.</b>	699627	<b>Ref. No.</b>	20100107
<b>description</b>	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 65mm ID ø 53mm graphite thickness 0.6mm		



<b>GEV No.</b>	699628	<b>Ref. No.</b>	20100106 30100147
<b>description</b>	gasket suitable for HOUNO combi-steamer mounting pos. for lens ED ø 83mm ID ø 52mm Viton thickness 3mm		



Зип Общепит  
vsezip.ru  
+7(812)987-08-81

miscellaneous



1	<b>GEV No.</b> 514531	<b>Ref. No.</b> 32700045
<b>description</b> gasket graphite ED ø 117mm ID ø 94mm thickness 1.7mm Qty 1 pcs		



1	<b>GEV No.</b> 511653	<b>Ref. No.</b> 20600007
<b>description</b> gasket silicone L 82mm W 82mm thickness 3mm		



1	<b>GEV No.</b> 698524	<b>Ref. No.</b> 32700059
<b>description</b> gasket W 37.2mm L 60mm combi-steamer suitable for HOUNO thickness 4mm		

springs

torsion springs



1	<b>GEV No.</b> 542439	<b>Ref. No.</b> 30400027
<b>description</b> torsion spring ø 13mm L2 12mm wire gauge ø 2mm L1 12mm L3 12mm Qty 1 pcs		

gas tension springs

gas tension springs



1	<b>GEV No.</b> 701648	<b>Ref. No.</b> 064872
<b>description</b> gas tension spring for combi-steamer 150N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 265mm		



1	<b>GEV No.</b> 701649	<b>Ref. No.</b> 064874
<b>description</b> gas tension spring for combi-steamer 250N D1 ø 15mm D2 ø 6mm hole distance 255mm hole ø 6mm L 268mm		

hose reels and spray guns

spray guns



1	<b>GEV No.</b> 542075	<b>Ref. No.</b> 041063
<b>description</b> spray gun for appliances hose ø 7mm		



1	<b>GEV No.</b> 542038	<b>Ref. No.</b> 059959
<b>description</b> spray gun for appliances 3/8" IT L 135mm		

hoses

industrial hoses

nylon hoses



1	<b>GEV No.</b> 570146	<b>Ref. No.</b> 059003 30500498
<b>description</b> nylon hose ID ø 4mm ED ø 6mm L 1m operating p. 10bar burst p. 50bar t.max. 100°C blue		

silicone hoses

with fabric

with monofilament braid



1	<b>GEV No.</b> 530542	<b>Ref. No.</b> 059963 30500065
<b>description</b> silicone hose with monofilament braid ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 4bar burst pressure at 95°C non definedbar burst pressure 130°C non definedbar t.max. 200°C Qty 5m		

mechanical components, equipment accessories

formed hoses

straight



1			
<b>GEV No.</b>	504871	<b>Ref. No.</b>	30500012 30500500
<b>description</b>	formed hose ext. ø 34 ID ø 24mm rubber black Qty 1		

hexagonal screws



1			
<b>GEV No.</b>	560089	<b>Ref. No.</b>	55618
<b>description</b>	hexagonal screw thread M6 thread L 20mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		

fittings, hose and pipe connectors

fittings

T-pieces

brass



1			
<b>GEV No.</b>	698522	<b>Ref. No.</b>	59122
<b>description</b>	T-piece thread 1/4" brass 1x external thread 2x internal thread L 38mm		

cylinder head bolts

DIN 912/ISO 4762



1			
<b>GEV No.</b>	560652	<b>Ref. No.</b>	055503
<b>description</b>	cylinder head bolt thread M5 L 35mm thread L 24mm WS 4 A2-70 Qty 1 pcs head ø 8mm DIN 912/ISO 4762		

side bolts



1			
<b>GEV No.</b>	560052	<b>Ref. No.</b>	055511 055514
<b>description</b>	side bolts thread M5 L 10mm SS Qty 20 pcs intake slotted head ø 12.5mm		

hose connectors

stainless steel



1			
<b>GEV No.</b>	542438	<b>Ref. No.</b>	059147
<b>description</b>	hose connector thread 1/8" hose ø 6mm SS		

nuts

hexagonal nuts

DIN 934 / ISO 4032/8673



1			
<b>GEV No.</b>	560129	<b>Ref. No.</b>	056500
<b>description</b>	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

fastening material

screws

countersunk screws



1			
<b>GEV No.</b>	560337	<b>Ref. No.</b>	055620
<b>description</b>	countersunk screw thread M6 L 20mm WS 4 SS DIN 7991/ISO 10642 Qty 1 pcs intake hexagonal		

washers

spring rings



1			
<b>GEV No.</b>	560123	<b>Ref. No.</b>	57601
<b>description</b>	lock washer ID ø 6.3mm ED ø 11mm SS DIN127 Qty 20 pcs for thread M6		




consumables

Зип Общепит

vsezip.ru

+7(812)987-08-81

fuses			
fine fuses			
fine fuse holders			
			
1			
<b>GEV No.</b>	358192	<b>Ref. No.</b>	20800115
<b>description</b>	fuse holder suitable fuse 5x20/5x25mm 6.3A rated 250V		

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>A</b>		<b>L</b>	
alarm devices	6	lamps	5
axial fans	11	light bulbs	5
<b>B</b>		<b>M</b>	
bi-metal thermostats	4, 4	magnetic switches	4
<b>C</b>		motors	11
cables	12	<b>N</b>	
consumables	21	nuts	20
contactors	6	nylon hoses	19
countersunk screws	20	<b>O</b>	
cylinder head bolts	20	O-rings	18
<b>D</b>		oven lamps	5
door catches	15	<b>P</b>	
door seals	15	pressure switches	10
drain pumps	12	probes	7
<b>E</b>		pumps	12
edgemount latches	15	<b>R</b>	
electric accessories	12	ribbon cables	12
<b>F</b>		<b>S</b>	
fans	11	safety thermostats	4, 4
fastening material	20	screws	20
fine fuses	21	sealing washers	18
fittings	20	side bolts	20
foam rubber gaskets	18	silicone hoses	19
formed hoses	20	solenoid valves	9
fuses	12, 21	solid state relays	7
<b>G</b>		spray guns	19
gas burners	13	spray guns with external thread	19
gaskets for heated units	15	spring rings	20
gaskets for tray rack trolleys	18	switches and momentary switches	4
<b>H</b>		<b>T</b>	
halogen lamp	5	terminals	12
handle latches	15	thermostats	4
heating elements	2	transformers	7
heating elements for convection	3		
hexagonal nuts	20		
hexagonal screws	20		
hose connectors	20		
hoses	19		
hot air motors	11		
<b>I</b>			
ignition units	12		
immersion heating elements	2		
industrial hoses	19		