

Зип Общепит



Spare parts for the professional sector  
Food processing equipment



Suitable for:

**CELME**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*

Rel. 2020-05181713





Suitable for:



Suitable for:

## Abrasive discs for potato peeler

**9735011 EJECTOR DISC FOR VEGETABLE CHOPPER**  
external  $\varnothing$  200 mm - with pin groove 26x20 mm



CELME

**9735032 EJECTOR DISC FOR VEGETABLE CHOPPER**  
external  $\varnothing$  200 mm with groove 27x20 mm for Vegetables/mozzarella cutter (CELME)



CELME 505557

**5100996 SLICING DISC VEGETABLE CHOPPER 2 mm**  
external  $\varnothing$  205 mm - fixing hole  $\varnothing$  18.5 mm



CELME E2AK

CELME 970728

## Accident prevention devices-protections

**9716027 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 150x240 mm  
holes mounting distance 80 mm  
for Slicer (CELME) 300GPR



CELME 80264

**9716029 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 150x300 mm  
holes mounting distance 90 mm  
for Slicer (CELME) 350GPR



CELME 80994

**9716065 CARRIAGE PROTECTION OF POLYCARBONATE**  
max overall dimensions 210x178 mm  
holes mounting distance 49 mm  
for Slicer (CELME) GPE250



CELME 80327



Suitable for:

CELME ЗИП-Общепит

Suitable for:



Bearings

3063005 BEARING 6202 DDU NSK  
external  $\varnothing$  35mm - internal  $\varnothing$  15mm - thickness 11mm



CELME 755620

D063050 BEARING 6202-2RS SKF  
single box packaging



CELME 755620

9063037 BEARING 626 ZZ NSK  
external  $\varnothing$  19 mm - internal  $\varnothing$  6 mm - thickness 6mm  
for Slicer (CELME)



CELME

Belts

5027946 BELT MULTIGRIP TB2 360 H26 12 GROOVES



CELME 811436

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES  
for Slicer (CELME)



CELME 81302

9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES  
for Slicer (CELME)



CELME

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES



CELME 81481

9062050 MULTIGRIP BELT TB2 400 H24 11 GROOVES  
for Slicer (CELME) 350



CELME

9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES  
for Slicer (CELME)



CELME

+7(812)987-08-81



Suitable for:

**9003505 TOOTHED BELT 6x300 mm**  
for Slicer (CELME) 250



CELME

CELME ЗИП-Общепит



Suitable for:

**9002093 V-BELT 6x315 mm**  
for Slicer (CELME)



CELME

+7(812)987-08-81

**9003540 V-BELT 8x600 mm**  
model T23 1/2  
for Slicer (CELME) MECT



CELME

### Blade protectors for slicers

**9710080 BLADE COVER CELME GPR300**  
external  $\varnothing$  253 mm - square pin 12x12 mm  
thread internal  $\varnothing$  6 mm  
for Slicer (CELME) GPR300



CELME 42708

### Blades for meat slicer

**9006510 BLADE  $\varnothing$  220-40-3-180 MOD.C**  
B = outer  $\varnothing$  220 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  180 mm  
3x fastening screws  
C45 forged steel



CELME 17154

**9006515 BLADE  $\varnothing$  250-40-3-210 MOD.C**  
B = outer  $\varnothing$  250 mm  
D = central hole  $\varnothing$  40 mm  
C = blade inner  $\varnothing$  210 mm  
height 17.5 mm  
3x fastening screws  
C45 steel  
for Slicer (CELME) GPE250



CELME 17311



Suitable for:

# CELME ЗИП-Общепит



## 9006528 BLADE $\varnothing$ 300-57-4-254 MOD.C

B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
100CR6 forged steel



CELME 17704

## 9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = outer  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade inner  $\varnothing$  254 mm  
4x fastening screws  
with extraction holes  
100CR6 forged steel  
for Slicer (CELME) GE300



CELME LF-5060224

## Eccentrics

9005017 **ECCENTRIC CELME  $\varnothing$  48 mm**  
internal hole  $\varnothing$  12 mm - grooving 5 mm  
for Slicer (CELME) 220 - 250



CELME 50157

9005025 **PLASTIC ECCENTRIC CELME  $\varnothing$  76 mm**  
internal hole  $\varnothing$  14 mm - grooving 8.5 mm  
with external locking notch  
for Slicer (CELME) GPR250 - GPR300 - GPR350  
GPR370 - VPR300 - VPR350 - VPR370



CELME 805585

## Electrical capacitors

3068079 **ELECTRIC CAPACITOR 8 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh71 mm  
for Slicer (CELME) FAP300



CELME 60536

## Emeries for blades

9013003 **CUP GRINDERS 40-12-8**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  12 mm  
H = height 8 mm  
COARSE GRAIN



CELME

9013201 **RIMMED GRINDERS WITH DRUM 40-6-7.8**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
FINE GRAIN  
for Slicer (CELME) 220



CELME 75191



Suitable for:

**9013202 RIMMED GRINDERS WITH DRUM 40-6-7.8**

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
COARSE GRAIN  
for Slicer (CELME) 220



CELME 75192

**9013210 RIMMED GRINDERS WITH DRUM 45-6-8**

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
COARSE GRAIN



CELME

**9013136 RIMMED GRINDERS 50-8-8**

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  8 mm  
H = height 8 mm  
COARSE GRAIN  
for Slicer (CELME) 350



CELME

CELME ЗИП-Общепит



**9013209 RIMMED GRINDERS WITH DRUM 45-6-8**

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN



CELME

**9013123 RIMMED GRINDERS 45-8-7**

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  8 mm  
H = height 7 mm  
FINE GRAIN  
for Slicer (CELME) GRP350



CELME

**Feet**

**9012015 SUCTION FOOT WITH SHAFT M5**

length 10 mm  
base  $\varnothing$  37x26 mm



CELME 80138

**9012016 SUCTION FOOT WITH SHAFT M6**

length 15 mm  
base  $\varnothing$  47x42 mm



CELME 80510

vsezip.ru  
+7(812)987 08-81



Suitable for:

CELME ЗИП-Общепит

Suitable for:



Handles

usezip.ru

**9242041 CARRIAGE HANDLE DISTANCE BW HOLES 110 mm**

width 25 mm - height 42 mm  
thread M5 - length 125 mm  
for Slicer (CELME) GPR300

+7(812)987-08-81



CELME 80490

**Knobs**

**9241020 ADJUSTABLE KNOB BLACK  $\varnothing$  12x102 mm**

pin  $\varnothing$  12x46 mm  
knob  $\varnothing$  57 mm  
mounting frame  $\varnothing$  61 mm  
for Slicer (CELME) 250 - 300



CELME 80750

**9007455 ADJUSTABLE KNOB BLACK  $\varnothing$  12x97 mm**

pin  $\varnothing$  12x31 mm  
knob  $\varnothing$  57 mm  
mounting frame  $\varnothing$  61 mm  
for Slicer (CELME) 250 - 300



CELME 80303

**9242040 BLACK KNOB SLIDEWAY  $\varnothing$  67 mm**

internal  $\varnothing$  12 mm  
for Slicer (CELME) GPR300



CELME 80509

**9007519 BLACK KNOB  $\varnothing$  63 mm PITCH M12**

without pin  
for Slicer (CELME)



CELME

**9242040 BLACK KNOB SLIDEWAY  $\varnothing$  67 mm**

internal  $\varnothing$  12 mm  
for Slicer (CELME) GPR300



CELME 80509



Suitable for:

**9007454 DIAL BLACK SCALE 0-15**  
dial  $\varnothing$  40 mm - pin  $\varnothing$  12x31 mm  
frame  $\varnothing$  51 mm  
for Slicer (CELME) 220



CELME 80134

CELME **Зин-Общепит**



Suitable for:

**5022095 KNOB WITH PIN BLACK LATERAL  $\varnothing$  30 mm**  
thread  $\varnothing$  8 mm - overall length 65 mm  
for Vegetables/mozzarella cutter (CELME) CHEF 200  
CHEF 300



CELME CLPERN0041

CELME 515609

+7(812)987-08-81

## Lids

**9734013 CUTTER LID  $\varnothing$  188 mm**  
complete with magnet



CELME

**9734014 CUTTER LID  $\varnothing$  255 mm**  
complete with magnet



CELME

## Lubricants

**9009000 DRIP-FEED OILER 50 cl WITH OIL**



CELME 80139

## Magnets

**9240027 LID MAGNET**  
external  $\varnothing$  22 mm - M5x10 mm



CELME

## Meat rammers

**9014161 MEAT MINCER MASHER  $\varnothing$  51x130 mm**  
empty inside  
for Meat mincer (CELME) 22



CELME 805559





Suitable for:

CELME ЗИП-Общепит



Suitable for:

## Microswitches magnetic

### 3240498 MAGNETIC MICROSWITCH STEM D102 1B

1-NO 1A 250V 50W  
cylindrical deflector  $\varnothing$  10x33 mm thread M10x0.75  
cable length 2000 mm

+7(812)987-08-81



CELME 605511

## Motors

### 9240081 MOTOR P60 230V 50Hz

shaft  $\varnothing$  15x30 mm  
for Slicer (CELME) - Series FAP - Series GPR  
GPR300 - S300



CELME 60504

CELME 60504E

### 5100780

### MOTOR SINGLE-PHASE 0.25HP 230V 50Hz

1380 rpm - capacitor 8  $\mu$ f  
for Slicer (CELME) FAMILY220 - GE220



CELME 60148

### 9240083 MOTOR 0.116kW 220V 50Hz

0.62A - shaft  $\varnothing$  15x25 mm  
for Slicer (CELME) - Series FAP - FA250 - GPE250  
Series GPR



CELME 60308D

## Sharpeners

### 9701005 BLADE SHARPENER CELME GPR300

without cover  
mounting distance 89 mm



CELME 50127



Suitable for:




Suitable for:

## Slice protectors

### 9711017 SLICE GUARD FOR SLICER OF ALUMINIUM

external dimensions 130x90 mm  
distance between holes 56 mm  
for Slicer (CELME) AF300



CELME 16501

### 9711018 SLICE GUARD FOR SLICER OF ST. STEEL

external dimensions 165x90 mm  
distance between holes 86 mm  
for Slicer (CELME) 350



CELME 16805

## Switches

### 9014068 BUTTON PANEL O-I BLACK-WHITE 16A 250V

GIOVENZANA - 1 normally closed contact  
1 normally open contact  
with indicator light  
mounting hole  $\varnothing$  22 mm



CELME 60959

### 9319088 DOUBLE GREEN/RED SWITCH 16A 250V

16(4)A 250V - mounting hole 22x30 mm  
for Slicer (CELME) FAP300 - GPE250  
for Slicer (CELME) FAP300



CELME 60433

## Tie rods for blade cover

### 9013504 BLADE COVER TIE ROD SHAFT 125mm PITCH M6

microswitch support  $\varnothing$  10x60 mm  
for Slicer (CELME) FAMILY220 - 220 - 250



CELME 80173

### 9714022 BLADE COVER TIE ROD SHAFT 155mm PITCH M6

micro support  $\varnothing$  10x58 mm  
for Slicer (CELME) 250



CELME 80312

### 9013030 BLADE COVER TIE ROD SHAFT 177mm PITCH M6

micro support  $\varnothing$  12x67 mm  
for Slicer (CELME) 300G - 300V  
for Slicer (CELME) FAP300



CELME 80492

### 9714011 BLADE COVER TIE ROD SHAFT 215mm PITCH M7

micro support  $\varnothing$  20x95 mm  
for Slicer (CELME) VPR350 - VPR370



CELME 50482



Suitable for:

**9013540** **BLADE COVER TIE ROD SHAFT 240mm PITCH M7**  
micro support  $\varnothing$  20x30 mm  
for Slicer (CELME) GRP350 - GRP370



CELME 50650

CELME  
Зип-Общепит

Suitable for:

vsezip.ru

+7(812)987-08-81



# Зип Общепит

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

+7(812)987-08-81



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com) - [export@lf Spareparts724.com](mailto:export@lf Spareparts724.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com) - [info@lf Spareparts724.com](mailto:info@lf Spareparts724.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lf ersatzteile724.de](http://www.lf ersatzteile724.de) - [info@lf ersatzteile.de](mailto:info@lf ersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com) - [china@lf Spareparts724.com](mailto:china@lf Spareparts724.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lf Spareparts724.ru](http://www.lf Spareparts724.ru) - [info@lf Spareparts724.ru](mailto:info@lf Spareparts724.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Polígono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lf repuestos-horeca724.es](http://www.lf repuestos-horeca724.es) - [info@lf repuestos.es](mailto:info@lf repuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lf Spareparts724.dk](http://www.lf Spareparts724.dk) - [denmark@lf Spareparts724.dk](mailto:denmark@lf Spareparts724.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lf ersatzteile724.ch](http://www.lf ersatzteile724.ch) - [info@lf ersatzteile.ch](mailto:info@lf ersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lf Spareparts724.co.uk](http://www.lf Spareparts724.co.uk) - [info@lf Spareparts724.co.uk](mailto:info@lf Spareparts724.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lf Spareparts724.cz](http://www.lf Spareparts724.cz) - [info@lf Spareparts724.cz](mailto:info@lf Spareparts724.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lf Spareparts724.us](http://www.lf Spareparts724.us) - [info@lf Spareparts724.us](mailto:info@lf Spareparts724.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- AUSTRALIA AND NEW ZEALAND**  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com)  
[andrea.calvio@lf Spareparts724.com](mailto:andrea.calvio@lf Spareparts724.com)
- AUSTRIA**  
[www.lf ersatzteile724.at](http://www.lf ersatzteile724.at)  
[info@lf ersatzteile.at](mailto:info@lf ersatzteile.at)
- BALKAN COUNTRIES**  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com)  
[matija.ramov@lf Spareparts724.com](mailto:matija.ramov@lf Spareparts724.com)
- BALTIC COUNTRIES**  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com)  
[inara.silina@lf Spareparts724.com](mailto:inara.silina@lf Spareparts724.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lf repuestos-horeca724.es](http://www.lf repuestos-horeca724.es)  
[export@lf repuestos.es](mailto:export@lf repuestos.es)
- POLAND**  
[www.lf Spareparts724.pl](http://www.lf Spareparts724.pl)  
[info@lf Spareparts724.pl](mailto:info@lf Spareparts724.pl)
- SOUTH KOREA**  
[www.lf Spareparts724.com](http://www.lf Spareparts724.com)  
[fabio.doni@lf Spareparts724.com](mailto:fabio.doni@lf Spareparts724.com)
- TURKEY**  
[www.lf yedekparca724.com](http://www.lf yedekparca724.com)  
[export@lf Spareparts724.com](mailto:export@lf Spareparts724.com)