



Spare parts for:

Ovens

Suitable for:

MBM

Зип Общепит

vsezip.ru

+7(812)987-08-81



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11211706





Suitable for:

ЗИП **MBM** Общепит

Suitable for:



Alarms **zip.ru**

3397302 ALARM BELL 220V
for Convection oven (CONVOTHERM)



MBM RTFOC00046

+7(812)987-08-81

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



MBM

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



MBM RGFOC00254

MBM RTFOC00254

MBM 013480-01R

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Convection oven gas (MBM) - Series JOKER



MBM RTCU700005

MBM RTFOC00128

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



MBM RTCU900384

MBM RTCU900385

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



MBM RIC0002285

3001019 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



MBM RTCU800144



Suitable for:

МБМ ЗИП Общепит

Suitable for:



Capacitors

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations

+7(812)987-08-81




MBM RTFOC00053

Contactors

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



MBM RTCU600371

MBM RTBF800153

MBM RTFOC00466

3351049 CONTACTOR SIEMENS 3RT1016-1AP01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MBM 229037

MBM 80350

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
 $3 \div 18$ mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



MBM RTFOC00462

MBM RTBF800077



Suitable for:

MBM ЗИП-Общепит



Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM) FCE6
 for Convection oven gas (ANGELO PO) - Series FC
 Series FCV
 for Convection oven gas (MBM) FFM061 - FGC060
 FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
 FGMD060 - FGMD061 - FGMD065 - FGMD100
 FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
 FGM200 - FGM201 - FGP050 - FGP080 - FGP160

vsezip.ru

+7(812)987-08-81



MBM RTFOC00095

3523084 VALVE 826 NOVA \varnothing 1/2"FF

inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 2÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (MBM) FGMD107 - FGMD107SC
 FGMD109 - FGMD67 - FGMD69 - FGM107 - FGM107SC
 FGM109 - FGM110 - FGM610 - FGM610/L - FGM67
 FGM67SC - FGM69

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTFOC00577

MBM RTCU700141

3020084 NUT & OLIVE \varnothing 6 mm



MBM RTCU900217



Suitable for:

МБМ ЗИП-Общепит

Suitable for:



Electronic boxes

5054526 CONTROL BOX 1303

230V 50/60Hz Ts max = 10s TW min = 2.5s
for Convection oven gas (MBM) FGMD107SC - FGM67SC
FGMD69 - FGM107SC - FGM67SC



MBM 175780

3091013 CONTROL PANEL CE11F

model BRAHMA - 220/240V 50/60Hz 7VA
dimensions 107x81 mm
for Convection oven gas (MBM) FGMD107SC - FGM67SC
FGMD69 - FGM107SC - FGM67SC




MBM RTFOC00785

MBM 175780

Electronic printed-circuit boards

3390052 ELECTRONIC DISPLAY BOARD 435x95 mm

two D-shaped pins \varnothing 6x4.6 mm
for Convection oven electric (MBM) FEMD107SC
FEMD207SC - FEMD67SC - FEM107SC - FEM207SC
FEM67SC
for Convection oven gas (MBM) FGMD107SC
FGMD207DC - FGM67SC - FGM107SC - FGM207SC
FGM67SC



MBM RTFOC00672

3390053 ELECTRONIC POWER BOARD 250x220 mm

for Convection oven electric (MBM) FEMD107SC
FEMD207SC - FEMD67SC - FEM107SC - FEM207SC
FEM67SC
for Convection oven gas (MBM) FGMD107SC
FGMD207SC - FGM67SC - FGM107SC - FGM207SC
FGM67SC



MBM RTFOC00671

Electronic thermostats and controllers

3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through
password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



MBM RTFOC00029



Suitable for:



Suitable for:

Electronic thermostats and controllers

3445133 THERMOSTAT IC912LX/H PT100
 power supply 12Vca/dc 15W
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 failure message display
 room temperature -5+65°C
 PT100 probe (not included)
 connections by screw terminal block
 front dimensions 74x32x67 mm
 mounting hole 71x29 mm



MBM RIC0003634

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



MBM RTFOC00039

Energy regulators

3350024 ENERGY ADJUSTER
 contact capacity 240V 12A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for Convection oven electric (UNOX) XV202 - XV301
 XV401 - XV501



MBM RIC0001299

MBM RTCU800066

Fans for motors

3240254 FAN \varnothing 220 mm
 thickness 100 mm
 total blades 12 - \varnothing tapered hole 16-11 mm
 for Convection oven electric (MBM) FCE6 - FEMD67SC
 FEMD69 - FEP050
 for Convection oven gas (MBM) FCG6 - FGMD67
 FGMD67SC - FGMD69 - FGP050



MBM RTFOC00012

MBM RTFOC00473



Suitable for:

МБМ ЗИП Общепит

Suitable for:



Fuses

sezip.ru

+7(812)987-08-81

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with fixed screw M12x25 mm



MBM 926117

Fuses

3049021 DELAY FUSE 5x20 - 10 PCS
250V 8A



MBM RTFOC00284

MBM RTFOC00734

3049036 QUICK ACTING FUSE 5x20 - 10 PCS
250V 100mA



MBM RTFOC00047

3049041 QUICK ACTING FUSE 5x20 - 10 PCS
250V 315mA



MBM 926283

3049045 QUICK ACTING FUSE 5x20 - 10 PCS
250V 800mA



MBM 926284

3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



MBM 228004

Gas burners

3023178 BURNER \varnothing 50x560 mm
made of STAINLESS STEEL
for Convection oven gas (MBM) FGC10 - FGMD107SC
FGMD109 - FGM107 - FGM107SC - FGM109 - FGP080



MBM GAFOC00073

3023331 BURNER \varnothing 50x750 mm
overall length 790 mm
made of STAINLESS steel
for Convection oven gas (MBM) FGMD207 - FGMD209
FGM207 - FGM209 - FGP160



MBM RTFOC00332



Suitable for:



Suitable for:


Gas taps and accessories

3348037 PILOT OLIVE FOR PIPE \varnothing 6 mm
for model PEL 21-22



MBM RTCU900018

3348034 PIPE FITTING \varnothing 16 mm
for model PEL 23



MBM RTCP800022

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



MBM RTCP800023

Gaskets for oven door

3186424 OVEN DOOR GASKET 1500 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (MBM) FEC023
FEMD023



MBM RTFOC00664

MBM RTFOC00758

3186417 OVEN DOOR GASKET 630x480 mm
middle edged gasket
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK
for Convection oven electric (MBM) FCE6 - FEC065
FEMD065 - FEMD066 - FEMD67 - FEMD67SC - FEMD69
for Convection oven gas (MBM) FCG065 - FCG6
FGMD065 - FGMD066 - FGMD67 - FGMD67SC - FGMD69



MBM RTFOC00414

MBM RTFOC00723

3186157 OVEN DOOR GASKET 680x460 mm
made of silicone elastomer
profile dimensions 22x20 mm
COLOUR BLACK
for Convection oven electric (MBM)
till 31/12/97
FEC060 - FEM060 - FEM061 - FEM062 - FEP050
for Convection oven gas (MBM)
till 31/12/97
FGC060 - FGM060 - FGM061 - FGM062 - FGP050
FMM060 - FMM061



MBM PAFOC00574

MBM RTFOC00093

3186419 OVEN DOOR GASKET 690x480 mm
middle edged gasket
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK
for Convection oven electric (MBM) FEM610L - FEM67
FEM67SC - FEM69 - FEP050
for Convection oven gas (MBM) FGM610L - FGM67
FGM67SC - FGM69 - FGP050



MBM RTFOC00721




Suitable for:

MBM ЗИП-Общепит



3186158 OVEN DOOR GASKET 720x680 mm

made of silicone elastomer
 profile dimensions 22x20 mm
 COLOUR BLACK
 for Convection oven electric (MBM)
 till 31/12/97
 FEC100 - FEC200 - FEMD200 - FEMD201 - FEM100
 FEM101 - FEM102 - FEM200 - FEM201 - FEM202
 FEP080 - FEP160
 for Convection oven gas (MBM)
 till 31/12/97
 FGC100 - FGC200 - FGMD200 - FGMD201 - FGM100
 FGM101 - FGM102 - FGM200 - FGM201 - FGM202
 FGP080 - FGP160 - FMM100 - FMM101



MBM PAFOC00575

MBM RTFOC00094

3186118 OVEN DOOR GASKET 730x680 mm


middle edged gasket
 made of silicone elastomer
 profile dimensions 25.5x19 mm
 COLOUR BLACK
 for Convection oven electric (MBM) FCE10
 FEMD107SC - FEMD109 - FEMD207SC - FEMD209
 FEM107 - FEM107SC - FEM109 - FEM207SC - FEM209
 FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FGMD107SC
 FGMD109 - FGMD207 - FGMD209 - FGM107
 FGM107SC - FGM109 - FGM207 - FGM209 - FGP080
 FGP160



MBM RTFOC00722

3186316 OVEN GLASS GASKET

made of silicone elastomer
 profile dimensions 10x9 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven electric (MBM) FCE10 - FCE6
 FEC060 - FEC065 - FEC100 - FEC200 - FEMD065
 FEMD066 - FEMD200 - FEMD201 - FEM060 - FEM061
 FEM062 - FEM100 - FEM101 - FEM102 - FEM200
 FEM201 - FEM202 - FEP050 - FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FGC060
 FGC065 - FGC100 - FGC200 - FGMD065 - FGMD066
 FGMD200 - FGMD201 - FGM060 - FGM061 - FGM062
 FGM102 - FGM200 - FGM201 - FGM202 - FGP050
 FGP080 - FGP160 - FMM060 - FMM061 - FMM100
 FMM101



MBM MPGOM03P00



Suitable for:



Suitable for:

+7(812)9870800

3242255 CENTRAL LOCK MECHANISM RIGHT
 for OVEN
 for Convection oven electric (COVEN) TEC10
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
 TEC15MX - TEC20 - TEC20MD
 for Convection oven electric (SOLYMAC) SOLYMIX 10
 SOLYP10
 for Convection oven gas (COVEN) TEC10G - TEC10GMD
 TEC10GP - TEC15G - TEC15GMD - TEC20G
 TEC20GMD
 for Electric oven (CAPIC) R220



MBM

5028241 CLOSING CENTRAL GEAR LEFT
 for OVEN



MBM

3242289 DOOR LOCK EXTERNAL FOOT
 for OVEN



MBM RTFOC00005

3242038 EXTERNAL RING FOR HANDLE
 for OVEN



MBM RTFOC00338

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
 for Convection oven (MODULAR) - Series GMBA
 for Convection oven electric (COVEN) TEC10
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
 TEC15MX - TEC20 - TEC20MD
 for Convection oven electric (FAGOR) - Series HME
 Series HMI - Series HMM - Series HMP
 for Convection oven electric (SOLYMAC) SOLYMIX10
 SOLYP10
 for Convection oven gas (COVEN) TEC10G - TEC10GMD
 TEC10GP - TEC15G - TEC15GMD - TEC20G
 TEC20GMD
 for Convection oven gas (FAGOR) - Series HCG
 Series HVG
 for Electric oven (CAPIC) R220



MBM

3242291 DOOR LOCK CENTRAL FOOT
 for OVEN



MBM RTFOC00057

3242083 ELECTROMECHANICAL LOCK 24V
 for OVEN FEC023-FEMD023
 for Convection oven electric (MBM) FEC023
 FEMD023



MBM RTFOC00648

3242036 HANDLE BASE
 for OVEN



MBM RTFOC00401

MBM 160911

MBM 170831



Suitable for:

3242037 INTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00337

MBM ЗИП-Общепит



Suitable for:

3242593 KNOB ROLL HOLDER FOR LOCK.NUT

vsezip.ru

+7(812)987-08-81



MBM

3242236 OVEN DOOR COMPLETE LOCK

covered capillary length 490 mm
for Convection oven electric (MBM) FCE6 - FEMD67
FEMD67SC - FEMD69 - FEM610/L - FEM67 - FEM67SC
FEM69 - FEP050
for Convection oven gas (MBM) FCG6 - FGMD67
FGMD67SC - FGMD69 - FGM610/L - FGM67 - FGM67SC
FGM69 - FGP050



MBM GAFOC00005

3242237 OVEN DOOR COMPLETE LOCK

covered capillary length 730 mm
for Convection oven electric (MBM) FCE10 - FEMD107
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEM107 - FEM107SC - FEM109 - FEM110/L - FEM207
FEM207SC - FEM209 - FEM210/L - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FGMD107
FGMD107SC - FGMD109 - FGMD207SC - FGMD209
FGM107 - FGM107SC - FGM109 - FGM110/L - FGM207
FGM207SC - FGM209 - FGM210/L - FGP080 - FGP160



MBM GAFOC00051

3242289 DOOR LOCK EXTERNAL FOOT
for OVEN



MBM RTFOC00005

3242291 DOOR LOCK CENTRAL FOOT
for OVEN



MBM RTFOC00057

3242038 EXTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00338



Suitable for:

3242036 HANDLE BASE
for OVEN



MBM RTFOC00401

MBM 160911

MBM 170831

MBM ЗИП-Общепит



Suitable for:

3242037 INTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00337

+7(812)987-08-81

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



MBM RTFOC00009

3242235 OVEN DOOR HANDLE
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGMD69 - FGM107SC - FGM109 - FGM207
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



MBM RTFOC00007

MBM RTFOC00360

MBM 160912

MBM 170919

3242289 DOOR LOCK EXTERNAL FOOT
for OVEN



MBM RTFOC00005

3242036 HANDLE BASE
for OVEN



MBM RTFOC00401

MBM 160911

MBM 170831

3242291 DOOR LOCK CENTRAL FOOT
for OVEN



MBM RTFOC00057

3242038 EXTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00338

3242037 INTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00337



Suitable for:

3242236 OVEN DOOR COMPLETE LOCK

covered capillary length 490 mm
for Convection oven electric (MBM) FCE6 - FEMD67
FEMD67SC - FEMD69 - FEM610/L - FEM67 - FEM67SC
FEM69 - FEP050
for Convection oven gas (MBM) FCG6 - FGMD67
FGMD67SC - FGMD69 - FGM610/L - FGM67 - FGM67SC
FGM69 - FGP050



MBM GAFOC00005

3242238 STRIKE FOR DOOR HANDLE

distance between mounting holes 26 mm
for OVEN



MBM RTFOC00009

3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



MBM RTFOC00403

3242238 STRIKE FOR DOOR HANDLE

distance between mounting holes 26 mm
for OVEN



MBM RTFOC00009

MBM ЗИП-Общепит



Suitable for:

3242237 OVEN DOOR COMPLETE LOCK

covered capillary length 730 mm
for Convection oven electric (MBM) FCE10 - FEMD107
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEM107 - FEM107SC - FEM109 - FEM110/L - FEM207
FEM207SC - FEM209 - FEM210/L - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FGMD107
FGMD107SC - FGMD109 - FGMD207SC - FGMD209
FGM107 - FGM107SC - FGM109 - FGM110/L - FGM207
FGM207SC - FGM209 - FGM210/L - FGP080 - FGP160



MBM GAFOC00051

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



MBM



Suitable for:



Suitable for:

Heating Elements

+7(812)987-13-81

3755236 HEATING ELEMENT 21600W 230V

external \varnothing 420 mm - overall height 228 mm
flange 142x25 mm
for Convection oven electric (MBM) FEC200
FEMD200 - FEMD207SC - FEMD209 - FEM200
FEM201 - FEM202 - FEM207SC - FEM209 - FEP160



MBM RTFOC00307

3355889 HEATING ELEMENT 2500W 230V

external \varnothing 190 mm - total height 70 mm
flange 70x22 mm
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 43MX - 43MXUMI



MBM RIC0001835

3355531 HEATING ELEMENT 2500W 240V

length 125 mm - width 600 mm
flange 70x22 mm
for Convection oven electric (MBM) FCE10 - FEC100
FEMD101 - FEMD107 - FEMD107SC - FEMD109
FEM100 - FEM101 - FEM102 - FEM107 - FEM107SC
FEM109 - FEP080



MBM RTFOC00068

3755665 HEATING ELEMENT 6000W 230V

immersed length 300 mm
flange \varnothing external 72 mm
with probe receptacle
with bulb sheath
for Convection oven electric (MBM) FEM107
FEM107SC - FEM109 - FEM110 - FEM67 - FEM67SC
FEM69



MBM RTFOC00523

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM 167956

MBM 929046



Suitable for:

MBM ЗИП-Общепит



Suitable for:

335530 HEATING ELEMENT 7500W 230V

immersed length 300 mm
flange external \varnothing 72 mm
with bulb sheath \varnothing 6 mm
complete with O-RING

for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
for Convection oven electric (MBM) FEM060 - FEM061
FEM100 - FEM101 - FEM102 - FEM200 - FEM201
FEM202 - FEM207SC - FEM209 - FEM610L - FEM62
for Convection oven gas (MBM) FMM060 - FMM061
FMM100 - FMM101



MBM RTFOC00150

3196014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM 167956

MBM 929046

3755237 HEATING ELEMENT 7500W 230V

external \varnothing 260 mm - overall height 165 mm
flange 142x25 mm

for Convection oven electric (MBM) FCE6 - FEC060
FEMD065 - FEMD67 - FEMD67SC - FEMD69 - FEM060
FEM061 - FEM062 - FEP050



MBM RTFOC00013

MBM RTFOC00433

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



MBM RTCU900004

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Convection oven
for Convection oven electric (GIERRE) BRIOBRG600
BRIOMIDIBRG400



MBM C0002482

MBM RIC0002482

MBM 01980059512

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



MBM RTCU900027

MBM RTCU900397

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



MBM RTCU900004



Suitable for:

MBM ЗИП ОБЩЕПИТ



3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm



MBM RTCU900026

MBM RTCU900396

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm



MBM RTCU900004

Hydraulic plumbing

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m

operating temperature $-40+100^{\circ}\text{C}$



MBM 143010

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m

operating temperature $-40+100^{\circ}\text{C}$



MBM 143010

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER $0,47\mu\text{F}$

for Convection oven electric (LAINOX) - Series CE
Series ME - Series VE
for Convection oven gas (LAINOX) - Series CG



MBM RTFOC00312

Knobs

3241125 BLACK KNOB \varnothing 56 mm

D shaped hole 6x4.6 mm
for Convection oven electric (MBM) FEC060 - FEC100
FEMD060 - FEMD061 - FEMD100 - FEMD101 - FEM060
FEM061 - FEM100 - FEM101 - FEP050 - FEP080
for Convection oven gas (MBM) FGC060 - FGC065
FGC100 - FGMD060 - FGMD061 - FGMD065 - FGMD066
FGMD100 - FGMD101 - FGM060 - FGM061 - FGM100
FGM101 - FGP050 - FGP080 - FMM060 - FMM061
FMM100 - FMM101



MBM RTFOC00055

3241822 GREY KNOB \varnothing 56 mm

D-shaped hole 6x4.6 mm
for Convection oven electric (MBM) FCE10
FEMD107SC - FEMD67SC - FEM107SC - FEP050
FEP080
for Convection oven gas (MBM) FCG10 - FCG6
FGMD67SC - FGP050 - FGP080



MBM 160910



Suitable for:

ЗИП-Общепит

Suitable for:



3241257 LIGHT BLUE KNOB \varnothing 55 mm

D-shaped hole 6x4.6 mm
for Convection oven electric (MBM) FCE10 - FCE6
FEC023 - FEMD023 - FEMD107SC - FEMD207SC
FEMD67SC - FEM107SC - FEM207SC - FEM67SC
FEP050 - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD207SC - FGMD67SC - FGM107SC
FGM207SC - FGM67SC - FGP050 - FGP080 - FGP160

vsezip.ru

+7(812)987-08-81



MBM RTFOC00361

Lamps

3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)

3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



MBM RTFOC00382

MBM RTFOC00201

3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm

thread \varnothing 35.5 mm
for Convection oven (COVEN)
for Convection oven (MBM)

3221101 GREEN INDICATOR LAMP 230V

head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
universal application



MBM RTFOC00654

MBM RTCU900290



Suitable for:

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



MBM DEL15

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)



MBM RTFOC00653

3221025 ORANGE INDICATOR LAMP 230V
hole \varnothing 13 mm - head \varnothing 15 mm - 120°C
universal application



MBM RTCU900072

MBM RTCU900488

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MBM RTFOC00658



Suitable for:

3221120 LAMP RECEPTACLE E14 25W 230V
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



MBM RTFOC00036

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



MBM 161282

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM 216020

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



MBM RTFOC00037



Suitable for:

3221024 RED INDICATOR LAMP 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
universal application



MBM RTCU900071

MBM RTCU900291

MBM ЗИП-Общепит



Suitable for:

3221025 ORANGE INDICATOR LAMP 230V
hole \varnothing 13 mm - head \varnothing 15 mm - 120°C
universal application



MBM RTCU900072

MBM RTCU900488

+7(812)987-08-81

3221139 RED INDICATOR LIGHT 230V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



MBM 216016

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



MBM RTFOC00202

MBM 161283

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



MBM RTFOC00146

Level sensors

3341010 LEVEL PROBE \varnothing 1/4" M - 130 mm
for Convection oven gas (MBM) FGM207SC - FGM209



MBM RTFOC00210

3341011 LEVEL PROBE \varnothing 1/4" M - 140 mm
for Convection oven (MBM)



MBM RTFOC00148



Suitable for:



Suitable for:

Microswitches

3240258 DOOR MICROSWITCH 16A 250V

for Convection oven electric (MBM) FCE10 - FCE6
 FEMD107SC - FEMD109 - FEMD67SC - FEMD69
 FEM107 - FEM107SC - FEM109 - FEM610L - FEM67
 FEM67SC - FEM69 - FEP050 - FEP080
 for Convection oven gas (MBM) FCG10 - FCG6
 FGMD107 - FGMD107SC - FGMD109 - FGMD67
 FGMD67SC - FGMD69 - FGM107 - FGM107SC - FGM109
 FGM610/L - FGM67SC - FGM69 - FGP050 - FGP080



MBM RTFOC00711

3240410 MICRO SWITCH 16A 250V

for ANGELO PO. OLD OVENS FC-FCV
 for ANGELO PO. OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



MBM RTFOC00035

3240123 MICROSWITCH 16A 250V



MBM RTFOC00198

Motors

3240260 MOTOR LM80/4 0.37Kw 220/240V 50/60Hz

2.7A - 1400/1700rpm - capacitor 16 µf
 for Convection oven electric (MBM) FCE10
 for Convection oven gas (MBM) FCG10



MBM RTFOC00697

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
 for Convection oven
 for Convection oven electric (COVEN) C6E - TEC10
 TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
 TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
 TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
 for Convection oven electric (SOLYMAC) SOLY MIX10
 SOLY MIX6 - SOLYP10 - SOLYP6



MBM RIC0002339
MBM RTFOC00623

MBM RTCU700450

MBM RTCU800153



Suitable for:

МБМ ЗИП-Общепит

Suitable for:



5025392 MOTOR 1022C2353 0.4/0.05Kw 230V 50Hz
 3/1A - 1400/700rpm - capacitor 31.5 μ f
 for Convection oven electric (MBM) FEMD107
 FEMD107SC - FEMD109 - FEMD207 - FEM107
 FEM107SC - FEM109 - FEM207 - FEM209 - FEP030
 FEP160
 for Convection oven gas (MBM) FGMD107 - FGMD107SC
 FGMD109 - FGM107 - FGM107SC - FGM109 - FGM207
 FGM209 - FGP080 - FGP160

vsezip.ru

7(812)987-08-81



MBM RIC0004598
MBM 161232

MBM RTFOC00066

MBM RTFOC00322

3240259 MOTOR 1075 0.5/0.1HP 220/240V 50Hz
 2/0.7A - 2700/1400rpm - capacitor 20 μ f
 for Convection oven electric (MBM) FEMD67SC
 FEMD69 - FEM67SC - FEM69 - FEP050
 for Convection oven gas (MBM) FGMD67SC - FGMD69
 FGM67 - FGM67SC - FGM69 - FGP050

3240254 FAN \varnothing 220 mm
 thickness 100 mm
 total blades 12 - \varnothing tapered hole 16-11 mm
 for Convection oven electric (MBM) FCE6 - FEMD67SC
 FEMD69 - FEP050
 for Convection oven gas (MBM) FCG6 - FGMD67
 FGMD67SC - FGMD69 - FGP050



MBM RTFOC00011

MBM 168843

MBM RTFOC00012

MBM RTFOC00473



OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm
 for Convection oven electric (CAPIC) AC150 - AC50
 R50

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM 456002

MBM 167956

MBM 929046

Pilot burners and accessories

3020077 FITTING FOR PIPE \varnothing 4 mm

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



MBM RTCP800037

MBM RTCU900133

MBM



Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTCU700141

3020085 NUT FOR SPARKING PLUG CONNECTION



MBM RTCU900215

3020111 OLIVE FOR 4 mm \varnothing PIPE



MBM RTCU900134

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

3020040 PILOT JET \varnothing 0.30 mm



MBM RTCU900216

ЗІП ОБЩЕПІТ

MBM



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm

vsezip.ru

+7(812)987-08-81



MBM RTCU900217

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3020201 PILOT GAS JET \varnothing 0.14 mm



MBM RTCP800058

3020202 PILOT GAS JET \varnothing 0.27 mm



MBM RTCP800059

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228

3020187 PILOT NOZZLE \varnothing 0.51 mm



MBM RTCU900008



Suitable for:

3020113 PILOT OLIVE TARGET \varnothing 4 mm



MBM RTCP800035

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



MBM RTCP800034

3020085 NUT FOR SPARKING PLUG CONNECTION



MBM RTCU900215

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042

3020114 PILOT OLIVE TARGET \varnothing 6 mm



MBM RTCU800183

MBM ЗИП-Общепит



Suitable for:

3020114 PILOT OLIVE TARGET \varnothing 6 mm



MBM RTCU800183

3020077 FITTING FOR PIPE \varnothing 4 mm



MBM RTCP800037

MBM RTCU900133

3020201 PILOT GAS JET \varnothing 0.14 mm



MBM RTCP800058

3020202 PILOT GAS JET \varnothing 0.27 mm



MBM RTCP800059

3020113 PILOT OLIVE TARGET \varnothing 4 mm



MBM RTCP800035

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



MBM RIC0003189

MBM RTCU900010

+7(812)987-08-81

vsezip.ru



Suitable for:

3020200 THERMOCOUPLE NUT



MBM RTCP800038

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



MBM RIC0003049

MBM 7090028

3020085 NUT FOR SPARKING PLUG CONNECTION



MBM RTCU900215

3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



MBM RTCU900019

MBM ЗИП-Общепит



Suitable for:

3020078 TUBING NUT FOR 6 mm \varnothing PIPE

vsezip.ru

+7(812)987-08-81



MBM RTCU900019

3020077 FITTING FOR PIPE \varnothing 4 mm



MBM RTCP800037

MBM RTCU900133

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



MBM RIC0003189

MBM RTCU900010



Suitable for:

Зип-Общепит

Suitable for:



3020200 THERMOCOUPLE NUT



MBM RTCP800038

vsezip.ru

+7(812)987-08-81

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



MBM RTCU900074

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



MBM RIC0003481

MBM RTCU900073

3020078 TUBING NUT FOR 6 mm \varnothing PIPE




MBM RTCU900019

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



MBM RTBF800034

3020040 PILOT JET \varnothing 0.30 mm



MBM RTCU900216



Suitable for:



Suitable for:

Probes

3445398 SILICONE PROBE NTC 1500 mm

2-wire probe temperature range -50+120°C
bulb ø 6x50 mm



MBM 927335

3445014 THERMOCOUPLE PROBE TCJ

2-wire probe
bulb ø 6x100 mm - cable length 1400 mm
for Convection oven electric (MBM) FEMD101



MBM RTFOC00034

3397007 THERMOCOUPLE TEMPERATURE PROBE

2 wires - chamber temperature probe
probe length 72 mm
cable length 2400 mm
with fastening coupling M10
for Convection oven electric (MBM) FEMD107SC
FEMD207SC - FEMD67SC - FEMD69 - FEM107SC
FEM207SC - FEM67SC - FEP050 - FEP080 - FEP160
for Convection oven gas (MBM) FGMD107SC
FGMD207SC - FGM107SC - FGM67SC - FGP160



MBM RTFOC00321

Rating-plates

3319451 GREY ELECTRONIC PLATE

dimensions 270x90 mm
for old models
for Convection oven (LAINOX)
for Convection oven electric (LAINOX) ME5



MBM RTBF900308

Relays

3351901 RELAY 60.62 10A 230V 50/60Hz


2 switching contacts



MBM RTFOC00144

3351605 RELAY 60.63 10A 230V 50/60Hz

3 switching contacts



MBM RTFOC00144



Suitable for:

ЗИП ОБЩЕПИТ

Suitable for:



Rotary switches


3057050 CONNECTING BRACKET
connecting thermostat and switch



MBM RTBF900037

MBM RTCU900112

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
back connection for thermostat



MBM RTBF900007

3057139 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
for Convection oven electric (MBM) FCE10 - FCE6
FEP050 - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGP050 - FGP080 - FGP160




MBM RTFOC00694

3057097 SELECTOR SWITCH 0-2 POSITIONS
6 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
for Convection oven electric (FOINOX) FE1/2
FE2/3



MBM RTCU700454

3057135 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 18A 240V - max 150°C
D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
for Convection oven electric (CAPIC) AC50
for Convection oven electric (MBM) FEMD023



MBM RTFOC00143

3057134 SELECTOR SWITCH 0-6 POSITIONS
3 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
for Convection oven electric (MBM) FEMD107
FEMD107SC - FEM107SC - FEM67SC
for Convection oven gas (MBM) FGMD107SC - FGM107
FGM107SC - FGM67SC



MBM RIC0004532

MBM 164122

Solenoid valves

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00145

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834



Suitable for:

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



MBM RTFOC00520

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM LF-3120530

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - \varnothing 14 mm outlet



MBM

MBM ЗИП-Общепит



Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



MBM RTFOC00022

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



MBM RTFOC00203

+7(812)987-08-81

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



MBM RTBF800129

MBM RTCU700096



Suitable for:

MBM ЗИП-Общепит



Suitable for:

Sparking and detection plugs

3020211 ROUND DETECTOR ELECTRODE \varnothing 6.5x55 mm
 overall length 118 mm
 for Convection oven gas (MBM) FGMD107 - FGMD107SC
 FGMD109 - FGMD67 - FGMD67SC - FGMD69 - FGM107
 FGM107SC - FGM109 - FGM110 - FGM610L - FGM67
 FGM67SC



MBM PAFOC00249

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
 female connection
 overall length 58 mm



MBM RTCP800033

3020210 ROUND SPARKING PLUG \varnothing 6.5x55 mm
 overall length 107 mm
 for Convection oven gas (MBM) FGMD107 - FGMD107SC
 FGMD109 - FGMD67 - FGMD67SC - FGMD69 - FGM107
 FGM107SC - FGM109 - FGM110 - FGM610L - FGM67
 FGM67SC - FGM69



MBM PAFOC00252

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm
 for Convection oven electric (SOLYMAC) SOLYP10
 for Convection oven gas (SOLYMAC) SOLYMIX
 SOLYP6G



MBM RIC0003481

MBM RTCU900073

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



MBM RIC0003189

MBM RTCU900010

Switches

3319153 CHANGE OVER GREY BUTTON 16A 250V
 2 speed change-over switch
 mounting hole 28x32 mm
 for Convection oven electric (MBM) FEP050 - FEP080
 FEP160
 for Convection oven gas (MBM) FGP050 - FGP080
 FGP160



MBM RTFOC00033

MBM RTFOC00362

3319152 LIGHT SWITCH ON GREY BUTTON 16A 250V
 mounting hole 28x32 mm
 for Convection oven electric (MBM) FCE10 - FCE6
 FEP050 - FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FCG6
 FGP050 - FGP080 - FGP160



MBM RTFOC00032

MBM RTFOC00387



Suitable for:

3319948 RED BIPOLAR SWITCH 16A 250V
with indicator lamp
max. temperature 120°C
mounting hole \varnothing 25 mm



MBM RTFOC00585

MBM ЗИП-Общепит



Suitable for:

vsezip.ru

+7(812)987-08-81

Terminal blocks

3247025 12-POLE PLASTIC TERMINAL BLOCK
for cable max 25 mm²
operating temperature 150°C
nominal voltage 450V



MBM RTBF900045

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921045

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921044

3247035 4-POLES TERMINAL BLOCK



MBM RTFOC00583

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921057

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



MBM RTCP800073

3440012 SLOTTED FITTING M10x1



MBM RTCP900058



Suitable for:

Suitable for:

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1

3440126 THERMOCOUPLE SIT M10x1 75 cm



+7(812)987-08-81

MBM RTCP800131

MBM

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MBM RTCU900023

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MBM RTCU900023

MBM RTCU900023

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MBM RTCU900061

MBM RTCU900061

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MBM RTCU900061

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MBM RTCU900024

MBM RTCU900024



Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MBM RTCU900024

3440033 THERMOCOUPLE SIT M9x1 32 cm



MBM RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440080 THERMOCOUPLE SIT M9x1 40 cm.



MBM RTCU900034

3440034 THERMOCOUPLE SIT M9x1 50 cm



MBM RTCU700148

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MBM RTCU700148

ЗИП **MBM** Общепит

Suitable for:

vsezip.ru

+7(812)987-08-81



3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MBM RTCU700148

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MBM RIC0003190

MBM RTCU900022



Suitable for:

3440035 THERMOCOUPLE SIT M9x1 60 cm.



MBM RIC0003190

MBM RTCU900022

MBM ЗИП ОБЩЕПИТ



Suitable for:

3440035 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS

vsezip.ru

+7(812)987-08-81

MBM RIC0003190

MBM RTCU900022

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

3440036 THERMOCOUPLE SIT M9x1 85 cm.



MBM RTCU900060

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

Thermostats

3444287 SINGLE-PHASE THERMOSTAT 120°C

with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Convection oven electric (MBM) FEM060 - FEM061
FEM100 - FEM101 - FEM102 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM62 - FEM67SC - FEM69
FEP080 - FEP160



MBM RTFOC00173

3444285 SINGLE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x77 mm
for Convection oven electric (GIORIK) EF4 - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) CG10MX - CG102MX
DG06EC - DG06ES - DG06MX - DG10EC - DG10ES
DG10MX - DG102EC - DG102MX - GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX



MBM RTFOC00038

MBM RTFOC00483



Suitable for:

3444428 SINGLE-PHASE THERMOSTAT 50-270°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb \varnothing 3x230 mm - with stuff.gland coupling M10x1
for Convection oven electric (MBM) FCE10 - FCE20 - FCE6
for Convection oven gas (MBM) FCG10 - FCG20 - FCG6



MBM RTFOC00698

3444062 SINGLE-PHASE THERMOSTAT 50-320°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



MBM

5025542 SINGLE-PHASE THERMOSTAT 66-310°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm
double bulb \varnothing 3x120 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412GRILL
KF622GRILL - KF723M - KF911 - KF911IX - KF933
KF933U - KF964ALM - KF964IM - KF965
KF965AL/UD - KF965M - KF966UD - KF980DOUBLE
KF980DOUBLEV/A - KF980I - KF980V/A - KF981
KF981DOUBLE - KF981DOUBLE EV/UD
KF981DOUBLE UD



MBM RIC0002126

MBM 09950107000

3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm



MBM RTBF600067

MBM 164332



Suitable for:

3444427 SINGLE-PHASE THERMOSTAT 50-285°C

D-shaped pin 6x4.6 mm
covered capillary length 840 mm - 16A 250V
bulb \varnothing 3x230 mm
for Convection oven electric (MBM) FEC023
FEMD023



MBM RTFOC00646

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm
for Convection oven (BONNET)
for Convection oven (BOURGEOIS)
for Convection oven (ZANUSSI)



MBM RTCU700455

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



MBM RTCU800152



Suitable for:

MBM ЗИП-Общепит

Suitable for:



Times +7(812)987-0881

3446072 TIMER D94443 3 CAMS

230V 50/60Hz
cycle 80 minutes -D-shaped pin $\varnothing 6 \times 4, \varnothing 6$ mm
for Convection oven electric (MBM) FEC060 - FEC100
FEC200 - FEMD060 - FEMD061 - FEMD100 - FEMD101
FEMD200 - FEMD201 - FEM060 - FEM061 - FEM100
FEM101 - FEM200 - FEM201 - FEP050 - FEP080
FEP160
for Convection oven gas (MBM) FGC060 - FGC100
FGM060 - FGM061 - FGM100 - FGM101 - FGP050
FGP080 - FMM060 - FMM061 - FMM100 - FMM101



MBM RTFOC00030

3446061 TIMER SET 120 MINUTES MS65

complete with cables - terminal block
mechanical movement
manual position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin $\varnothing 6 \times 4, 6$ mm
for Convection oven electric (MBM) FCE10 - FCE6
for Convection oven gas (MBM) FCG10 - FCG6



MBM RIC0004523

MBM RTFOC00699

Timers and cycle reversing switches

3322350 CONTROLLER D9400 1 CAM 230V 50/60Hz

cycle 60 seconds
for Convection oven electric (MBM) FEC060 - FEC100
FEC200 - FEMD060 - FEMD061 - FEMD100 - FEMD101
FEMD200 - FEMD201 - FEM060 - FEM061 - FEM100
FEM101 - FEM200 - FEM201 - FEP050 - FEP080
FEP160
for Convection oven gas (MBM) FGC060 - FGC100
FGM060 - FGM061 - FGM100 - FGM101 - FGP050
FGP080 - FMM060 - FMM061 - FMM100 - FMM101



MBM RTFOC00042

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



MBM RTFOC00039