

Зип Общепит



Spare parts for:

Ovens

vsezip.ru

+7(812)987-08-81



Suitable for:

ELOMA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2013-11211426





Suitable for:

Suitable for:



Electrical gas valves and accessories

3526015 VALVE VK4115V HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature -15÷70°C
 power supply 220/240V 50Hz
 for Convection oven electric (ELOMA)
 GENIUS MA 10-11 - GENIUS MA 20-11
 GENIUS MA 6-11 - GENIUS MB 10-11
 GENIUS MB 20-11 - GENIUS MB 6-11

+7(812)987-08-81



ELOMA 744050

Electronic boxes

3091021 IGNITION CONTROL BOX M205362
 model PACTROL MICROGAS - 220/240V 50/60Hz 15VA
 for 6-10-20 shelves
 for Convection oven (ELOMA) GENIUS MA - GENIUS MB



ELOMA 783714

Fittings

1349716 NICHEL PLATED L-FITTING \varnothing 1/8" M-1/8" F



ELOMA E440172

ELOMA 773719

Fuses

3049016 DELAY FUSE 5x20 - 10 PCS
 250V 2A



ELOMA 190756

3049019 DELAY FUSE 5x20 - 10 PCS
 250V 4A



ELOMA 765368



Suitable for:

3049022 DELAY FUSE 5x20 - 10 PCS
250V 10A



ELOMA 578975

ELOMA ЗипОбщепит

Suitable for:


vsezip.ru

+7(812)987-08-81



Gaskets and seals

3186525 GASKET FOR LAMP RECEPTACLE
external \varnothing 49 mm
internal \varnothing 32 mm
thickness 2.8 mm
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 425132

ELOMA 693421

3186526 GASKET FOR THERMOSTAT
internal \varnothing 15 mm
external \varnothing 21 mm
for Convection oven (ELOMA)



ELOMA 373079

Gaskets for oven door

3186523 DOOR FRAME GASKET 1640 mm
made of silicone elastomer
profile dimensions 29x24 mm
COLOUR BLACK
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 693219

5042060 OVEN DOOR GASKET
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BLACK
SOLD PER METRE



ELOMA E425031

ELOMA 131385

3186528 OVEN DOOR GASKET 1495x510 mm
made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK
for Convection oven electric (ELOMA)
GENIUS MA 20-11 - GENIUS MB 20-11



ELOMA 742384

3186524 OVEN DOOR GASKET 520x490 mm
made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK
for Convection oven electric (ELOMA)
GENIUS MA 6-11 - GENIUS MB 6-11



ELOMA 742368



Suitable for:

5020135 OVEN DOOR GASKET 640x460 mm
 made of silicone elastomer
 profile dimensions 29x24 mm
 COLOUR BLACK
 for Convection oven (ELOMA)
 for Convection oven (PALUX) FM611



ELOMA E425030

ELOMA 384410

ELOMA

Suitable for:

5017638 OVEN DOOR GASKET 700x650 mm
 made of silicone elastomer
 profile dimensions 29x24 mm
 COLOUR BLACK
 for Convection oven (ELO MA) EDA 10-11 - EDB 10-11
 EDC 10-11 - MD 10-11 - MMC 10-11 - MMD 10-11



ELOMA 382310

ELOMA 425033

3186527 OVEN DOOR GASKET 765x510 mm
 made of silicone elastomer
 profile dimensions 33x18 mm
 COLOUR BLACK
 for Convection oven electric (ELOMA)
 GENIUS MA 10-11 - GENIUS MB 10-11



ELOMA 742376

3286020 OVEN GLASS GASKET - 25 m
 made of silicone elastomer
 profile dimensions 13.5x10 mm
 COLOUR GREY
 for Convection oven (ELOMA) MD 10-11 - MD 6-11
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

3286019 OVEN GLASS GASKET - 7 m
 made of silicone elastomer
 profile dimensions 13.5x10 mm
 COLOUR GREY
 for Convection oven (ELOMA) MD 10-11 - MD 6-11
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

3286020 OVEN GLASS GASKET - 25 m
 made of silicone elastomer
 profile dimensions 13.5x10 mm
 COLOUR GREY
 for Convection oven (ELOMA) MD 10-11 - MD 6-11
 MMC 10-11 - MMC 6-11 - MMD 10-11 - MMD 6-11



ELOMA H0515

ELOMA 425041

Handles

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



ELOMA LF-3242042



+7(812)987-08-87



Suitable for:


ELOMA

Suitable for:



Handles

3242753 LH-RH CATCH WITHOUT LOCK 791 CR
 for high temperatures
 curved handgrip
 length 254x30 mm - distance 133 mm
 adjustable catch from 9 to 22 mm
 for Convection oven electric (INOXTREND) RDA5E
 RDE5E - RPDA5E - RPDE5E - RPDE5EP



ELOMA H0195

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



ELOMA LF-3242042

3242052 STRIKE FOR DOOR HANDLE
 distance between mounting holes 33 mm
 for OVEN



ELOMA H0193

Heating elements

3755317 HEATING ELEMENT 10500W 230V
 external \varnothing 425 mm - internal \varnothing 407 mm
 overall height 210 mm - flange 130x54 mm
 for Convection oven electric (ELOMA)
 GENIUS MA 6-11 - GENIUS MB 6-11



ELOMA 742414

3755318 HEATING ELEMENT 21600W 230V
 external \varnothing 467 mm - internal \varnothing 405 mm
 overall height 225 mm - flange 130x90 mm
 for Convection oven electric (ELOMA)
 GENIUS MA 10-11 - GENIUS MA 20-11
 GENIUS MB 10-11 - GENIUS MB 20-11



ELOMA 742422

3755298 HEATING ELEMENT 5700W 230V
 external \varnothing 240 mm - internal \varnothing 200 mm
 overall height 105 mm - flange 110x20 mm
 for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 693383



Suitable for:

ELOMA
ЭЛОМА

Suitable for:



Lamps
usezip.ru

3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions \varnothing 48x38x5 mm
for OVEN

+7(812)987-08-81



ELOMA

3221222 GREEN INDICATOR LAMP 230V

head \varnothing 7 mm - hole \varnothing 5.5 mm - 120°C
wire connection length 200 mm
for Convection oven electric (ANGELO PO) FC101E
FC1011E - FC1221E - FC241E - FC61E - FC611E
for Convection oven gas (ANGELO PO) FC101
FC1011G - FC1221G - FC241 - FC241G - FC61
FC611G



ELOMA E0960

3221096 ORANGE INDICATOR LAMP 230V

head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 210 mm
for Convection oven electric (ANGELO PO) FC101E
FC1011E - FC1221E - FC241E - FC61E - FC611E
for Convection oven gas (ANGELO PO) FC101
FC1011G - FC1221G - FC241 - FC241G - FC61
FC611G



ELOMA E0961

ELOMA 314011

3221271 HALOGEN LAMP RECEPTACLE G4 10W 12V

wire connection length 130 mm
distance between holes 26 mm
for Convection oven electric (ELOMA) JOKER6/23



ELOMA 577294

3186525 GASKET FOR LAMP RECEPTACLE

external \varnothing 49 mm
internal \varnothing 32 mm
thickness 2.8 mm
for Convection oven electric (ELOMA) JOKER 6-23



ELOMA 425132

ELOMA 693421

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V

for Convection oven electric (FAGOR) COE-061
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



ELOMA 571954

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V

for Electric oven (ELOMA) 12-21 MULTIMAX



ELOMA 570478



Suitable for:

ELOMA ЭЛОМА



Suitable for:

3221096 ORANGE INDICATOR LAMP 230V

head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 210 mm
for Convection oven electric (ANGELO PO) FC101E
FC1011E - FC1221E - FC241E - FC61E - FC611E
for Convection oven gas (ANGELO PO) FC101
FC1011G - FC1221G - FC241 - FC241G - FC61
FC611G

vsezip.ru

+7(812)987-08-81



ELOMA E0961

ELOMA 314011

Microswitches

3240327 MAGNETIC MICROSWITCH \varnothing 6x25 mm

with cable length 1000 mm
for OVEN 6-10-20 grills

3240123 MICROSWITCH 16A 250V



ELOMA 581038

ELOMA 570540

3240053 MICROSWITCH 83106 5A 250V

M16x1 terminal
for Steam oven (ELOMA)
for Steam oven (PALUX)



ELOMA E0290

Penetration probes

3397058 PENETRATION PROBE

2 wires - bulb \varnothing 4x80 mm
cable length 1850 mm
with fastening coupling M13
for Convection oven electric (ELOMA) JOKER6-23



ELOMA 783668



Suitable for:

ЕЛОМА

Suitable for:



Solenoid valves

3120261 MULLER SOLENOID VALVE 230V \varnothing 12 mm

solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - \varnothing 12 mm outlet



ELOMA 754463

+7(812)987-08-81

Sparking and detection plugs

3020212 ROUND DETECTION PLUG \varnothing 7x60 mm

overall length 115 mm
complete with covered cable length 460 mm
for Convection oven electric (ELOMA)
GENIUS MA 10-11 - GENIUS MA 20-11
GENIUS MA 6-11 - GENIUS MB 10-11
GENIUS MB 20-11 - GENIUS MB 6-11



ELOMA 874906

3020214 SPARKING PLUG KIT

2 plugs \varnothing 9x68 mm - overall length 85 mm
complete with covered cables length 350 mm
plate 60x20 mm
for Convection oven electric (ELOMA)
GENIUS MA 10-11 - GENIUS MA 20-11
GENIUS MA 6-11 - GENIUS MB 10-11
GENIUS MB 20-11 - GENIUS MB 6-11



ELOMA 874787

Tangential fans

3526150 TANGENTIAL FAN 180 mm LEFT

230V 50/60Hz - \varnothing 60 mm - 25 W
operating temperature -30°+135°C



ELOMA 573469

Thermostats

3444509 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 1170 mm - 16A 250V
button bulb \varnothing 15 mm
for Convection oven (ELOMA)



ELOMA E336029

ELOMA 504602

3186526 GASKET FOR THERMOSTAT

internal \varnothing 15 mm
external \varnothing 21 mm
for Convection oven (ELOMA)



ELOMA 373079



Suitable for:

3444701 SINGLE-PHASE THERMOSTAT 55-250°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1170 mm - 16A 250V
bulb \varnothing 3.1x226 mm - with stuffing gland M9x1
for Convection oven (ELOMA)



ELOMA E0268
ELOMA 234007

ELOMA E334007

ELOMA 091634

ELOMA ЗИП ОБЩЕПИТ



Suitable for:

3444798 3-PHASE THERMOSTAT 500°C

with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm



ELOMA E0234

ELOMA E336005

+7(812)987-08-81

Vibrating pumps

1122735 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings \varnothing 1/8" - \varnothing 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ELOMA 772550